







Hairise®




HAIRISE CATALOG

奥佳股份

2023 Version





Har-820GHA  T01	Har-820  T02	Har-820FH  T03	Har-820V  T04	Har-820S  T05
Har-821  T06	Har-821FHT  T07	Har-821PRR  T08	Har-828  T09	Har-828T  T10
Har-878T  T11	878T-K450  T12	Har-880  T13	Har-880M  T14	Har-880TAB  T15
Har-880WS  T16	Har-880TABS  T17	Har-880TAB-RT  T18	Har-880STAB  T19	Har-880TABL-K217  T20
Har-RT114  T21	Har-882M  T22	Har-882TAB  T23	Har-882PRR-TAB  T24	Har-882PRR-TAB  T25
Har-882TAB-K750  T26	Har-882TAB-K1000  T27	Har-882TAB-K1200  T28	Har-882M-K750  T29	Har-882M-K1000  T30
Har-882M-K1200  T31	Har-882TABF  T32	Har-882  T33	Har-882PRR  T34	Har-882FH  T35
Har-8P157G  T36	Har-1873/963  T37	Har-843  T38	Har-843  T39	Har-845  T40
Har-845  T41	Har-963  T42	Har-963TAB  T43	Har-1873  T44	Har-1873TAB  T45

Har-1873TAB  T46	Har-1873FHC  T47	Har-1873FA  T48	Har-1873FA  T49	Har-1873-E  T50
Har-1873E  T51	Har-1873E  T52	1873E-600  T53	1873E-695  T54	Har-1873GJ  T55
Har-1873GJ  T56	Har-1873D  T57	Har-1050  T58	Har-1050-K450  T59	Har-1050TAB  T60
Har-1050FG  T61	Har-1051-K330  T62	Har-1060  T63	Har-NH78  T64	Har-8825  T65
Har-8827  T66	Har-8828  T67	Har-8829  T68	Har-8830  T69	
Har-802  B01	Har-812  B02	Har-812FH  B03	Har-981T  B04	Har-981M  B05
Har-981M FH  B06	Har-515  B07	Packing Machine Roller Chain  B08	Har-600  F01	Har-600TAB  F02
Har-1400  F03	Har-1400TAB  F04	Har-1610  F05	Har-1700  F06	Har-1700TAB  F07
Har-1701/1705  F08	Har-1705H  F09	Har-042680  F10	Har-216618  F11	Har-216628  F12

链板 Slat Top Chains

不锈钢链 Steel Table Top Chains



柔性链 Flexible Chains

Har-1775  F13	Har-1785  F14	Har-PT250A  F15	Har-PT250B  F16	Har-PT280  F17
Har-2000  F18	Har-2100  F19	Har-2300  F20	Har-2310  F21	Har-2350PW  F22
Har-2350PW  F23	Har-2350PW  F24	Har-2350PW  F25	2350PW-K406  F26	Har-2350PW  F27
Har-2350TM  F28	Har-2350PW-VT  F29	Har-2350PW-VTR  F30	Har-2350PW-VTR  F31	Har-2350VTC  F32
Har-2350V  F33	Har-2350  F34	Har-2350  F35	Har-2350DM  F36	2350PW  F37
Har-2480PMZ  F38	Har-2480GZM  F39	Har-2480PMO  F40	Har-2480PMO  F41	Har-2580  F42
Har-2580  F43	Har-2840  F44	Har-830T  F45	Har-1900A  F46	Har-1900B  F47
Har-1900C  F48	Har-1800  F49	Har-1810  F50	Har-1810  F51	

Har820GHA Series Straight TOP CHAINS

TOP CHAINS 820GHA Series
P=38.1mm, T=14.2mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	灰色/Gray





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	负载 Working Capacity (N)
Har820GHA-K118	29.4	38.1	0.46	1230
Har820GHA-K157	40.0	38.1	0.52	1230

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
—	R01-R42	—	C01-C57

Har820 Series Straight
TOP CHAINS

TOP CHAINS 820
P=38.1mm, T=14.2mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	咖啡色/Brown





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	负载 Working Capacity (N)
Har820-K250	63.5	38.1	0.69	1230
Har820-K325	82.6	38.1	0.89	1230
Har820-K350	88.9	38.1	0.91	1230
Har820-K400	101.6	38.1	0.93	1230
Har820-K450	114.3	38.1	1.06	1230
Har820-K600	152.4	38.1	1.30	1230
Har820-K750	190.5	38.1	1.51	1230

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S14-S15	R01-R42	—	C01-C57

Har820FH Series Rubber Top TOP CHAINS

TOP CHAINS 820FH
P=38.1mm, T=17.3mm

节距 Pitch	链板材质 Material	颜色 Color
38.1mm	PP	咖啡色/Brown







型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	负载 Working Capacity (N)
Har820FH-K325	82.6	38.1	0.85	1030
Har820FH-K750	190.5	38.1	1.45	1030

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S14-S15	R01-R42	—	C01-C57

Har820V Series Straight
TOP CHAINS

TOP CHAINS 820V
P=38.1mm, T=30.7mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	白色/White



型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	负载 Working Capacity (N)
Har820V-K325	82.6	38.1	1.31	1230


链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S14-S15	R01-R42	—	C01-C57

Har820S Series Straight Anti-Static TOP CHAINS




TOP CHAINS 820S

P=38.1mm, T=14.2mm

PIN:Stainless steel



节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	黑色/Black





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	负载 Working Capacity (N)
Har820S-K250	63.5	38.1	0.69	1230
Har820S-k325	82.6	38.1	0.89	1230
Har820S-K350	88.9	38.1	0.91	1230
Har820S-K400	101.6	38.1	0.93	1230
Har820S-K450	114.3	38.1	1.06	1230
Har820S-K600	152.4	38.1	1.30	1230
Har820S-K750	190.5	38.1	1.51	1230

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S14-S15	R01-R42	—	C01-C57

Har821 Series Straight
TOP CHAINS

TOP CHAINS 821 Series
P=38.1mm, T=14.3mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	咖啡色/Brown




型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	负载 Working Capacity (N)
Har821-K750	190.5	38.1	2.48	2680
Har821-K1000	254.0	38.1	2.82	2680
Har821-K1200	304.8	38.1	3.12	2680
Har821-K1800	457.2	38.1	3.98	2680




链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S16-S18	R01-R42	—	C01-C57

Har821FHT Series Straight TOP CHAINS

TOP CHAINS 821FHT
P=38.1mm, T=16.3mm
PIN:Stainless steel



节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	咖啡色/Brown







型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	负载 Working Capacity (N)
Har821FHT-K750	190.5	38.1	2.48	2680
Har821FHT-K1000	254.0	38.1	2.92	2680
Har821FHT-K1200	304.8	38.1	3.23	2680

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S16-S18	R01-R42	—	C01-C57

Har821PRR Series
Rubber Top
TOP CHAINS

TOP CHAINS 821PRR
P=38.1mm, T=28.8mm

节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	棕底蓝珠/ Brown Plate Blue Roller




型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	负载 Working Capacity (N)
Har821PRR-K750	190.5	38.1	5.4	2680
Har821PRR-K1000	254.0	38.1	6.7	2680
Har821PRR-K1200	304.8	38.1	7.95	2680


链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S16-S18	R01-R42	—	C01-C57

Har828 Series Straight TOP CHAINS

TOP CHAINS 828
P=38.1mm, T=15.1mm
PIN:Stainless steel



节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	咖啡色/Brown





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	负载 Working Capacity (N)
Har828-K330	83.8	38.1	1.08	2000

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
—	R01-R42	—	C01-C57

Har828T Series Curve
TOP CHAINS

TOP CHAINS 828T
P=38.1mm, T=15.1mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	咖啡色/Brown



型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har828T-K330	83.8	38.1	0.99	510	2000

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
—	R01-R42	—	C01-C57



Har878T Series Curve

TOP CHAINS

TOP CHAINS 878T

P=38.1mm, T=20.6mm

节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	咖啡色/Brown







型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har878T-K325	82.6	38.1	0.90	350	2130
Har878T-K450	114.3	38.1	1.20	350	2130

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
—	R01-R42	—	C01-C57

Har878T Series Rubber
TOP CHAINS

TOP CHAINS 878T-K450
P=38.1mm, T=23.6mm

节距 Pitch	链板材质 Material	颜色 Color
38.1mm	PP	咖啡底绿胶/Brown Plate Green Rubber




型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har878T-K450	114.3	38.1	1.23	350	1650

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
—	R01-R42	—	C01-C57


Har880 Series Curve

TOP CHAINS

TOP CHAINS 880
P=38.1mm, T=20mm
PIN:Stainless steel



节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	咖啡色/Brown





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har880-K325	82.6	38.1	0.9	510	2000
Har880-K450	114.3	38.1	1.2	510	2000

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S19-S20	R01-R42	G03-G04	C01-C57

Har880M Series Curve
TOP CHAINS

TOP CHAINS 880M
P=38.1mm, T=14.8mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	咖啡色/Brown



型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har880M-K325	82.6	38.1	0.98	510	2000
Har880M-K450	114.3	38.1	1.12	510	2000

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S19-S20	R01-R42	G03	C01-C57

Har880TAB Series Curve



TOP CHAINS

TOP CHAINS 880TAB

P=38.1mm, T=19.9mm

PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	咖啡色/Brown





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har880TAB-K325	82.6	38.1	1.05	510	2000
Har880TAB-K450	114.3	38.1	1.24	510	2000

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S19-S20	R01-R42	G01-G02	C01-C57

Har880WS Series Roller
Cleat Curve
TOP CHAINS

TOP CHAINS 880WS
P=38.1mm, T=21.8mm
PIN:Stainless steel
Cleat style(5 types):
Rubber Top cleat /Straight cleat/Oblique cleat/
Roller Cleat/Rubber cleat

节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	咖啡色/Brown



型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har880WS-K325	82.6	38.1	1.68	510	2130

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S19-S20	R01-R42	G01-G02	C01-C57



Har880TABS Series Curve Anti-static

TOP CHAINS




TOP CHAINS 880TABS

P=38.1mm, T=19.9mm

PIN:Stainless steel



节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	黑色/Black





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	负载 Working Capacity (N)
Har880TABS-K325	82.6	38.1	1.05	2000
Har880TABS-K450	114.3	38.1	1.24	2000

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S19-S20	R01-R42	G01-G02	C01-C57

Har880TAB-RT Series Curve
TOP CHAINS

TOP CHAINS 880TAB-RT Series
P=38.1mm, T=20mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	咖啡色/Brown



型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har880TAB-RT-K325	82.6	38.1	0.96	300	2130
Har880TAB-RT-K450	114.3	38.1	1.10	300	2130

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S19-S20	R01-R42	G01-G02	C01-C57

Har880STAB Series Curve







TOP CHAINS

TOP CHAINS 880STAB Series

P=19.05mm, T=17mm

PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
19.05mm	POM	白色/White



880STABF



型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har880STAB-K470	120	19.05	0.78	510	1900
Har880STABF-K470	120	19.05	1.01	510	1900

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
—	R01-R42	—	C01-C57

Har880TABL-K217
TOP CHAINS

FLEXIBLE CHAINS 880TABL-K217
P=38.1mm, T=15mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	白色/White



型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har880TABL-K217	55.0	38.1	0.55	200	1150

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
—	—	—	—


HarRT114 Series Curve

TOP CHAINS


TOP CHAINS RT114

P=38.1mm, T=20mm

PIN:Stainless steel



节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	白色/White





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
HarRT114	114.3	38.1	1.4	510	2000

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S71	R01-R42	—	C01-C57

Har882M Series Curve
TOP CHAINS

TOP CHAINS 882
P=38.1mm, T=19mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	咖啡色/Brown



型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har882M-K450	114.3	38.1	1.19	610	3830
Har882M-K600	152.4	38.1	1.78	610	3830
Har882M-K750	190.5	38.1	2.16	610	3830
Har882M-K1000	254.0	38.1	2.35	610	3830
Har882M-K1200	304.8	38.1	2.65	610	3830

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S21-S22	R01-R42	—	C01-C57





Har882TAB Series Curve TOP CHAINS

TOP CHAINS 882TAB

P=38.1mm, T=27mm

PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	咖啡色/Brown



型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har882TAB-K375	95.2	38.1	1.40	510	3830
Har882TAB-K600	152.4	38.1	2.18	610	3830
Har882TAB-K750	190.5	38.1	2.34	610	3830
Har882TAB-K1000	254.0	38.1	2.75	610	3830
Har882TAB-K1200	304.8	38.1	3.20	610	3830



链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S21-S22	R01-R42	G04-G06	C01-C57

Har882PRR-TAB Series
Curve

TOP CHAINS

TOP CHAINS 882PRR-TAB
P=38.1mm, T=22.6mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	棕底蓝珠/Brown Plate Blue Roller 深灰底紫珠/Dark Grey Plate and Purple Roller



型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har882PRR-TAB-K450	114.3	38.1	2.7	510	3820

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S21-S22	R01-R42	G04-G06	C01-C57


Har882PRR-TAB Series Curve

TOP CHAINS


TOP CHAINS 882PRR-TAB

P=38.1mm, T=22.6mm

PIN:Stainless steel



节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	棕底蓝珠/ Brown Plate Blue Roller







型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har882PRR-TAB-K750	190.5	38.1	4.50	610	3820
Har882PRR-TAB-K1000	254.0	38.1	5.85	610	3820
Har882PRR-TAB-K1200	304.8	38.1	6.32	610	3820

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S21-S22	R01-R42	G04-G06	C01-C57

NEW Har882TAB Series
Roller Top Curve
TOP CHAINS

TOP CHAINS 882TAB-K750
P=38.1mm, T=40.75mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	咖啡底蓝珠 Brown Plate Blue Roller



型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
NEW Har882TAB-K750	190.5	38.1	4.20	610	3820

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S21-S22	R01-R42	—	C01-C57


NEW Har882TAB Series Roller Top Curve

TOP CHAINS




TOP CHAINS 882TAB-K1000

P=38.1mm, T=40.75mm

PIN:Stainless steel



节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	黑底紫珠 Black Plate Purple Roller







型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
NEW Har882TAB-K1000	254	38.1	5.40	610	3820

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S21-S22	R01-R42	—	C01-C57

NEW Har882TAB Series
Roller Top Curve
TOP CHAINS

TOP CHAINS 882TAB-K1200
P=38.1mm, T=40.75mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	黑底紫珠 Black Plate Purple Roller



型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
NEW Har882TAB-K1200	304.8	38.1	6.30	610	3820

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S21-S22	R01-R42	—	C01-C57

Har882M Series Roller Top Curve





TOP CHAINS

TOP CHAINS 882M-K750

P=38.1mm, T=40.75mm

PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	黑底紫珠 Black Plate Purple Roller







型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har882M-K750	190.5	38.1	4.20	610	3820

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S21-S22	R01-R42	—	C01-C57

Har882M Series Roller Top Curve
TOP CHAINS

TOP CHAINS 882M-K1000
P=38.1mm, T=40.75mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	黑底紫珠 Black Plate Purple Roller



型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har882M-K1000	254	38.1	5.40	610	3820

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S21-S22	R01-R42	—	C01-C57


Har882M Series Roller Top Curve

TOP CHAINS




TOP CHAINS 882M-K1200

P=38.1mm, T=40.75mm

PIN:Stainless steel



节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	黑底紫珠 Black Plate Purple Roller







型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har882M-K1200	304.8	38.1	6.30	610	3820

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S21-S22	R01-R42	—	C01-C57

Har882TABF Series
TOP CHAINS

TOP CHAINS 882TABF
P=38.1mm, T=27mm
PIN: Stainless Steel

节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	咖啡色/Brown






型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har882TABF-K450	114.3	38.1	2.07	510	3830
Har882TABF-K750	190.5	38.1	2.19	610	3830
Har882TABF-K1000	254.0	38.1	2.81	610	3830
Har882TABF-K1200	304.8	38.1	3.04	610	3830

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S21-S22	R01-R42	G04-G06	C01-C57

Har882 Series Straight TOP CHAINS

TOP CHAINS 882
P=38.1mm, T=19mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	咖啡色/Brown





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	负载 Working Capacity (N)
Har882-K750	190.5	38.1	2.16	3910
Har882-K1000	254.0	38.1	2.35	3910

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S21-S22	R01-R42	—	C01-C57

Har882PRR Series Straight
TOP CHAINS

TOP CHAINS 882PRR
P=38.1mm, T=34.5mm
PIN: Stainless Steel

节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	深灰色底/紫色滚珠 Dark Grey Plate/Purple Roller



型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	负载 Working Capacity (N)
Har882PRR -K1000	254.0	38.1	7.2	3830

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S21-S22	R01-R42	—	C01-C57


Har882FH Series Straight Rubber Cover

TOP CHAINS




TOP CHAINS 882FH Series

P=38.1mm, T=18.5mm

PIN:Stainless steel



节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	深灰紫胶/Dark Grey Plate Purple Rubber







型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	负载 Working Capacity (N)
Har882FH-K750	190.5	38.1	2.10	2700
Har882FH-K1000	254.0	38.1	2.50	2700
Har882FH-K1200	304.8	38.1	2.70	2700

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S21-S22	R01-R42	—	C01-C57

Har8P157G Series Curve
TOP CHAINS

TOP CHAINS 8P157G
P=38.1mm, T=8.5mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	咖啡色/Brown



型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har8P157	328	38.1	3.53	610	3830
Har8P157G	455	38.1	4.35	610	3830


链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
—	R01—R42	—	C01—C57

Har1873/963 Series




ROLLER CHAINS

ROLLER CHAINS 1873/963

P=19.05mm, T=18mm



节距 Pitch	不锈钢材质 Material
19.05mm	SS304




型号 Type No.	销轴长度 Length (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	侧转弯半径 Radius (mm)	负载 Working Capacity (N)
Har1873/963	29	19.05	2.1	810	2560

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S37	R01-R42	—	C01-C57

Har843 Series
ROLLER CHAINS

ROLLER CHAINS 843
P=12.7mm, T=11mm

节距 Pitch	链板材质 Material
12.7mm	SS304



型号 Type No.	销轴长度 Length (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har843	17	12.7	0.85	—	2000





链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S19	R01-R42	—	C01-C57

Har843 Series

TOP CHAINS

TOP CHAINS 843 Series
P=25.4mm, T=14.3mm

节距 Pitch	链板材质 Material	颜色 Color
25.4mm	POM	咖啡色/Brown










型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	负载 Working Capacity (N)
Har843-K138	34.9	25.4	0.69	2430
Har843-K200	50.8	25.4	0.75	2430
Har843-K325	82.6	25.4	0.82	2430

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S19	R01-R42	—	C01-C57

Har845 Series Straight
TOP CHAINS

TOP CHAINS 845
P=25.4mm, T=23.7mm

节距 Pitch	链板材质 Material	颜色 Color
25.4mm	POM	咖啡色/Brown







型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	负载 Working Capacity (N)
Har845-K157	40.0	25.4	1.0	3500
Har845-K211	53.7	25.4	1.1	3500

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S19	R01-R42	—	C01-C57

Har845 Series Straight TOP CHAINS

TOP CHAINS 845
P=25.4mm, T=3.2mm

节距 Pitch	链板材质 Material	颜色 Color
25.4mm	POM	咖啡色/Brown







型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	负载 Working Capacity (N)
Har845-K138	34.9	25.4	0.84	2700
Har845-k200	50.8	25.4	0.90	2700
Har845-K325	82.6	25.4	1.03	2700

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S19	R01-R42	—	C01-C57

Har963 Series Straight
TOP CHAINS

TOP CHAINS 963
P=38.1mm, T=22mm

节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	咖啡色/Brown







型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	负载 Working Capacity (N)
Har963-K325	82.6	38.1	2.10	4400
Har963-K450	114.3	38.1	2.30	4400
Har963-K1000	254.0	38.1	3.17	4400

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S37	R01-R42	G08	C01-C57

Har963TAB Series Straight TOP CHAINS

TOP CHAINS 963TAB Series
P=38.1mm, T=4mm

节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	咖啡色/Brown





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	负载 Working Capacity (N)
Har963TAB-K325	82.6	38.1	0.69	2560
Har963TAB-K450	114.3	38.1	0.75	2560
Har963TAB-K1000	254.0	38.1	1.10	2560

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S37	R01-R42	G08	C01-C57

Har1873-K375 Series
Chain Plate
TOP CHAINS

TOP CHAINS 1873-K375
P=38.1mm, T=4mm

节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	咖啡色/Brown



型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	负载 Working Capacity (N)
Har1873-K375	95.25	38.1	2.25	4400


链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S37	R01-R42	G08	C01-C57

Har1873TAB Series Curve


TOP CHAINS

TOP CHAINS 1873TAB Series

P=38.1mm, T=29mm



节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	咖啡色/Brown





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	负载 Working Capacity (N)
Har1873TAB-K325	82.6	38.1	2.10	2560
Har1873TAB-K450	114.3	38.1	2.26	2560
Har1873TAB-K600	152.4	38.1	2.41	2560
Har1873TAB-K750	190.5	38.1	2.56	2560
Har1873TAB-K1000	254.0	38.1	2.78	2560
Har1873TAB-K1200	304.8	38.1	3.01	2560

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S37	R01-R42	G08	C01-C57

Har1873TAB Curve with Bearing
TOP CHAINS

TOP CHAINS 1873TAB
P=38.1mm, T=30mm

节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	咖啡色/Brown





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har1873TAB	150	38.1	3.10	810	2560

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S37	R01-R42	G08	C01-C57

Har1873FHC Series Curve
TOP CHAINS

TOP CHAINS 1873FHC
P=38.1mm, T=7mm

节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	咖啡色/Brown





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	负载 Working Capacity (N)
Har1873FHC-K1200	304.8	38.1	3.58	2680
Har1873FHC-K1600	406.4	38.1	3.78	2680

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S37	R01-R42	G08	C01-C57

Har1873FA-403 Series
TOP CHAINS

TOP CHAINS 1873FA
P=38.1mm, T=30mm

节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	黑色/Black



型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	负载 Working Capacity (N)
Har1873FA-403	403	38.1	4.0	4400


链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S37	R01-R42	G08	C01-C57

Har1873FA-508 Series

TOP CHAINS

TOP CHAINS 1873FA
P=38.1mm, T=30mm

节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	黑色/Black





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	负载 Working Capacity (N)
Har1873FA-508	508.0	38.1	4.5	4400
Har1873FA-600	600.0	38.1	6.5	4400

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S37	R01-R42	G08	C01-C57

Har1873-E Series Curve
TOP CHAINS

TOP CHAINS 1873-E
P=38.1mm, T=6mm

节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	咖啡色/Brown



型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	负载 Working Capacity (N)
Har1873-E-K1000	254.0	38.1	4.30	3200
Har1873-E-K1200	304.8	38.1	4.70	3200

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S37	R01-R42	G08	C01-C57



Har1873E Series Curve

TOP CHAINS

TOP CHAINS 1873E

P= 38.1 mm, T= 8 mm

节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	咖啡色/Brown





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har1873E	600	38.1	6.50	810	4400

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S37	R01-R42	—	C01-C57

Har1873E Series Rubber
TOP CHAINS

TOP CHAINS 1873E
P= 38.1 mm, T= 8 mm

节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	咖啡色/Brown





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har1873E	694	38.1	8.10	810	3200

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S37	R01-R42	G08	C01-C57

Har1873E Series Curve
TOP CHAINS

TOP CHAINS 1873E-600
P= 38.1 mm, T= 8 mm

节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	咖啡色/Brown





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har1873E	600	38.1	6.50	810	3200

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S37	R01-R42	—	C01-C57

Har1873E Series Curve
TOP CHAINS

TOP CHAINS 1873E-695
P= 38.1 mm, T= 8 mm

节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	咖啡色/Brown



型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har1873E	695	38.1	8.50	810	3200

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S37	R01-R42	—	C01-C57






Har1873GJ Series Curve

TOP CHAINS

TOP CHAINS 1873GJ Series

P=38.1mm, T=4mm

节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	咖啡色/Brown





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	负载 Working Capacity (N)
Har1873GJ-K325	82.6	38.1	4.2	3500
Har1873GJ-K375	95.2	38.1	4.4	3500
Har1873GJ-K450	114.3	38.1	4.5	3500

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S37	R01-R42	G08	C01-C57

Har1873GJ Series Curve Rubber Cover
TOP CHAINS

TOP CHAINS 1873GJ Series
P=38.1mm, T=28.7mm

节距 Pitch	链板材质 Material	颜色 Color
38.1 mm	POM	棕色底板黑色胶/ Brown Plate Black Rubber




型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	负载 Working Capacity (N)
Har1873GJ-K325	82.6	38.1	3.20	2560
Har1873GJ-K450	114.3	38.1	3.40	2560




链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S37	R01-R42	G08	C01-C57

Har1873D Series Curve Rubber Cover TOP CHAINS

TOP CHAINS 1873D Series
P=38.1mm, T=59mm



节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	咖啡色/Brown





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	负载 Working Capacity (N)
Har1873D-K325	82.6	38.1	2.90	2560
Har1873D-K375	95.3	38.1	3.10	2560
Har1873D-K450	114.3	38.1	3.40	2560
Har1873D-K600	152.4	38.1	3.60	2560
Har1873D-K750	190.5	38.1	3.90	2560

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S37	R01-R42	G08	C01-C57

Har1050 Series Curve
TOP CHAINS

TOP CHAINS 1050 Series
P=25.4mm, T=8.7mm
PIN:Stainless steel
Curve Radius:600mm

节距 Pitch	链板材质 Material	颜色 Color
25.4mm	POM	墨绿色/Dark Green



型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har1050	83.8	25.4	1.68	600	3800

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S28-S29	R01-R42	G07	C01-C57






Har1050-K450 FLEXIBLE CHAINS

FLEXIBLE CHAINS 1050-K450

P=25.4mm, T=12.7mm

PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
25.4mm	POM	墨绿色/Dark Green





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har1050-K450	114.3	25.4	2.16	380	3800

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S28-S29	R01-R42	—	C01-C57

Har1050TAB Series Curve
TOP CHAINS

TOP CHAINS 1050TAB
P=25.4mm, T=8.7mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
25.4mm	POM	墨绿色/Dark Green



型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har1050TAB-K330	83.8	25.4	1.68	600	3800

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S28-S29	R01-R42	—	C01-C57

Har1050FG Series



TOP CHAINS

TOP CHAINS 1050 Series


P=25.4mm, T=21.2mm

OPEN AREA:10%

PIN:Stainless steel



节距 Pitch	链板材质 Material	颜色 Color
25.4mm	POM	墨绿色/Dark Green





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har1050FG-K330	83.8	25.4	1.55	600	1650

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S28-S29	R01-R42	G07	C01-C57

Har1051-K330 Series
FLEXIBLE CHAINS

FLEXIBLE CHAINS 1051-K330
P=25.4mm, T=21.4mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
25.4mm	POK	深蓝色/Dark Blue




型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har1051-K330	83.8	25.4	1.8	457	3800


链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
—	R01-R42	—	C01-C57

Har1060 Series Curve TOP CHAINS

TOP CHAINS 1060 Series
P=25.4mm, T=8.7mm
PIN:Stainless steel



节距 Pitch	链板材质 Material	颜色 Color
25.4mm	POM	深灰色/Dark Gray





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har1060-K330	83.8	25.4	1.68	600	3800

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S28-S29	R01-R42	G07	C01-C57

HarNH78 Series Straight
TOP CHAINS

TOP CHAINS NH78
P=66mm, T=28mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
66mm	POM	咖啡色/Brown 黑色/black





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	负载 Working Capacity (N)
HarNH78	74	66	2.76	3970

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
—	R01-R42	—	C01-C57

Har8825 Series TOP CHAINS

TOP CHAINS 8825
P=38.1mm, T=30.5mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	咖啡色/Brown







型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	负载 Working Capacity (N)
Har8825	70	38.1	1.22	2100

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S68	R01-R42	—	C01-C57

Har8827 Series Straight
TOP CHAINS

TOP CHAINS 8827
P=38.1mm, T=29.4mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	咖啡色/Brown



型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	负载 Working Capacity (N)
Har8827	71.7	38.1	0.971	2100

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
—	R01-R42	—	C01-C57


Har8828 Series Curve

TOP CHAINS


TOP CHAINS 8828

P=38.1mm, T=65.5mm

PIN:Stainless steel



节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	咖啡色/Brown





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	负载 Working Capacity (N)
Har8828	75.6	38.1	1.58	2100

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
—	R01-R42	—	C01-C57

Har8829 Series Curve
TOP CHAINS

TOP CHAINS 8829
P=38.1mm, T=16.1mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	咖啡色/Brown



型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har8829	76.8	38.1	1.85	510	2100





链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
—	R01—R42	—	C01—C57

Har8830 Series Curve TOP CHAINS

TOP CHAINS 8830


P=38.1mm, T=16.1mm

节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	咖啡色/Brown



型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har8830	104.7	38.1	1.30	320	2100

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
—	R01-R42	—	C01-C57







Har802 Series

TOP CHAINS

TOP CHAINS 802

P=38.1mm, T=3mm

节距 Pitch	链板材质 Material
38.1mm	SS304/2CR13







型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har802-K750	190.5	38.1	5.61	—	10600
Har802-K1000	254.0	38.1	7.48	—	10600
Har802-K1200	304.8	38.1	9.00	—	10600

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S16-S18	R01-R42	—	C01-C57

Har812 Series
TOP CHAINS

TOP CHAINS 812 Series
P=38.1mm, T=13mm
PIN:Stainless steel

节距 Pitch	链板材质 Material
38.1mm	SS304/2CR13



型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har812-K250	63.5	38.1	1.55	—	4000
Har812-K325	82.6	38.1	2.86	—	4000
Har812-K450	114.3	38.1	3.50	—	4000
Har812-K600	152.4	38.1	4.40	—	4000
Har812-K750	190.5	38.1	5.20	—	4000

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S11-S13	R01-R42	G01	C01-C57


Har812FH Series Straight Rubber Cover

TOP CHAINS


TOP CHAINS 812FH Series

P=38.1mm, T=15mm

PIN:Stainless steel



节距 Pitch	链板材质 Material
38.1 mm	SS304/2CR13






型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har812FH-K325	82.6	38.1	3.1	—	4000
Har812FH-K750	190.5	38.1	5.5	—	4000

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S11-S13	R01-R42	—	C01-C57

Har981T Series
TOP CHAINS

TOP CHAINS 981T
P=38.1mm, T=3mm

节距 Pitch	链板材质 Material
38.1mm	SS304/2CR13





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har981T-K325	82.6	38.1	2.97	610	6000
Har981T-K450	114.3	38.1	3.61	610	6000
Har981T-K750	190.5	38.1	5.05	610	6000

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S25	R01-R42	—	C01-C57

Har981M Series
TOP CHAINS

TOP CHAINS 981M
P=38.1mm, T=3mm

节距 Pitch	链板材质 Material
38.1mm	SS304/2CR13







型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har981M-K325	82.6	38.1	2.5	610	5400
Har981M-K450	114.3	38.1	3.1	610	5400
Har981M-K750	190.5	38.1	4.5	610	5400

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S25	R01-R42	G07	C01-C57

Har981M FH Series
TOP CHAINS

TOP CHAINS 981M FH
P=38.1mm, T=5.5mm

节距 Pitch	链板材质 Material
38.1mm	SS304/2CR13





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har981M FH-K325	82.6	38.1	2.8	610	5400
Har981M FH-K450	114.3	38.1	3.4	610	5400
Har981M FH-K750	190.5	38.1	4.8	610	5400

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S25	R01-R42	G07	C01-C57

Har515 Series
TOP CHAINS

MULTIFLEX CHAINS 515 Series
P=25.4 mm, T=13mm
PIN:Stainless steel

节距 Pitch	链板材质 Material
25.4mm	SS304/2CR13





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har515-K197	50.0	25.4	2.10	—	4000
Har515-K217	55.0	25.4	2.30	—	4000
Har515-K236	60.0	25.4	2.45	—	4000
Har515-K283	72.0	25.4	2.80	—	4000

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S08	R01-R42	—	C01-C57

Packing Machine Roller Chain
ROLLER CHAIN

ROLLER CHAIN
P=15.875mm, T=15mm

节距 Pitch	链条材质 Material
15.875mm	POM



型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
PACKING MACHINE ROLLER CHAIN	20.8	15.875	0.51	—	4320

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
—	—	—	—


Har600 Series

FLEXIBLE CHAINS


FLEXIBLE CHAINS 600

P=63.5mm, T=28.5mm

PIN:Stainless steel



节距 Pitch	链板材质 Material	颜色 Color
63.5mm	POM	白色/White





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har600	43.0	63.5	1.2	457	4000

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S09	R01-R42	—	C01-C57

Har600TAB Series
FLEXIBLE CHAINS

FLEXIBLE CHAINS 600TAB
P=63.5mm, T=28.5mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
63.5mm	POM	白色/White





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har600TAB	43.0	63.5	1.4	457	4000

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S09	R01-R42	—	C01-C57

Har1400 Series
FLEXIBLE CHAINS

FLEXIBLE CHAINS 1400
P=82.5mm, T=38mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
82.5mm	POM	白色/White





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har1400	50.0	82.5	1.7	600	4700

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S31	R01-R42	—	C01-C57

Har1400TAB Series
FLEXIBLE CHAINS

FLEXIBLE CHAINS 1400TAB
P=82.5mm, T=38mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
82.5mm	POM	白色/White



型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har1400TAB	50.0	82.5	2.26	600	4700

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S31	R01-R42	—	C01-C57

Har1610 Series






FLEXIBLE CHAINS

FLEXIBLE CHAINS 1610

P=63.5mm, T=48mm

PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
63.5mm	POM	白色/White





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har1610	85.0	63.5	1.76	150	3000

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S36	R01-R42	—	C01-C57

Har1700 Series
FLEXIBLE CHAINS

FLEXIBLE CHAINS 1700
P=50.0mm, T=23.9mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
50.0mm	POM	白色/White





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har1700	53.0	50.0	1.4	250.0	4000

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S36	R01-R42	G09	C01-C57

Har1700TAB Series
FLEXIBLE CHAINS

FLEXIBLE CHAINS 1700TAB
P=50mm, T=23.9mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
50mm	POM	白色/White





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har1700TAB	53.0	50	1.6	250	4000

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S36	R01-R42	G09	C01-C57

Har1701/1705 Series
FLEXIBLE CHAINS

FLEXIBLE CHAINS 1701/1705
P=50.0mm, T=24.0mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
50.0mm	POM	白色/White




型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har1701/1705	55.0	50.0	1.27	250	4000

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S36	R01-R42	—	C01-C57


Har1705H Series

FLEXIBLE CHAINS

FLEXIBLE CHAINS 1705H
P=70.0mm, T=45.0mm
PIN:Stainless steel



节距 Pitch	链板材质 Material	颜色 Color
70.0mm	POM	蓝色/Blue





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har1705H	110.0	70.0	4.3	300	11000

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
—	R01—R42	—	C01—C57

Har042680 Series
FLEXIBLE CHAINS

FLEXIBLE CHAINS 042680
P=31.7mm, T=23.5mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
31.7mm	POM	白色/White





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har042680	54.0	31.7	1.62	250	2200

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S68	R01-R42	—	C01-C57

Har216618 Series
FLEXIBLE CHAINS

FLEXIBLE CHAINS 216618
P=25.4mm, T=22mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
25.4mm	POM	白色/White




型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har216618	70.0	25.4	1.30	200	2100

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S69	R01-R42	—	C01-C57

Har216628 Series
FLEXIBLE CHAINS

FLEXIBLE CHAINS 216628
P=25.4mm, T=22mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
25.4mm	POM	白色/White





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har216628	70.0	25.4	1.30	200	2100

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S69	R01-R42	—	C01-C57

Har1775 Series FLEXIBLE CHAINS

FLEXIBLE CHAINS 1775
P=25.4mm, T=25.5mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
25.4mm	POM	白色/White





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har1775	70.0	25.4	1.12	150	2500

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S11	R01-R42	—	C01-C57

Har1785 Series
FLEXIBLE CHAINS

FLEXIBLE CHAINS 1785
P=47.75mm, T=8.5mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
47.75mm	POM	白色/White





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har1785	113.5	47.75	2.36	200	3000

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
—	R01—R42	—	C01—C57

HarPT250A Series
FLEXIBLE CHAINS

FLEXIBLE CHAINS PT250A
P=50.8mm, T=5mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
50.8mm	POM	白色/White





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
HarPT250A	114.3	50.8	2.3	610	7200

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
—	R01–R42	—	C01–C57

HarPT250B Series
FLEXIBLE CHAINS

FLEXIBLE CHAINS PT250B
P=50.8mm, T=5mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
50.8mm	POM	灰色/Grey




型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
HarPT250B	114.3	50.8	2.3	610	7200

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
—	R01—R42	—	C01—C57

HarPT280 Series
FLEXIBLE CHAINS

FLEXIBLE CHAINS PT280
P=50mm, T=24mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
50mm	POM	棕色/Brown





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
HarPT280	55.0	50.0	1.8	150	2670

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S69	R01-R42	—	C01-C57

Har2000 Series
FLEXIBLE CHAINS

FLEXIBLE CHAINS 2000
P=38.1mm, T=25mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	白色/White



型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har2000	83.0	38.1	1.35	150	2100

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S39	R01-R42	—	C01-C57


Har2100 Series

FLEXIBLE CHAINS


FLEXIBLE CHAINS 2100

P=34.8mm, T=24.6mm

PIN:Stainless steel



节距 Pitch	链板材质 Material	颜色 Color
34.8mm	POM	白色/White





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har2100	81.0	34.8	1.35	150	2100

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S47	R01-R42	—	C01-C57

Har2300 Series
FLEXIBLE CHAINS

FLEXIBLE CHAINS 2300
P=38.1mm, T=25.5mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	白色/White





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har2300	102.0	38.1	1.60	170	2100

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S47	R01-R42	—	C01-C57

Har2310 Series
FLEXIBLE CHAINS

FLEXIBLE CHAINS 2310
P=38.1mm, T=4.8mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	白色/White





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har2310-K475	120.0	38.1	1.8	200	2100

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S47	R01-R42	—	C01-C57

Har2350PW Series
FLEXIBLE CHAINS

FLEXIBLE CHAINS 2350PW
P=25.4mm, T=22.5mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
25.4mm	POM	白色/White





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har2350PW-K248	63.0	25.4	0.8	150	2100

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S43-S45	R01-R42	—	C01-C57

Har2350PW Series FLEXIBLE CHAINS

FLEXIBLE CHAINS 2350PW
P=33.5mm, T=25.2mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
33.5mm	POM	白色/White





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har2350PW-K327	83.0	33.5	1.2	160	2100

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S43-S45	R01-R42	—	C01-C57

Har2350PW Series
FLEXIBLE CHAINS

FLEXIBLE CHAINS 2350PW
P=35.5mm, T=26mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
35.5mm	POM	白色/White



型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har2350PW-K406	103.0	35.5	1.6	170	2100

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S43-S45	R01-R42	—	C01-C57



Har2350PW Series

FLEXIBLE CHAINS




FLEXIBLE CHAINS 2350PW

P=35.5mm, T=4.5mm

PIN:Stainless steel



节距 Pitch	链板材质 Material	颜色 Color
35.5mm	POM	白色/White





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har2350PW-K551	140	35.5	1.95	200	2100

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S43-S45	R01-R42	—	C01-C57

Har2350PW-K406
Rubber Cover
FLEXIBLE CHAINS

FLEXIBLE CHAINS 2350PW-K406
P=35.5mm, T=28.85mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
35.5mm	POM	白底白胶/White Plate White Rubber




型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har2350PW-K248	63	25.4	0.85	150	2100
Har2350PW-K327	83	33.5	1.25	160	2100
Har2350PW-K406	103	35.5	1.68	170	2100

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S43-S45	R01-R42	—	C01-C57


Har2350PW Series

FLEXIBLE CHAINS

FLEXIBLE CHAINS 2350PW
P=33.5mm, T=28.5mm
PIN:Stainless steel



节距 Pitch	链板材质 Material	颜色 Color
33.5mm	POM	白色/White





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har2350PW-83	83.0	33.5	1.4	150	2500
Har2350PW-103	103.0	41.9	1.75	170	2500

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S43-S46	R01-R42	—	C01-C57

Har2350TM Series
FLEXIBLE CHAINS

FLEXIBLE CHAINS 2350TM
P=35.5mm, T=27mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
25.4mm	POM	白色/White
33.5mm	POM	白色/White
35.5mm	POM	白色/White



型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har2350TM-K248	63.0	25.4	2.10	150	2100
Har2350TM-K327	83.0	33.5	2.40	160	2100
Har2350TM-K406	103.0	35.5	2.80	170	2100

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S43-S45	R01-R42	—	C01-C57


Har2350PW-VT Series

FLEXIBLE CHAINS




FLEXIBLE CHAINS 2350PW-VT

P=33.5mm, T=51mm

PIN:Stainless steel



节距 Pitch	链板材质 Material	颜色 Color
33.5mm	POM	白色/White





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har2350PW-VT-K327	83.0	33.5	2.52	160	2100

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S43-S45	R01-R42	—	C01-C57

Har2350PW-VTR Series
FLEXIBLE CHAINS

FLEXIBLE CHAINS 2350PW-VTR
P=25.4mm, T=46.5mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
25.4mm	POM	白色/White




型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har2350PW-VTR-K248	63.0	25.4	1.90	150	2100

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S43-S45	R01-R42	—	C01-C57


Har2350PW-VTR Series

FLEXIBLE CHAINS

FLEXIBLE CHAINS 2350PW-VTR
P=33.5mm, T=53.5mm
PIN:Stainless steel



节距 Pitch	链板材质 Material	颜色 Color
33.5mm	POM	白色/White





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har2350PW-VTR-K327	83.0	33.5	2.52	160	2100

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S43-S45	R01-R42	—	C01-C57

Har2350VTC Series
FLEXIBLE CHAINS

FLEXIBLE CHAINS 2350VTC
P=33.5mm, T=50mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
33.5mm	POM	白色/White




型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har2350VTC-K327	83.0	33.5	2.52	160	2100

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S43-S45	R01-R42	—	C01-C57


Har2350V Series

FLEXIBLE CHAINS

FLEXIBLE CHAINS 2350V Series
 P=25.4/33.5mm, T=30.7mm
 PIN:Stainless steel



节距 Pitch	链板材质 Material	颜色 Color
25.4mm	POM	白色/White
33.5mm	POM	白色/White



型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har2350V-K248	63.0	25.4	1.90	150	2100
Har2350V-K327	83.0	33.5	2.38	160	2100



链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S43-S45	R01-R42	—	C01-C57

Har2350DM/M/TM/PRR Series
FLEXIBLE CHAINS

FLEXIBLE CHAINS DM/M/TM/PRR
P=25.4/33.5/35.5mm, PIN:Stainless steel
附件系列:

直挡板 Straight cleat height:48mm
弯挡板 Bending cleat height:48mm
三角挡板 Triangular Cleat Height:5-30mm
滚珠挡块 Roller cleat height:54mm

节距 Pitch	链板材质 Material	颜色 Color
25.4mm	POM	白色/White
33.5mm	POM	白色/White
35.5mm	POM	白色/White




型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har2350DM/M/TM/PRR-K248	63.0	25.4	2.10	150	2100
Har2350DM/M/TM/PRR-K327	83.0	33.5	2.40	160	2100
Har2350DM/M/TM/PRR-K406	103.0	35.5	2.80	170	2100

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S43-S45	R01-R42	—	C01-C57


Har2350 Roller Top Series

FLEXIBLE CHAINS

FLEXIBLE CHAINS 2350 Roller Top
P=33.5mm, T=4mm
PIN:Stainless steel



节距 Pitch	链板材质 Material	颜色 Color
25.4mm	POM	白色/White
33.5mm	POM	白色/White
35.5mm	POM	白色/White




型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har2350PRR-K248	63.0	25.4	1.50	150	2100
Har2350PRR-K327	83.0	33.5	2.00	160	2100
Har2350PRR-K406	103.0	35.5	2.70	170	2100

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S43-S45	R01-R42	—	C01-C57

Har2350DM Series
FLEXIBLE CHAINS

FLEXIBLE CHAINS 2350DM
P=25.4/33.5/35.5mm, T=4mm
PIN:Stainless steel
三角挡板 Triangular Cleat Height: 5-30mm
钩脚挡板 Bending Cleat Height:14mm

节距 Pitch	链板材质 Material	颜色 Color
25.4mm	POM	白色/White
33.5mm	POM	白色/White
35.5mm	POM	白色/White



型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har2350DM-K248	63.0	25.4	1.50	150	2100
Har2350DM-K327	83.0	33.5	2.00	160	2100
Har2350DM-K406	103.0	35.5	2.70	170	2100

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S43-S45	R01-R42	—	C01-C57

Har2350PW Series With Cleat


FLEXIBLE CHAINS

FLEXIBLE CHAINS 2350PW-K248


P=25.4mm, T=23mm

Cleat height:12mm

PIN:Stainless steel



节距 Pitch	链板材质 Material	颜色 Color
25.4mm	POM	白色/White





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har2350PW-K248	63	25.4	0.64	175	2100

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S43-S45	R01-R42	—	C01-C57

Har2480PMZ Series
FLEXIBLE CHAINS

FLEXIBLE CHAINS 2480PMZ
P=25.5mm, T=3mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
25.5mm	POM	白色/White




型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har2480PMZ-K173	44.0	25.5	0.6	160	2100

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
—	R01-R42	—	C01-C57


Har2480GZM Series

FLEXIBLE CHAINS

FLEXIBLE CHAINS 2480GZM Series
 P=33.5/35.5mm, T=37.5mm
 PIN:Stainless steel



节距 Pitch	链板材质 Material	颜色 Color
33.5mm	POM	白色/White
35.5mm	POM	白色/White





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har2480GZM-K327	83.0	33.5	1.8	160	2100
Har2480GZM-K406	103.0	35.5	2.1	170	2100

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
—	R01-R42	—	C01-C57

Har2480PMO Series
FLEXIBLE CHAINS

FLEXIBLE CHAINS 2480PMO
P=38.1mm, T=25mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	白色/White





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har2480PMO-K551	140	38.1	2.1	200	2100


链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S47	R01-R42	—	C01-C57

Har2480PMO Series Rubber Cover FLEXIBLE CHAINS

FLEXIBLE CHAINS 2480PMO
P=38.1mm, T=25mm
PIN:Stainless steel



节距 Pitch	链板材质 Material	颜色 Color
38.1mm	POM	白色/White





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har2480PMO-RC-K551	140	38.1	2.9	200	2100

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S47	R01-R42	—	C01-C57

Har2580 Series
FLEXIBLE CHAINS

FLEXIBLE CHAINS 2580
P=33.5mm, T=29.4mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
33.5mm	POM	白色/White



型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har2580	175.0	33.5	1.53	500	1250


链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S51	R01-R42	—	C01-C57

Har2580 Series Rubber Top FLEXIBLE CHAINS

FLEXIBLE CHAINS 2580 Series
P=44mm, T=37.5mm
PIN:Stainless steel



节距 Pitch	链板材质 Material	颜色 Color
44mm	POM	白色/White




型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har2580	219	44	3.6	600	—

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S51	R01-R42	—	C01-C57

Har2840 Series
FLEXIBLE CHAINS

FLEXIBLE CHAINS 2840
P=25.4mm, T=22.5mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
25.4mm	POM	白色/White




型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har2840	50.8	25.4	0.80	150	2100

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S52	R01-R42	—	C01-C57


Har830T Series

FLEXIBLE CHAINS

FLEXIBLE CHAINS 830T Series
P=31.75mm, T=20.0mm
PIN:Stainless steel



节距 Pitch	链板材质 Material	颜色 Color
31.75mm	POM	咖啡色/Brown





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har830T-K325	82.6	31.75	0.91	160	2100

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S18	R01-R42	G07	C01-C57

Har1900A Series
FLEXIBLE CHAINS

FLEXIBLE CHAINS 1900A Series
P=12.7mm, T=12.7mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
12.7mm	POM	白色/White



型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har1900A	20.0	12.7	0.60	—	750



链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S38	R01-R42	—	C01-C57

Har1900B Series

FLEXIBLE CHAINS

FLEXIBLE CHAINS 1900B Series
P=19.05mm, T=17mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
19.05mm	POM	白色/White





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har1900B	30.0	19.05	0.92	—	800

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S38	R01-R42	—	C01-C57

Har1900C Series
FLEXIBLE CHAINS

FLEXIBLE CHAINS 1900C Series
P=15.87mm, T=14.0mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
15.87mm	POM	白色/White



型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har1900C	23.0	15.87	0.90	—	800

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
—	R01—R42	—	C01—C57


Har1800 Series

FLEXIBLE CHAINS


FLEXIBLE CHAINS 1800

P=63.5mm, T=40mm

PIN:Stainless steel



节距 Pitch	链板材质 Material	颜色 Color
63.5mm	POM	白色/White





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har1800	44	63.5	2.0	—	4200

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S41	R01-R42	—	C01-C57

Har1810 Series
FLEXIBLE CHAINS

FLEXIBLE CHAINS 1810
P=25.4mm, T=11.4mm
PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
25.4mm	POM	灰色/Gray



型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har1810	24.9	25.4	0.24	—	620


链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
—	R01—R42	—	C01—C57

Har1810 Series Nub Top FLEXIBLE CHAINS


FLEXIBLE CHAINS 1810

P=25.4mm, T=15.4mm

PIN:Stainless steel



节距 Pitch	链板材质 Material	颜色 Color
25.4mm	POM	灰色/Gray





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
HAR1810	24.9	25.4	0.28	—	620

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
—	R01-R42	—	C01-C57

Sprocket For Har515 Top Chains


Har515型链板机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har515-11T	11	90	25	10
Har515-13T	13	107	25	25
Har515-14T	14	115	20/30/40	20/30/40
Har515-15T	15	123	20/30/40	20/30/40
Har515-16T	16	131	30	30
Har515-19T	19	155	40	40

Sprocket For Har600 Multiflex Chains


Har600型柔性链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har600-8T	8	172	20/30/40	20/30/40
Har600-10T	10	214	20/30/40	20/30/40
Har600-11T	11	230	20/30/40	20/30/40
Har600-12T	12	255	20/30/40	20/30/40
Har600-14T	14	296.5	20/30/40	20/30/40

Sprocket For Har 1775 Flexible Chains



Har1775型柔性链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har1775-13T	13	108	—	20/30/40
Har1775-17T	17	141	—	20/30/40
Har1775-21T	21	173	—	20/30/40
Har1775-25T	25	206	—	20/30/40

Idler Sprocket For Har812 Top Chains



Har812型被动机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har812-19T	19	117	25/30/35	25/30/35
Har812-21T	21	129	25/30/35/40	25/30/35/40
Har812-23T	23	143	25/30/35/40	25/30/35/40
Har812-25T	25	155	25/30/35/40	25/30/35/40

Sprocket For Har812 Top Chains



Har812型链板注塑链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har812-19T	19	117	—	25/30/35
Har812-21T	21	129	—	25/30/35/40

Sprocket For Har812 Top Chains



Har812型链板注塑链轮 23齿



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har812-23T	23	143	—	25/30/35/40

Sprocket For Har812 Top Chains


Har812型链板注塑链轮 25齿



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har812-25T	25	155	—	25/30/35/40

Drive Sprocket For Har812 Top Chains


Har812型主动机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har812-19T	19	117	25/30/35	25/30/35
Har812-21T	21	129	25/30/35/40	25/30/35/40
Har812-23T	23	143	25/30/35/40	25/30/35/40
Har812-25T	25	155	25/30/35/40	25/30/35/40

Drive Sprocket For Har820 Top Chains


Har820型主动注塑分半链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har820ZSF-19T	19	118	—	25/30
Har820ZSF-21T	21	129	—	25/30
Har820ZSF-23T	23	143	—	25/30
Har820ZSF-25T	25	155	—	25/30

Idler Sprocket For Har820 Top Chains


Har820型被动注塑链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har820BZS-19T	19	118	—	25/30
Har820BZS-21T	21	129	—	25/30
Har820BZS-23T	23	143	—	25/30
Har820BZS-25T	25	155	—	25/30

Drive Sprocket For Har820 Top Chains


Har820型主动机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har820ZJJ-15T	15	93	—	25/30
Har820ZJJ-17T	17	107	—	25/30
Har820ZJJ-19T	19	118	—	25/30/35/40
Har820ZJJ-21T	21	129	—	25/30/35/40
Har820ZJJ-23T	23	143	—	25/30/35/40
Har820ZJJ-25T	25	155	—	25/30/35/40

Idler Sprocket For Har820 Top Chains


Har820型被动机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har820BJJ-15T	15	93	—	25/30
Har820BJJ-17T	17	107	—	25/30
Har820BJJ-19T	19	118	—	25/30/35/40
Har820BJJ-21T	21	129	—	25/30/35/40
Har820BJJ-23T	23	143	—	25/30/35/40
Har820BJJ-25T	25	155	—	25/30/35/40

Drive Sprocket For Har821/802 Top Chains


Har821/802型主动注塑链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har821/802ZS-19T	19	117	—	25/30/35/40
Har821/802ZS-21T	21	129	—	25/30/35/40
Har821/802ZS-23T	23	142	—	25/30/35/40
Har821/802ZS-25T	25	154	—	25/30/35/40

Idler Sprocket For Har821/802 Top Chains


Har821/802型被动注塑链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har821/802BZS-19T	19	117	—	25/30/35/40
Har821/802BZS-21T	21	129	—	25/30/35/40
Har821/802BZS-23T	23	142	—	25/30/35/40
Har821/802BZS-25T	25	154	—	25/30/35/40

Drive Sprocket For Har821/802 Top Chains


Har821/802型主动机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har821/802ZJJ-19T	19	117	—	25/30/35/40
Har821/802ZJJ-21T	21	129	—	25/30/35/40
Har821/802ZJJ-23T	23	142	—	25/30/35/40
Har821/802ZJJ-25T	25	154	—	25/30/35/40

Idler Sprocket For Har821/802 Top Chains


Har821/802型被动机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har821/802ZS-15T	15	93	—	25/30
Har821/802ZS-17T	17	107	—	25/30
Har821/802ZS-19T	19	117	—	25/30/35/40
Har821/802ZS-21T	21	129	—	25/30/35/40
Har821/802ZS-23T	23	142	—	25/30/35/40
Har821/802ZS-25T	25	154	—	25/30/35/40

Idler Sprocket For Har821/802 Top Chains




Har821/802型被动机加工链轮 无齿



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har821/802BJJC-19T	19	117	—	25/30/35/40
Har821/802BJJC-21T	21	129	—	25/30/35/40
Har821/802BJJC-23T	23	142	—	25/30/35/40
Har821/802BJJC-25T	25	154	—	25/30/35/40

Sprocket For Har830T Flexible Chains



Har830T型柔性链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har830T-13T	13	134.5	25/30/35/40/50	25/30/35/40/50
Har830T-15T	15	152.7	25/30/35/40/50	25/30/35/40/50
Har830T-17T	17	194.8	25/30/35/40/50	25/30/35/40/50

Sprocket For Har843 Top Chains


Har843型链板机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har843-19T	19	81.7	—	25/30
Har843-21T	21	89.7	—	25/30
Har843-25T	25	105.8	—	25/30/40

Drive Sprocket For Har880 Top Chains


Har880型主被动机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har880-9T	9	110	—	25/30
Har880-10T	10	122	—	25/30
Har880-11T	11	135	—	25/30
Har880-12T	12	147	—	25/30
Har880-15T	15	178	—	25/30

Drive&Driven Sprocket For Har880 Top Chains


Har880型链板注塑链轮 10齿



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har880-10T	10	122	—	25/30/35/40

Drive&Driven Sprocket for Har880 Top Chains


Har880型链板注塑链轮 11齿



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har880-11T	11	135	—	25/30/35/40
Har880-12T	12	147	—	25/30/35/40

Drive Sprocket For Har882TAB Top Chains


Har882TAB型主动注塑链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har882TABZS-9T	9	110	—	25/30
Har882TABZS-10T	10	122	—	25/30
Har882TABZS-11T	11	135	—	25/30
Har882TABZS-12T	12	147	—	25/30

Driven Sprocket For Har882TAB Top Chains


Har882TAB型被动注塑链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har882TABBS-9T	9	110	—	25/30
Har882TABBS-10T	10	122	—	25/30
Har882TABBS-11T	11	135	—	25/30
Har882TABBS-12T	12	147	—	25/30

Drive Sprocket For Har882 Top Chains


Har882TAB型主被动机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har882-9T	9	110	—	25/30
Har882-10T	10	122	—	25/30
Har882-11T	11	135	—	25/30
Har882-12T	12	147	—	25/30
Har882-15T	15	178	—	25/30

Sprocket For Har900 Modular Belt



Har900型机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har900-12T	12	107	30/40	25/30/40

Sprocket For Har900 Modular Belt


Har900型网链注塑链轮 20齿



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har900-20T	20	173	40/60	25/30

Sprocket For Har981TAB Top Chains


Har981TAB型链板机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har981TAB-19T	19	115	—	25/30/35
Har981TAB-21T	21	129	—	25/30/35/40
Har981TAB-23T	23	143	—	25/30/35/40
Har981TAB-25T	25	152.5	—	25/30/35/40

Sprocket For Har1005 Modular Belt



Har1005型注塑链轮 18齿



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har1005-18T	18	146	—	40

Sprocket For Har1050 Top Chains


Har1050型链板主动机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har1050-16T	16	130	20/25/30/40	20/25/30/40
Har1050-18T	18	146	20/25/30/40	20/25/30/40
Har1050-19T	19	154.5	20/25/30/40	20/25/30/40
Har1050-21T	21	170	20/25/30/40	20/25/30/40

Sprocket For Har1270 Modular Belt



Har1270型网链机注塑链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har1270-28T	28	116.6	—	30

Sprocket For Har1400 /1400TAB Flexible Chains



Har1400/1400TAB型柔性链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har1400-6T	6	176	25-50	25-50
Har1400-8T	8	226	25-60	25-60
Har1400-10T	10	278	25-60	25-60

Sprocket For Har1610 Flexible Chains


Har1610型柔性链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har1610-10T	10	203	—	40/50

Sprocket For Har1700 Flexible Chains



Har1700型柔性链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har1700-8T	8	133	20/25/30	20/25/30
Har1700-10T	10	166	25/30/40	25/30/40
Har1700-12T	12	196	25/30/40	25/30/40

Sprocket For Har1700T Modular Belt



Har1700T型网链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har1700T-12T	12	147	30 /35 /40	30/35/40
Har1700T-14T	14	174	40/ 45/ 50	40/45/50
Har1700T-16T	16	201.5	40 /50 /60	40/50/60

Sprocket For Har1873 Roller Chains


Har1873型滚子链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har1873-21T	21	136	20	20
Har1873-23T	23	148	20	20
Har1873-25T	25	160	20	20
Har1873-27T	27	172	20	20
Har1873-29T	29	184	20	20
Har1873-31T	31	196	25	25
Har1873-33T	33	209	25	25
Har1873-35T	35	221	25	25
Har1873-37T	37	233	25	25

Sprocket For Har1900A Flexible Chains


Har1900A型柔性链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har1900A-15T	15	62.8	—	25/30

Sprocket For Har1900B Flexible Chains


Har1900B型柔性链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har1900B-19T	19	118.5	—	25/30/35/40

Sprocket For Har2000
Flexible Chains



Har2000型柔性链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har2000-10T	10	122	20/25/30	20/25/30
Har2000-11T	11	134	20/25/30	20/25/30
Har2000-12T	12	146	20/25/30	20/25/30

Sprocket For Har2100
Modular Belt



Har2100型网链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har2100-10T	10	164.4	40/50	40/50

Sprocket For Har2200 Modular Belt


Har2200型网链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har2200-8T	8	120	25/30/40	25/30/40
Har2200-10T	10	151	25/30/40	25/30/40

Sprocket For Har1800 Flexible Chains



Har1800型柔性链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har1800-8T	8	170	25/30/40	25/30/40

Sprocket For Har2350PW
Flexible Chains

Har2350PW型主动机加工链轮





型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har2350PW-12T	12	146.3	—	25/30/40

备注：适用于Har2350PW-k406柔性链。

Sprocket For Har2350PW
Flexible Chains

Har2350PW型被动机加工链轮




型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har2350PW-12T	12	124	—	25/30/40

备注：适用于Har2350PW-k406，2350PW-103柔性链。

Sprocket For Har2350PW Flexible Chains

Har2350PW型机加工链轮




型号 Item Code	齿数 Teeth No.	外径 D_a (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har2350PW-12T	12	139	—	25/30/40

备注：适用于Har2350PW-103柔性链。

Idler Sprocket For Har2350PW Flexible Chains

Har2350PW型主被动机加工链轮






型号 Item Code	齿数 Teeth No.	外径 D_a (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har2350PW-12T	12	136.8	—	25/30/40

备注：适用于Har2350PW-k327, 2350PW-83柔性链。

Sprocket For Har2350PW
Flexible Chains

Har2350PW型柔性链注塑链轮






型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har2350PW-12T	12	138	—	25

备注：适用于Har2350PW-k327柔性链。

Sprocket For Har2350PW
Flexible Chains

Har2350PW型柔性链被动注塑链轮




型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har2350PW-12T	12	117	—	25

备注：适用于Har2350PW-k327柔性链。

Sprocket For Har2400/2401 Modular Belt

Har2400/2401型网链机加工链轮




型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har2400/2401-9T	9	74	20/30	20/30
Har2400/2401-12T	12	100	20/30/40	20/30/40
Har2400/2401-16T	16	130	20/30/40	20/30/40
Har2400/2401-20T	20	163	20/30/40	20/30/40

备注：同时适用于Har2400平格网链、2401平格网链。

Sprocket For Har2480PMO Flexible Chains



Har2480PMO型柔性链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har2480PMO-9T	9	116.5	20-35	20-35
Har2480PMO-10T	10	128.5	25-40	25-40
Har2480PMO-11T	11	140.5	25-40	25-40
Har2480PMO-12T	12	152.5	25-40	25-40
Har2480PMO-13T	13	164.5	25-40	25-40

Sprocket For Har2545 Modular Belt



Har2545型机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har2545-8T	8	78	25	20/25
Har2545-10T	10	108	25/40	20/25/30/40
Har2545-20T	20	173	25/40/60	20/30/40/50/60

Sprocket For Har2580 Flexible Chains


Har2580型柔性链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har2580-9T	9	103	20	20
Har2580-10T	10	135	20	20

Sprocket For Har2840 Flexible Chains



Har2840型柔性链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har2840-10T	10	88.6	—	25/35

Sprocket For Har3110 Modular Belt


Har3110型网链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har3110-10T	10	164.4	30/40/60/90	30/40/60/90
Har3110-12T	12	196	30/40/60/90	30/40/60/90

Sprocket For Har8825 Modular Belt



Har8825型链板机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har8825-10T	10	135.27	40	25-50
Har8825-11T	11	143.27	40	25-50
Har8825-12T	12	152.27	40	25-50

Sprocket For Har042680 Flexible Chains


Har042680型柔性链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har042680-16T	16	163	30	30

Sprocket For Har216628 Flexible Chains



Har216628型柔性链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har216628-8T	8	72.2	20-30	20-30
Har216628-9T	9	80.5	20-30	20-30
Har216628-10T	10	88.5	20-30	20-30
Har216628-11T	11	97.0	20-40	20-40
Har216628-13T	13	112.5	20-40	20-40
Har216628-14T	14	117.2	20-40	20-40
Har216628-15T	15	128.5	20-40	20-40

Sprocket For HarPT280 Flexible Chains



HarPT280型柔性链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
HarPT280-10T	10	165.1	30/40	30/40
HarPT280-12T	12	197.1	30/40	30/40

Sprocket For HarQNC Modular Belt



HarQNC型网链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
HarQNC-11T	11	90	25/30/40	25/30/40
HarQNC-16T	16	130	25/30/40	25/30/40

Sprocket For HarRT114 Top Chains

HarRT114型链板机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
HarRT114-9T	9	111	25/30/40	25/30/40
HarRT114-10T	10	123	25/30/40	25/30/40
HarRT114-11T	11	135.2	25/30/40	25/30/40
HarRT114-12T	12	146	25/30/40	25/30/40

Hairise PLASTIC CHAIN CONVEYOR 链板输送机

Conveyor frame:SS304/SS316/Carbon steel
Belt material:POM, food grade
Belt width for single rail:82.6-406mm
Dimension:Customized
Application:Food & beverage industry, Packaging & Cans industry, Daily chemicals industry, Tobacco and etc.

