


Hairise®










HAIRISE CATALOG














奥佳股份












2023 Version

Har50SG Series Flat Top  M01	Har7900 Series Flat Top  M02	Har7900 Series Nub Top  M03	Har7930 Series Flat Top  M04
Har7930 Series Flush Grid  M05	Har500 Series Flush Grid  M06	Har510 Series Flush Grid  M07	Har1270 Series Flat Top  M08
Har1270 Series Flat Top  M09	Har1270 Series Flush Grid  M10	Har1272 Series Flat Top Curve  M11	Har1500 Series Flat Top  M12
Har1506 Series Flat Top  M13	Har2120 Series Flat Top  M14	Har2120 Series Rubber Top  M15	Har2120 Series Roller Top  M16
Har2120 Series Flat Top With Positrack  M17	Har2120 Series Flat Top  M18	Har7120 Series Flush Grid  M19	Har7940 Series Flush Grid  M20
Har1100 Series Flat Top  M21	Har1100 Series Rubber Top  M22	Har1100 Series Flush Grid  M23	Har1100 Series Rubber Top  M24
Har1100 Series Diamond Grid  M25	Har1100 Series Flush Grid Dynamic Transition  M26	Har1100 Series Roller Top  M27	Har1505 Series Flat Top  M28
Har1505 Series Rubber Top  M29	Har1507 Series Flat Top  M30	Har1990 Series Flat Top  M31	Har5935 Series Flat Top  M32
Har5935 Series Flush Grid Dynamic Transition  M33	Har5935 Series Flat Top  M34	Har5935 Series Flush Grid  M35	Har5935 Series Perforated Top  M36

Har8505 Series Flat Top  M37	Har8505 Series Raised Rib  M38	Har8505 Series Flat Top Dynamic Transition  M39	Har100 Series Flush Grid  M40
Har100 Series Raised Rib  M41	Har1000 Series Flat Top  M42	Har1000 Series Flat Top With Positrack  M43	Har1000 Series Flush Grid  M44
Har1000 Series Flush Grid With Positrack  M45	Har1000 Series Flat Top With Positrack  M46	Har1000 Series Rubber Top  M47	Har1000 Series Raised Rib  M48
Har1000 Series Flat Top With Positrack  M49	Har1000 Series Raised Rib  M50	Har1000 Series Raised Rib  M51	Har1001 Series Flat Top  M52
Har1005 Series Flat Top With Positrack  M53	Har1005 Series Roller Top  M54	Har1005 Series Rubber Top  M55	Har1005 Series Flat Top Dynamic Transition With Positioners  M56
Har1400 Series Flat Top  M57	Har1400 Series Flat Top With Positrack  M58	Har1400 Series Flat Top With Positrack  M59	Har1400 Series Diamond Grid Anti Slip  M60
Har1600 Series Flat Top  M61	Har1600 Series Flush Grid  M62	Har1600 Series Flat Top With Positrack  M63	Har1600 Separation Chain  M64
Har1600T Series Flat Top  M65	Har1600T Flat Top With Positrack  M66	Har1600T Rubber Top With Positrack Modular Belt  M67	Har2400 Series Flush Grid  M68
Har2400 Series Flush Grid With Corner Track  M69	Har2400H Series Raised Rib  M70	Har2401 Series Flush Grid  M71	Har2501 Series Flat Top  M72

Har2501 Series Nub Top  M73	Har2501 Series Flush Grid  M74	Har2520 Series Flat Top  M75	Har2520 Series Flush Grid  M76
Har2520 Series Rubber Top  M77	Har2540 Series Flush Grid  M78	Har2541 Series Flush Grid  M79	Har2542 Series Flat Top With Positrack  M80
Har2542 Series Rubber Top  M81	Har2545 Series Flush Grid  M82	Har2547 Series Flat Top  M83	Har2547 Series Perforated Top  M84
Har2548 Series Flush Grid  M85	Har7100 Series Flush Grid  M86	Har7100A Series Flush Grid  M87	Har7300 Series Flush Grid  M88
Har7300 Series Rubber Top  M89	Har7300 Series Raised Rib  M90	Har7705 Series Flat Top  M91	Har7706 Series Roller Top  M92
Har7910A Series Flush Grid  M93	Har7910B Series Flush Grid  M94	HarQNB Series Flat Top  M95	HarQNB Series Rubber Top  M96
HarQNB Series With Roller Top  M97	HarQNC Series Nub Top  M98	Har900 Series Flat Top  M99	Har900 Series Flush Grid  M100
Har900 Series Flush Grid With Mini Cleat  M101	Har900 Series Perforated Flat Top  M102	Har900 Series Rubber Top  M103	Har900 Series Flush Grid With Rubber  M104
Har900 Series Raised Rib  M105	Har900 Series Flush Grid Dynamic Transition  M106	Har900 Series Packing Machine Separation Chain A  M107	Har900 Series Packaging Machine Separation Chain B  M108



Har900 Series Packaging Machine Separation Chain C	Har900 Series Packaging Machine Separation Chain D	Har900 Series Packaging Machine Separation Chain E	Har900 Series Flat Top With Positrack
 M109	 M110	 M111	 M112
Har900 Series Flat Top	Har900 Series Flush Grid	Har900N Series Flush Grid	Har7920 Series Flush Grid
 M113	 M114	 M115	 M116
Har2265 Series Flush Grid With Positrack	Har2275 Series Turning Type With Bearing	Har1700T Series	Har1700T Series Nub Top
 M117	 M118	 M119	 M120
Har1700T Series	Har2300 Series Flush Grid Turning	Har2546 Series Flush Grid	Har3811GB Series Flat Top
 M121	 M122	 M123	 M124
Har3818 Series Raised Rib	Har4705 Series Flat Top	Har4705 Series Perforated Top	Har4707 Series Raised Rib
 M125	 M126	 M127	 M128
Har5966 Series Flush Grid	Har7800 Series Flush Grid	Har7960 Series Flush Grid	Har7960 Series Flush Grid With Rubber
 M129	 M130	 M131	 M132
Har7960 Series Pusher	Har2200 Series Flush Grid	Har2200 Series With TAB	Har4600 Series Flush Grid
 M133	 M134	 M135	 M136
Har4600 Series Pusher	Har200 Series Flush Grid	Har400 Series Flush Grid	Har400 Series Flush Grid (New Type)
 M137	 M138	 M139	 M140
Har400 Series Raised Rib	Har400 Series Lateral Pulley Type	Har400 Series laterally Pulley Type (Big Roller)	Har400 Series Ball Belt
 M141	 M142	 M143	 M144

HAR508DR Series Lateral Double Pulley Type  M145	Har600 Series Fastening  M146	HAR700RR Series Lateral Pulley Type  M147	Har800 Series Flat Top  M148
Har800 Series Perforated Flat Top  M149	Har800 Series Flush Grid  M150	Har800 Series Flush Grid With Stripes  M151	Har800 Series Flat Top With Nub  M152
Har801 Series Flat Top  M153	Har801 Series Perforated Top  M154	Har2100 Series  M155	Har3110 Series Raised Rib  M156
HAR5080DRR Series Lateral Pulley Type  M157	Har6100 Series Flat Top  M158	Har6100 Series Flush Grid  M159	Har6100 Series Raised Rib  M160
Har6100 Series Perforated Flat Top  M161	Har7200 Series Flush Grid  M162	Har7500 Series Flush Grid  M163	Har7501 Series Flush Grid  M164
Har8200 Series Curve  M165	Har7950 Series Flat Top  M166	Har7950 Series Flush Grid  M167	Har7951 Series Flush Grid  M168
Har4809 Series Raised Rib  M169	Har5715LRR Series Lateral Pulley Type  M170	Har5996 Series Flush Grid  M171	Har5997 Series Raised Rib  M172
Har7620 Series Flat Top  M173	Har7620 Series Cleat  M174	Har8000RR Series Lateral Pulley Type  M175	Har8600 Series Curve  M176

Har50SG Series Flat Top
MODULAR BELT

MODULAR BELT 50SG Series
P=5mm, T=6mm
OPEN AREA:0%

节距 Pitch	网链材质 Material	颜色 Color
5mm	POM	深蓝/Dark Blue



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	5.3	2500
穿销材质 Pin Material	PP/NYLON/PBT	—	—	—

可选宽度 Available Width 塑料缩水率引致的正常误差：正负差距 ± 3(mm) The normal error caused by the shrinkage of plastic: ± 3(mm)	
单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
194mm	194+15*N
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking


链轮 Sprocket	护栏 Guide	其余配件 Component
S07	R01-R42	C01-C57

Har7900 Series Flat Top MODULAR BELT



MODULAR BELT 7900 Series

P=8mm, T=6mm

OPEN AREA:0%



节距 Pitch	网链材质 Material	颜色 Color
8mm	POM	深蓝色/Dark Blue






挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	5.3	2500
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:3mm	—	—	—
可选宽度 Available Width 塑料缩水率引致的正常误差: 正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)				
单片宽度 (Bulk Pieces Width)			组合宽度 (Assemble Width)	
101mm	152mm	203mm	101+203+152*N	
非标宽度 Nonstandard Width			非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking	

链轮 Sprocket	护栏 Guide	其余配件 Component
S60	R01-R42	C01-C57

Har7900 Series Nub Top
MODULAR BELT

MODULAR BELT 7900 Series
P=8mm, T=6mm
OPEN AREA:0%

节距 Pitch	网链材质 Material	颜色 Color
8mm	POM	深蓝色/Dark Blue



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	5.3	2500
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:3mm	—	—	—
可选宽度 Available Width 塑料缩水率引致的正常误差: 正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)				
单片宽度 (Bulk Pieces Width)			组合宽度 (Assemble Width)	
101mm	152mm	203mm	101+203+152*N	
非标宽度 Nonstandard Width			非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking	

链轮 Sprocket	护栏 Guide	其余配件 Component
S60	R01-R42	C01-C57




Har7930 Series Flat Top MODULAR BELT

MODULAR BELT 7930 Series

P=10mm, T=7mm

OPEN AREA:0%

节距 Pitch	网链材质 Material	颜色 Color
10mm	POM	白色/White



挡板高度 Cleat Height	20mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	5.8	5850
穿销材质 Pin Material	—	PP	4.9	4685

可选宽度 Available Width

塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)




单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
161mm	161*N
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S62	R01-R42	C01-C57

Har7930 Series Flush Grid
MODULAR BELT

MODULAR BELT 7930 Series
P=10mm, T=7mm
OPEN AREA:24%

节距 Pitch	网链材质 Material	颜色 Color
10mm	POM	白色/White
	PP	白色/White



挡板高度 Cleat Height	20mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	3.9	4650
穿销材质 Pin Material	—	PP	3.8	3860

可选宽度 Available Width
塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
161mm	161*N
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking


链轮 Sprocket	护栏 Guide	其余配件 Component
S62	R01-R42	C01-C57

Har500 Series Flush Grid MODULAR BELT



MODULAR BELT 500 Series

P=12.7mm, T=8.7mm

OPEN AREA:16%



节距 Pitch	网链材质 Material	颜色 Color
12.7mm	POM	墨绿色/Dark Green






挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	7.06	14000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	PP	4.76	10000
可选宽度 Available Width 塑料缩水率引致的正常误差: 正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)				
单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)		
85mm	170mm	85*N		
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking		

链轮 Sprocket	护栏 Guide	其余配件 Component
S07	R01-R42	C01-C57

Har510 Series Flush Grid MODULAR BELT

MODULAR BELT 510 Series
P=12.7mm, T=7.5mm
OPEN AREA:37%

节距 Pitch	网链材质 Material	颜色 Color
12.7mm	POM	浅蓝/ Blue



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	7.0	20000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4mm	—	—	—

可选宽度 Available Width

塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
305mm	305*N
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
—	R01-R42	C01-C57




Har1270 Series Flat Top MODULAR BELT

MODULAR BELT 1270 Series

P=12.7mm, T=10mm

OPEN AREA:0%

节距 Pitch	网链材质 Material	颜色 Color
12.7mm	POM	蓝色/Blue






挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	8.7	18000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:5mm	—	—	—
可选宽度 Available Width 塑料缩水率引致的正常误差: 正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)				
单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)		
50mm		50		
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking		

链轮 Sprocket	护栏 Guide	其余配件 Component
S31	R01-R42	C01-C57

Har1270 Series Flat Top
MODULAR BELT

MODULAR BELT 1270 Series
P=12.7mm, T=10mm
OPEN AREA:0%

节距 Pitch	网链材质 Material	颜色 Color
12.7mm	POM	深蓝/ Dark Blue



挡板高度 Cleat Height	50mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	8.7	16000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:5mm	—	—	—
可选宽度 Available Width 塑料缩水率引致的正常误差: 正负差距 ± 3(mm) The normal error caused by the shrinkage of plastic: ± 3(mm)				
单片宽度 (Bulk Pieces Width)			组合宽度 (Assemble Width)	
50mm	100mm	200mm	50*N	
非标宽度 Nonstandard Width			非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking	

链轮 Sprocket	护栏 Guide	其余配件 Component
S31	R01-R42	C01-C57



Har1270 Series Flush Grid MODULAR BELT

MODULAR BELT 1270 Series

P=12.7mm, T=10mm

OPEN AREA:25%

节距 Pitch	网链材质 Material	颜色 Color
12.7mm	POM	深蓝/ Dark Blue



挡板高度 Cleat Height	50mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	7.3	16000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:5mm	—	—	—

可选宽度 Available Width

塑料缩水率引致的正常误差: 正负差距 ± 3(mm) The normal error caused by the shrinkage of plastic: ± 3(mm)





单片宽度 (Bulk Pieces Width)			组合宽度 (Assemble Width)
50mm	100mm	200mm	50*N
非标宽度 Nonstandard Width			非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S31	R01-R42	C01-C57

Har1272 Series Flat
Top Curve
MODULAR BELT

MODULAR BELT 1272 Series
P=12.7mm, T=8.7mm
OPEN AREA:0%

节距 Pitch	网链材质 Material	颜色 Color	转弯半径 Curve Radius
12.7mm	POM	浅湖蓝/ Blue	450mm




挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	1.11	2500
穿销材质 Pin Material	SUS304:4mm	—	—	—

可选宽度 Available Width 塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)	
单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
83.8mm	83.8mm
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking



链轮 Sprocket	护栏 Guide	其余配件 Component
—	R01-R42	C01-C57

Har1500 Series Flat Top MODULAR BELT

MODULAR BELT 1500 Series
P=12.7mm, T=8.7mm
OPEN AREA:0%



节距 Pitch	网链材质 Material	颜色 Color
12.7mm	POM	白色/White 蓝色/Blue
12.7mm	PP	白色/White 蓝色/Blue



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	8.1	17000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	PP	6.0	17000

可选宽度 Available Width

塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)




单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
152mm	152+76*N
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S33	R01-R42	C01-C57

Har1506 Series Flat Top
MODULAR BELT

MODULAR BELT 1506 Series
P=12.7mm, T=8.7mm
OPEN AREA:0%

节距 Pitch	网链材质 Material	颜色 Color
12.7mm	POM	棕色/Brown



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	6.8	13200
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	—	—	—

可选宽度 Available Width
塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)
170mm	85mm	170+85*N
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S34	R01-R42	C01-C57




Har2120 Series Flat Top MODULAR BELT

MODULAR BELT 2120 Series

P=12.7mm, T=8.7mm

OPEN AREA:0%

节距 Pitch	网链材质 Material	颜色 Color
12.7mm	POM	蓝色/Blue
12.7mm	POM	深灰色/Dark Grey





挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PP	6.5	17000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:5mm	POM	8.8	20000
可选宽度 Available Width 塑料缩水率引致的正常误差: 正负差距 ± 3(mm) The normal error caused by the shrinkage of plastic: ± 3(mm)				
单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)		
85mm	170mm	85*N		
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking		

链轮 Sprocket	护栏 Guide	其余配件 Component
S40	R01-R42	C01-C57

Har2120 Series Rubber Top
MODULAR BELT

MODULAR BELT 2120 Series
P=12.7mm, T=8.7mm

节距 Pitch	网链材质 Material	颜色 Color
12.7mm	PP	灰底绿胶/ grey plate green rubber



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PP	9.7	18000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:5mm	—	—	—

可选宽度 Available Width
塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)




单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
85mm	170mm
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S40	R01-R42	C01-C57

Har2120 Series Roller Top MODULAR BELT

MODULAR BELT 2120 Series
P=12.7mm, T=22.23mm
OPEN AREA: 0%

节距 Pitch	网链材质 Material	颜色 Color
12.7mm	POM	咖啡底+蓝珠 Brown Plate Blue Roller



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	21.8	20000
穿销材质 Pin Material	PP/NYLON/PBT	—	—	—

可选宽度 Available Width

塑料缩水率引致的正常误差: 正负差距 ±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)





单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
85mm	170mm
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S22-S25	R01-R42	C01-C57

Har2120 Series Flat Top
With Positrack
MODULAR BELT

MODULAR BELT 2120 Series
P=12.7mm, T=8.7mm

节距 Pitch	网链材质 Material	颜色 Color
12.7mm	POM	灰色/ Dark Gray 蓝色/Blue



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	8.8	20000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:5mm	—	—	—

可选宽度 Available Width
塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)
85mm	170mm	85*N
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking




链轮 Sprocket	护栏 Guide	其余配件 Component
S40	R01-R42	C01-C57

Har2120 Series Flat Top MODULAR BELT

MODULAR BELT 2120 Series

P=12.7mm, T=8.7mm

节距 Pitch	网链材质 Material	颜色 Color
12.7mm	POM	灰色/ Dark Gray 蓝色/Blue





挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	8.8	20000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:5mm	—	—	—
可选宽度 Available Width 塑料缩水率引致的正常误差: 正负差距 ± 3(mm) The normal error caused by the shrinkage of plastic: ± 3(mm)				
单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)		
50mm		50mm		
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking		

链轮 Sprocket	护栏 Guide	其余配件 Component
S40	R01-R42	C01-C57

Har7120 Series Flush Grid
MODULAR BELT

MODULAR BELT 7120 Series
P=12.7mm, T=8.8mm
OPEN AREA:14%

节距 Pitch	网链材质 Material	颜色 Color
12.7mm	POM	蓝色/Blue
	PP	蓝色/Blue



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	8.2	16800
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	PP	6.1	12500

可选宽度 Available Width
塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)
76mm	152mm	76*N
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S57	R01-R42	C01-C57




Har7940 Series Flush Grid MODULAR BELT

MODULAR BELT 7940

P=12.7mm, T=7mm

OPEN AREA:48%

节距 Pitch	网链材质 Material	颜色 Color
12.7mm	POM	蓝色/Blue
	PP	白色/White



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	3.8	3570
穿销材质 Pin Material	—	PP	2.5	1860

可选宽度 Available Width

塑料缩水率引致的正常误差: 正负差距 ± 3(mm) The normal error caused by the shrinkage of plastic: ± 3(mm)




单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
252mm	51*N
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S62	R01-R42	C01-C57

Har1100 Series Flat Top
MODULAR BELT

MODULAR BELT 1100 Series
P=15.2mm, T=8.7mm
OPEN AREA:0%

节距 Pitch	网链材质 Material	颜色 Color
15.2mm	PP/POM	蓝色/Blue




挡板高度 Cleat Height	5mm/50mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PP	4.5	7500
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	POM	6.5	14900

可选宽度 Available Width 塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)				
单片宽度 (Bulk Pieces Width)			组合宽度 (Assemble Width)	
51mm	100mm	101mm	51+100+51*N	
非标宽度 Nonstandard Width			非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking	


链轮 Sprocket	护栏 Guide	其余配件 Component
S29-S31	R01-R42	C01-C57

Har1100 Series Rubber Top MODULAR BELT

MODULAR BELT 1100 Series
P=15.2mm, T=10.8mm
OPEN AREA:0%



节距 Pitch	网链材质 Material	颜色 Color
15.2mm	PP/POM	灰底绿胶/ grey plate green rubber



挡板高度 Cleat Height	5/50mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PP	7.0	7500
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	POM	7.0	14900

可选宽度 Available Width

塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)



单片宽度 (Bulk Pieces Width)			组合宽度 (Assemble Width)
50mm	152mm	100mm	50+100+50*N
非标宽度 Nonstandard Width			非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S29-S31	R01-R42	C01-C57

Har1100 Series Flush Grid
MODULAR BELT

MODULAR BELT 1100 Series
P=15.2mm, T=8.7mm
OPEN AREA:28%

节距 Pitch	网链材质 Material	颜色 Color
15.2mm	POM	蓝色/Blue
15.2mm	PP	灰色/Gray



挡板高度 Cleat Height	5/50mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	5.80	14000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	PP	3.95	9000

可选宽度 Available Width
塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度 (Bulk Pieces Width)			组合宽度 (Assemble Width)
50mm	152mm	100mm	50+100+50*N
非标宽度 Nonstandard Width			非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking


链轮 Sprocket	护栏 Guide	其余配件 Component
S29-S31	R01-R42	C01-C57

Har1100 Series Rubber Top MODULAR BELT



MODULAR BELT 1100 Series

P=15.2mm, T=8.7mm

OPEN AREA:28%



节距 Pitch	网链材质 Material	颜色 Color
15.2mm	PP	灰底灰胶/Grey Plate Grey Rubber 灰底黑胶/Grey Plate Black Rubber 白底白胶/White Plate White Rubber



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PP	5.75	9000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	—	—	—

可选宽度 Available Width

塑料缩水率引致的正常误差: 正负差距 ± 3(mm) The normal error caused by the shrinkage of plastic: ± 3(mm)



单片宽度 (Bulk Pieces Width)			组合宽度 (Assemble Width)
50mm	152mm	100mm	50+100+50*N
非标宽度 Nonstandard Width			非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S29-S31	R01-R42	C01-C57

Har1100 Series Diamond Grid
MODULAR BELT

MODULAR BELT 1100 Series
P=15.2mm, T=8.8mm
OPEN AREA: 0%

节距 Pitch	网链材质 Material	颜色 Color
27.2mm	POM	蓝色/Blue



挡板高度 Cleat Height	50mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	5.10	14900
穿销材质 Pin Material	PP/NYLON/PBT	—	—	—

可选宽度 Available Width
塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
50.8/101.6/152.4mm	50.8+101.6+152.4*N
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S29-S31	R01-R42	C01-C57

Har1100 Series Flush Grid Dynamic Transition



MODULAR BELT

MODULAR BELT 1100 Series

P=15.2mm, T=8.7mm

OPEN AREA:28%

节距 Pitch	网链材质 Material	颜色 Color
15.2mm	POM	蓝色/Blue



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	5.8	19400
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	—	—	—

可选宽度 Available Width

塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)



单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
152mm	152mm
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S29-S31	R01-R42	C01-C57

Har1100 Series Roller Top
MODULAR BELT

MODULAR BELT 1100 Series
P=15.2mm, T=8.7mm
OPEN AREA:12.5%

节距 Pitch	网链材质 Material	颜色 Color
15.2mm	POM	黑色+黄色珠子 Black with yellow roller



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	8.3	35000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	—	—	—
可选宽度 Available Width 塑料缩水率引致的正常误差: 正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)				
单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)		
76mm	152mm	76*N		
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking		



链轮 Sprocket	护栏 Guide	其余配件 Component
S42	R01-R42	C01-C57

Har1505 Series Flat Top MODULAR BELT

MODULAR BELT 1505 Series

P=15.2mm, T=8.7mm

节距 Pitch	网链材质 Material	颜色 Color
15.2 mm	POM	灰色/Gray 墨绿色/Dark Green
15.2 mm	PP	灰色/Gray 墨绿色/Dark Green



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	6.58	22000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	PP	4.43	14000

可选宽度 Available Width

塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)



单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
170mm	170+85*N
76.2mm/152.4mm	76.2*N(非限位)
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S33	R01-R42	C01-C57

Har1505 Series Rubber Top
MODULAR BELT

MODULAR BELT 1505 Series
P=15.2mm, T=8.7mm
OPEN AREA:0%

节距 Pitch	网链材质 Material	颜色 Color
15.2mm	PP	绿底黑胶/ Green Plate Black Rubber



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PP	6.4	7300
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	—	—	—

可选宽度 Available Width
塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
170mm	170*N
76.2mm/152.4mm	76.2*N(非限位)
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S33	R01-R42	C01-C57




Har1507 Series Flat Top MODULAR BELT

MODULAR BELT 1507 Series

P=15.2mm, T=8.7mm

OPEN AREA:0%

节距 Pitch	网链材质 Material	颜色 Color
15.2mm	POM	深棕色/Dark Brown




挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	7.0	13000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	—	—	—
可选宽度 Available Width 塑料缩水率引致的正常误差: 正负差距 ±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)				
单片宽度 (Bulk Pieces Width)			组合宽度 (Assemble Width)	
108mm	147mm	159mm	108+147+159*N	
非标宽度 Nonstandard Width			非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking	

链轮 Sprocket	护栏 Guide	其余配件 Component
S34	R01-R42	C01-C57

Har1990 Series Flat Top
MODULAR BELT

MODULAR BELT 1990 Series
P=19.05mm, T=9.8mm

节距 Pitch	网链材质 Material	颜色 Color
19.05mm	PE	黑色/Black



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PE	5.0	7900N
穿销材质 Pin Material	—	PP	—	—


可选宽度 Available Width
塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
153mm	153+76*N
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking



链轮 Sprocket	护栏 Guide	其余配件 Component
—	R01-R42	C01-C57

Har5935 Series Flat Top MODULAR BELT

MODULAR BELT 5935 Series
P=19.05mm, T=8.7mm
OPEN AREA:0%



节距 Pitch	网链材质 Material	颜色 Color
19.05mm	POM	棕色/Brown 白色/White
19.05mm	PP	白色/White



挡板高度 Cleat Height	10/50mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	50mm	POM	6.72	13000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	PP	5.3	7000

可选宽度 Available Width

塑料缩水率引致的正常误差: 正负差距 ± 3 (mm) The normal error caused by the shrinkage of plastic: ± 3 (mm)





单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)
76mm	152mm	76*N
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S53	R01-R42	C01-C57

Har5935 Series Flush Grid
Dynamic Transition
MODULAR BELT

MODULAR BELT 5935 Series
P=19.05mm, T=8.7mm
OPEN AREA:16%

节距 Pitch	网链材质 Material	颜色 Color
19.05mm	POM	棕色/Brown



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/M)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	1.04	2080
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	—	—	—

可选宽度 Available Width
塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
160mm	—
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking



链轮 Sprocket	护栏 Guide	其余配件 Component
S53	R01-R42	C01-C57

Har5935 Series Flat Top MODULAR BELT

MODULAR BELT 5935 Series



P=19.05mm, T=8.7mm

OPEN AREA:0%





节距 Pitch	网链材质 Material	颜色 Color
19.05mm	POM	棕色/Brown
19.05mm	POM	白色/White
19.05mm	PP	白色/White

挡板



挡块



挡板高度 Cleat Height	10/50mm	材质 Material	POM	重量 Weight(KG/SQ)	6.72	工作负荷 Working Capacity(N/M)	13000
裙边高度 Side Apron Height	50mm	穿销材质 Pin Material	PP	5.3		7000	

可选宽度 Available Width

塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)




单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
76mm	152mm
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S53	R01-R42	C01-C57

Har5935 Series Flush Grid
MODULAR BELT

MODULAR BELT 5935 Series
P=19.05mm, T=8.7mm
OPEN AREA:16%

节距 Pitch	网链材质 Material	颜色 Color
19.05mm	POM	棕色/Brown 蓝色/Blue 白色/White
19.05mm	PP	白色/White



挡板高度 Cleat Height	10/50mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	50mm	POM	6.0	13000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	PP	4.6	7000


可选宽度 Available Width
塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
76mm 152mm	76mm*N
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking


链轮 Sprocket	护栏 Guide	其余配件 Component
S53	R01-R42	C01-C57

Har5935 Series Perforated Top MODULAR BELT

MODULAR BELT 5935 Series
P=19.05mm, T=8.7mm
OPEN AREA:6%



节距 Pitch	网链材质 Material	颜色 Color
19.05mm	POM	棕色/Brown





挡板高度 Cleat Height	10/50mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	50mm	POM	6.5	13000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	PP	5	7000
可选宽度 Available Width 塑料缩水率引致的正常误差: 正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)				
单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)		
76mm	152mm	76mm*N		
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking		

链轮 Sprocket	护栏 Guide	其余配件 Component
S53	R01-R42	C01-C57

Har8505 Series Flat Top
MODULAR BELT

MODULAR BELT 8505 Series
P=19.05mm, T=8.7mm
OPEN AREA:0%

节距 Pitch	网链材质 Material	颜色 Color
19.05mm	POM	深棕色/Dark Brown



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	8.89	29000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	—	—	—

可选宽度 Available Width


塑料缩水率引致的正常误差：正负差距 ± 3(mm) The normal error caused by the shrinkage of plastic: ± 3(mm)

单片宽度 (Bulk Pieces Width)			组合宽度 (Assemble Width)
76mm	303mm	152mm	76+303+152*N
非标宽度 Nonstandard Width			非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking



链轮 Sprocket	护栏 Guide	其余配件 Component
S64-S65	R01-R42	C01-C57

Har8505 Series Raised Rib MODULAR BELT

MODULAR BELT 8505 Series
P=19.05mm, T=14.2mm
OPEN AREA:22%



节距 Pitch	网链材质 Material	颜色 Color
19.05mm	PP	棕色/Brown



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PP	6.9	16000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	—	—	—

可选宽度 Available Width

塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)



单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
304mm	—
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S64-S65	R01-R42	C01-C57

Har8505 Series Flat Top
Dynamic Transition
MODULAR BELT

MODULAR BELT 8505 Series
P=19.05mm, T=8.7mm
OPEN AREA:0%

节距 Pitch	网链材质 Material	颜色 Color
19.05mm	POM	深棕色/Dark Brown



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/M)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	1.4	4650
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	—	—	—

可选宽度 Available Width
塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
160mm	160mm
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking


链轮 Sprocket	护栏 Guide	其余配件 Component
S64-S65	R01-R42	C01-C57

Har100 Series Flush Grid MODULAR BELT



MODULAR BELT 100 Series

P=25.4mm, T=8.7mm

OPEN AREA:31%



节距 Pitch	网链材质 Material	颜色 Color
25.4mm	POM	蓝色/Blue






挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	3.9	9000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	PP	—	—
可选宽度 Available Width 塑料缩水率引致的正常误差: 正负差距 ± 3(mm) The normal error caused by the shrinkage of plastic: ± 3(mm)				
单片宽度 (Bulk Pieces Width)			组合宽度 (Assemble Width)	
50mm	158mm	107mm	50+107+158*N	
非标宽度 Nonstandard Width			非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking	

链轮 Sprocket	护栏 Guide	其余配件 Component
S01	R01-R42	C01-C57

Har100 Series Raised Rib
MODULAR BELT

MODULAR BELT 100 Series
P=25.4mm, T=14.3mm
OPEN AREA:31%

节距 Pitch	网链材质 Material	颜色 Color
25.4mm	POM	蓝色/Blue
		墨绿色/Dark Green



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	5.86	8700
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	—	—	—


可选宽度 Available Width
塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度 (Bulk Pieces Width)			组合宽度 (Assemble Width)
50mm	158mm	107mm	50+107+158*N
非标宽度 Nonstandard Width			非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking



链轮 Sprocket	护栏 Guide	其余配件 Component
S01	R01-R42	C01-C57

Har1000 Series Flat Top MODULAR BELT

MODULAR BELT 1000 Series
P=25.4mm, T=8.7mm
OPEN AREA:0%



节距 Pitch	网链材质 Material	颜色 Color
25.4mm	POM	墨绿色/Dark Green



挡板高度 Cleat Height	50mm/150mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	7.5	21000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	—	—	—

可选宽度 Available Width

塑料缩水率引致的正常误差: 正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)





单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)
85mm	170mm	85*N
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S26-S27	R01-R42	C01-C57

Har1000 Series Flat Top
With Positrack
MODULAR BELT

MODULAR BELT 1000 Series
P=25.4mm, T=8.7mm
OPEN AREA:0%

节距 Pitch	网链材质 Material	颜色 Color
25.4mm	POM	墨绿色/Dark Green



挡板高度 Cleat Height	50mm/150mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	6.49	1848
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	PP	4.6	11000

可选宽度 Available Width
塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
84mm	84mm
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking


链轮 Sprocket	护栏 Guide	其余配件 Component
S26-S27	R01-R42	C01-C57

Har1000 Series Flush Grid MODULAR BELT



MODULAR BELT 1000 Series

P=25.4mm, T=8.7mm

OPEN AREA:38%



节距 Pitch	网链材质 Material	颜色 Color
25.4mm	POM	墨绿色/Dark Green







挡板高度 Cleat Height	50mm/150mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	6.5	21000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	—	—	—
可选宽度 Available Width 塑料缩水率引致的正常误差: 正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)				
单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)		
85mm	170mm	85*N		
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking		

链轮 Sprocket	护栏 Guide	其余配件 Component
S26-S27	R01-R42	C01-C57

Har1000 Series Flush Grid
With Positrack
MODULAR BELT

MODULAR BELT 1000 Series
P=25.4mm, T=8.7mm
OPEN AREA:40%

节距 Pitch	网链材质 Material	颜色 Color
25.4mm	POM	墨绿/Dark Green



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	5.6	1868
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	—	—	—

可选宽度 Available Width
塑料缩水率引致的正常误差: 正负差距 ± 3(mm) The normal error caused by the shrinkage of plastic: ± 3(mm)

单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
85mm	85mm
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S26-S27	R01-R42	C01-C57


Har1000 Series Flat Top With Positrack

MODULAR BELT



MODULAR BELT 1000 Series

P=25.4mm, T=8.7mm

OPEN AREA:0%



节距 Pitch	网链材质 Material	颜色 Color
25.4mm	POM	墨绿/Dark Green



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	6.8	1868
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	—	—	—

可选宽度 Available Width

塑料缩水率引致的正常误差: 正负差距 ± 3 (mm) The normal error caused by the shrinkage of plastic: ± 3 (mm)



单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
85mm	85mm
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S26-S27	R01-R42	C01-C57

Har1000 Series Rubber Top
MODULAR BELT

MODULAR BELT 1000 Series
P=25.4mm, T=13.2mm
OPEN AREA:0%

节距 Pitch	网链材质 Material	颜色 Color
25.4mm	PP	绿底黑胶/ Green Plate Black Rubber




挡板高度 Cleat Height	50mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	6.5	11000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	—	—	—

可选宽度 Available Width 塑料缩水率引致的正常误差: 正负差距 ± 3(mm) The normal error caused by the shrinkage of plastic: ± 3(mm)	
单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
170mm	85*N
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking




链轮 Sprocket	护栏 Guide	其余配件 Component
S26-S27	R01-R42	C01-C57

Har1000 Series Raised Rib MODULAR BELT

MODULAR BELT 1000 Series
P=25.4mm, T=14.5/20.3mm
OPEN AREA:40%



节距 Pitch	网链材质 Material	颜色 Color
25.4mm	POM	墨绿/Dark Green



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/M)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM (38mm width)	0.4	400
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	POM (48mm width)	—	—

可选宽度 Available Width

塑料缩水率引致的正常误差: 正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)



单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
38mm	38mm
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S26-S27	R01-R42	C01-C57

Har1000 Series Flat Top
With Positrack
MODULAR BELT

MODULAR BELT 1000 Series
P=25.4mm, T=8.7mm
OPEN AREA:0%

节距 Pitch	网链材质 Material	颜色 Color
25.4mm	POM	墨绿色/Dark Green



挡板高度 Cleat Height	50mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	7.0	22000
穿销材质 Pin Material	PP/NYLON/PBT	—	—	—

可选宽度 Available Width
塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)



单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
85mm	85
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S26-S27	R01-R42	C01-C57

Har1000 Series Raised Rib MODULAR BELT

MODULAR BELT 1000 Series
P=25.4mm, T=14.3mm
OPEN AREA:38%

节距 Pitch	网链材质 Material	颜色 Color
25.4mm	POM	墨绿色/Dark Green






挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/M)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	0.5	500
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	—	—	—
可选宽度 Available Width 塑料缩水率引致的正常误差: 正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)				
单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)		
48mm		48mm		
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking		

链轮 Sprocket	护栏 Guide	其余配件 Component
S26-S27	R01-R42	C01-C57

Har1000 Series Raised Rib
MODULAR BELT

MODULAR BELT 1000 Series
P=25.4mm, T=14.3mm
OPEN AREA:40%

节距 Pitch	网链材质 Material	颜色 Color
25.4mm	POM	墨绿/Dark Green




挡板高度 Cleat Height	50mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	8.2	22000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	—	—	—

可选宽度 Available Width 塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)		
单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)
85mm	170mm	85*N
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking



链轮 Sprocket	护栏 Guide	其余配件 Component
S26-S27	R01-R42	C01-C57

Har1001 Series Flat Top MODULAR BELT

MODULAR BELT 1001 Series
P=25.4mm, T=10mm
OPEN AREA:0%



节距 Pitch	网链材质 Material	颜色 Color
25.4mm	POM	白色/White



挡板高度 Cleat Height	50mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	8.5	22000
穿销材质 Pin Material	PP/Nylon/PBT	—	—	—

可选宽度 Available Width

塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)





单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)
76mm	152mm	76mm*N
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
—	R01-R42	C01-C57

Har1005 Series Flat Top
With Positrack
MODULAR BELT

MODULAR BELT 1005 Series
P=25.4mm, T=12.7mm
OPEN AREA:0%

节距 Pitch	网链材质 Material	颜色 Color
25.4mm	POM	墨绿色/Dark Green



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	13.5	35000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:6mm	PP	9.0	17500


可选宽度 Available Width
塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)
85mm	170mm	85*N
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking



链轮 Sprocket	护栏 Guide	其余配件 Component
S27-S28	R01-R42	C01-C57

Har1005 Series Roller Top MODULAR BELT

MODULAR BELT 1005 Series
P=25.4mm, T=27.2mm
OPEN AREA:0%



节距 Pitch	网链材质 Material	颜色 Color
25.4mm	POM	咖啡底蓝珠/ Brown Plate Blue Roller






挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	31.11	38000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:6mm	—	—	—
可选宽度 Available Width 塑料缩水率引致的正常误差: 正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)				
单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)		
85mm	170mm	85*N		
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking		

链轮 Sprocket	护栏 Guide	其余配件 Component
S27-S28	R01-R42	C01-C57

Har1005 Series Rubber Top
MODULAR BELT

MODULAR BELT 1005 Series
P=25.4mm, T=15.2mm
OPEN AREA:0%

节距 Pitch	网链材质 Material	颜色 Color
25.4mm	PP	深灰色紫胶/Dark Grey Plate Purple Rubber



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PP	10.0	17500
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	—	—	—
可选宽度 Available Width 塑料缩水率引致的正常误差: 正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)				
单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)		
85mm	170mm	85mm*N		
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking		

链轮 Sprocket	护栏 Guide	其余配件 Component
S27-S28	R01-R42	C01-C57


Har1005 Series Flat Top Dynamic Transition With Positioners

MODULAR BELT




MODULAR BELT 1005 Series

P=25.4mm, T=12.7mm

OPEN AREA:0%



节距 Pitch	网链材质 Material	颜色 Color
25.4mm	POM	蓝色/Blue



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	13.5	35000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	—	—	—

可选宽度 Available Width

塑料缩水率引致的正常误差: 正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)




单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
127.3mm	127.3mm
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S27-S28	R01-R42	C01-C57

Har1400 Series Flat Top
MODULAR BELT

MODULAR BELT 1400 Series
P=25.4mm, T=12.7mm

节距 Pitch	网链材质 Material	颜色 Color
25.4mm	POM	深蓝色/ Dark Blue
25.4mm	PP	白色/White



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	13.43	36000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:6mm	PP	9.03	18000

可选宽度 Available Width 塑料缩水率引致的正常误差：正负差距 ± 3(mm) The normal error caused by the shrinkage of plastic: ± 3(mm)			
单片宽度 (Bulk Pieces Width)			组合宽度 (Assemble Width)
50mm	152mm	100mm	50+101+25.5*N
非标宽度 Nonstandard Width			非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S32	R01-R42	C01-C57


Har1400 Series Flat Top With Positrack

MODULAR BELT




MODULAR BELT 1400 Series

P=25.4mm, T=12.7mm

OPEN AREA:0%



节距 Pitch	网链材质 Material	颜色 Color
25.4mm	POM	蓝色/Blue





挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	13.5	37200
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:6mm	—	—	—
可选宽度 Available Width 塑料缩水率引致的正常误差: 正负差距 ± 3(mm) The normal error caused by the shrinkage of plastic: ± 3(mm)				
单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)		
114.3mm	190.5mm	114.3/190.5		
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking		

链轮 Sprocket	护栏 Guide	其余配件 Component
S32	R01-R42	C01-C57

Har1400 Series Flat Top
With Positrack
MODULAR BELT

MODULAR BELT 1400 Series
P=25.4mm, T=12.8mm
OPEN AREA:0%

节距 Pitch	网链材质 Material	颜色 Color
25.4mm	POM	蓝色/Blue



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	13.5	37200
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:6mm	—	—	—

可选宽度 Available Width
塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
85mm	85
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S32	R01-R42	C01-C57


Har1400 Series Diamond Grid Anti Slip

MODULAR BELT


MODULAR BELT 1400 Series

P=25.4mm, T=12.7mm

OPEN AREA:0%



节距 Pitch	网链材质 Material	颜色 Color
25.4mm	PP	灰底黑胶/Grey Plate Black Rubber







挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PP	11.18	26780
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:6mm	—	—	—
可选宽度 Available Width 塑料缩水率引致的正常误差: 正负差距 ± 3(mm) The normal error caused by the shrinkage of plastic: ± 3(mm)				
单片宽度 (Bulk Pieces Width)			组合宽度 (Assemble Width)	
51mm	152mm	102mm	51+102+152*N	
非标宽度 Nonstandard Width			非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking	

链轮 Sprocket	护栏 Guide	其余配件 Component
S32	R01-R42	C01-C57

Har1600 Series Flat Top
MODULAR BELT

MODULAR BELT 1600 Series
P=25.4mm, T=8.7mm
OPEN AREA:0%

节距 Pitch	网链材质 Material	颜色 Color
25.4mm	POM	咖啡色/Brown



挡板高度 Cleat Height	25mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	7.71	23000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	PP	5.37	11000

可选宽度 Available Width
塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
170mm	170+85*N
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S35	R01-R42	C01-C57




Har1600 Series Flush Grid MODULAR BELT

MODULAR BELT 1600 Series

P=25.4mm, T=8.7mm

OPEN AREA:30%

节距 Pitch	网链材质 Material	颜色 Color
25.4mm	POM	深灰色/Dark Gray







挡板高度 Cleat Height	25mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	6.84	22000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	PP	4.59	11000
可选宽度 Available Width 塑料缩水率引致的正常误差: 正负差距 ± 3(mm) The normal error caused by the shrinkage of plastic: ± 3(mm)				
单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)		
170mm	85mm	170+85*N		
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking		

链轮 Sprocket	护栏 Guide	其余配件 Component
S35	R01-R42	C01-C57

Har1600 Series Flat Top
With Positrack
MODULAR BELT

MODULAR BELT 1600 Series
P=25.4mm, T=8.7mm
OPEN AREA:0%

节距 Pitch	网链材质 Material	颜色 Color
25.4mm	POM	棕色/Brown



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/M)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	0.65	1850
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	—	—	—

可选宽度 Available Width

塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)
85mm	170mm	85*N
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S35	R01-R42	C01-C57

Har1600 Separation Chain



MODULAR BELT

FLEXIBLE CHAINS 1600分道链

P=25.4mm, T=14.4mm

PIN:Stainless steel

节距 Pitch	链板材质 Material	颜色 Color
25.4mm	POM	黑色/Black





型号 Type No.	宽度 Width (mm)	节距 Pitch (mm)	重量 Weight (Kg/m)	转弯半径 Radius (mm)	负载 Working Capacity (N)
Har1600	30	25.4	0.30	—	700

链轮 Sprocket	护栏 Guide	弯轨 Guide Rails	其余配件 Component
S35	R01-R42	—	C01-C57

Har1600T Series Flat Top
MODULAR BELT

MODULAR BELT 1600T Series
P=25.4mm, T=10mm
OPEN AREA:0%

节距 Pitch	网链材质 Material	颜色 Color
25.4mm	POM	白色/White 灰色/ Grey
25.4mm	PP	白色/White



挡板高度 Cleat Height	50mm/100mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	7.3	21000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	PP	5.0	10400

可选宽度 Available Width

塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)




单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
152mm	152mm*N
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S35	R01-R42	C01-C57

Har1600T Flat Top With Positrack MODULAR BELT

MODULAR BELT 1600T Series
P=25.4mm, T=10.2mm
OPEN AREA: 0%

节距 Pitch	网链材质 Material	颜色 Color
25.4mm	POM	蓝色/Blue
	PP	蓝色/Blue



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	6.70	21000
穿销材质 Pin Material	PP/NYLON/PBT	PP	5.20	10400

可选宽度 Available Width

塑料缩水率引致的正常误差: 正负差距 ± 3(mm) The normal error caused by the shrinkage of plastic: ± 3(mm)



单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
184mm	184mm
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S35	R01-R42	C01-C57

Har1600T Rubber Top
With Positrack Modular Belt
MODULAR BELT

MODULAR BELT 1600T Series
P=25.4mm, T=13.5mm
OPEN AREA: 0%

节距 Pitch	网链材质 Material	颜色 Color
25.4mm	PP	蓝底+黑胶 Blue Plate Black Rubber



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PP	7.00	10400
穿销材质 Pin Material	PP/NYLON/PBT	—	—	—

可选宽度 Available Width 塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)	
单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
184mm	184mm
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking


链轮 Sprocket	护栏 Guide	其余配件 Component
S35	R01-R42	C01-C57

Har2400 Series Flush Grid MODULAR BELT


MODULAR BELT 2400 Series

P=25.4mm, T=13mm

OPEN AREA:42%



节距 Pitch	网链材质 Material	颜色 Color	转弯系数 Turn Radius
25.4mm	POM	蓝色/Blue 白色/White	2.5
	PP	蓝色/Blue	2.5





挡板高度 Cleat Height	50mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	50mm	POM	8.44	17300
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.5mm	PP	5.47	11200
可选宽度 Available Width 塑料缩水率引致的正常误差: 正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)				
单片宽度 (Bulk Pieces Width)			组合宽度 (Assemble Width)	
120mm	150mm	180mm	—	
非标宽度 Nonstandard Width			非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking	

链轮 Sprocket	护栏 Guide	其余配件 Component
S46-S47	R01-R42	C01-C57

Har2400 Series Flush Grid
With Corner Track
MODULAR BELT

MODULAR BELT 2400 Series
P=25.4mm, T=13mm
OPEN AREA:42%

节距 Pitch	网链材质 Material	颜色 Color	转弯系数 Turn Radius
25.4mm	POM	白色/White 蓝色/Blue	2.5
25.4mm	PP	白色/White	2.5



挡板高度 Cleat Height	50mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	50mm	POM	8.7	26000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.5mm	PP	6.0	15000

可选宽度 Available Width 塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)	
单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
250mm	—
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking


链轮 Sprocket	护栏 Guide	其余配件 Component
S46-S47	R01-R42	C01-C57

Har2400H Series Raised Rib MODULAR BELT



MODULAR BELT 2400H Series

P=25.4mm, T=22.8mm

OPEN AREA:42%



节距 Pitch	网链材质 Material	颜色 Color	转弯系数 Turn Radius
25.4mm	POM	白色/White	2.5



挡板高度 Cleat Height	50mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	50mm	POM	13.82	26000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.5mm	PP	9.28	15000

可选宽度 Available Width

塑料缩水率引致的正常误差: 正负差距 ± 3 (mm) The normal error caused by the shrinkage of plastic: ± 3 (mm)



单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
249mm	—
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S46-S47	R01-R42	C01-C57

Har2401 Series Flush Grid
MODULAR BELT

MODULAR BELT 2401 Series
P=25.4mm, T=11mm
OPEN AREA:35%

节距 Pitch	网链材质 Material	颜色 Color	转弯系数 Turn Radius
25.4mm	POM	白色/White 蓝色/Blue	2.5
	PP	白色/White	



挡板高度 Cleat Height	10mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	7.3	26000
穿销材质 Pin Material	PP/NYLON/PBT	PP	5.0	19000

可选宽度 Available Width
塑料缩水率引致的正常误差: 正负差距 ± 3(mm) The normal error caused by the shrinkage of plastic: ± 3(mm)

单片宽度 (Bulk Pieces Width)			组合宽度 (Assemble Width)
70mm	200mm	120mm	70+120+12*N
非标宽度 Nonstandard Width			非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S47	R01-R42	C01-C57




Har2501 Series Flat Top MODULAR BELT

MODULAR BELT 2501 Series

P=25.4mm, T=13mm

OPEN AREA:0%

节距 Pitch	网链材质 Material	颜色 Color
25.4mm	POM	白色/White



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	11.5	17200
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	PP	6.9	10600

可选宽度 Available Width

塑料缩水率引致的正常误差: 正负差距 ± 3 (mm) The normal error caused by the shrinkage of plastic: ± 3 (mm)




单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
175mm	175+20*N
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S48	R01-R42	C01-C57

Har2501 Series Nub Top
MODULAR BELT

MODULAR BELT 2501 Series
P=25.4mm, T=15.5mm
OPEN AREA:40%

节距 Pitch	网链材质 Material	颜色 Color
25.4mm	PP	白色/White



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	10.9	17200
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:5mm	PP	7.4	10600

可选宽度 Available Width 塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)	
单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
173mm	173+20*N
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S48	R01-R42	C01-C57




Har2501 Series Flush Grid MODULAR BELT

MODULAR BELT 2501 Series

P=25.4mm, T=13mm

OPEN AREA:40%

节距 Pitch	网链材质 Material	颜色 Color
25.4mm	POM	白色/White
25.4mm	PP	白色/White





挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PP	6.4	10600
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:5mm	POM	9.4	17200
可选宽度 Available Width 塑料缩水率引致的正常误差: 正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)				
单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)		
175mm		175*N		
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking		

链轮 Sprocket	护栏 Guide	其余配件 Component
S48	R01-R42	C01-C57

Har2520 Series Flat Top
MODULAR BELT

MODULAR BELT 2520 Series
P=25.4mm, T=10mm
OPEN AREA:0%

节距 Pitch	网链材质 Material	颜色 Color
25.4mm	POM	白色/White 蓝色/Blue
25.4mm	PP	白色/White 蓝色/Blue



挡板高度 Cleat Height	50/75/100mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	50mm	POM	8.4	21500
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:5mm	PP	5.5	18000

可选宽度 Available Width
塑料缩水率引致的正常误差: 正负差距 ± 3(mm) The normal error caused by the shrinkage of plastic: ± 3(mm)

单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)
50mm	100mm	100+50*N
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S48-S49	R01-R42	C01-C57




Har2520 Series Flush Grid MODULAR BELT

MODULAR BELT 2520 Series

P=25.4mm, T=10mm

OPEN AREA:36%

节距 Pitch	网链材质 Material	颜色 Color
25.4mm	POM	白色/White 蓝色/Blue
	PP	白色/White





挡板高度 Cleat Height	50/75/100mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	50mm	POM	7.0	17500
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:5mm	PP	4.6	15000
可选宽度 Available Width 塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)				
单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)		
50mm	100mm	50*N		
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking		

链轮 Sprocket	护栏 Guide	其余配件 Component
S48-S49	R01-R42	C01-C57

Har2520 Series Rubber Top
MODULAR BELT

MODULAR BELT 2520 Series
P=25.4mm, T=14mm
OPEN AREA:0%

节距 Pitch	网链材质 Material	颜色 Color
25.4mm	PP	白底绿胶/ White Plate Green Rubber 白底灰胶/ White Plate Grey Rubber



挡板高度 Cleat Height	50/75/100mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	50mm	PP	8.7	14000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:5mm	—	—	—

可选宽度 Available Width
塑料缩水率引致的正常误差: 正负差距 ± 3(mm) The normal error caused by the shrinkage of plastic: ± 3(mm)

单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)
50mm	100mm	50*N
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S48-S49	R01-R42	C01-C57




Har2540 Series Flush Grid MODULAR BELT

MODULAR BELT 2540 Series

P=25.4mm, T=12.7mm

OPEN AREA:40%

节距 Pitch	网链材质 Material	颜色 Color	转弯系数 Turn Radius
25.4mm	POM	蓝色/Blue	2.5






挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	8.0	23000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:5mm	—	—	—
可选宽度 Available Width 塑料缩水率引致的正常误差: 正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)				
单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)		
152mm		76*N		
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking		

链轮 Sprocket	护栏 Guide	其余配件 Component
S49	R01-R42	C01-C57

Har2541 Series Flush Grid
MODULAR BELT

MODULAR BELT 2541 Series
P=25.4mm, T=9mm
OPEN AREA:29%

节距 Pitch	网链材质 Material	颜色 Color
25.4mm	POM	蓝色/Blue
25.4mm	POM	白色/White
25.4mm	PP	白色/White



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	7.0	17000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:5mm	PP	5.0	13000

可选宽度 Available Width
塑料缩水率引致的正常误差: 正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
200mm	100*N
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S50	R01-R42	C01-C57





Har2542 Series Flat Top With Positrack MODULAR BELT

MODULAR BELT 2542 Series

P=25.4mm, T=8.7mm

OPEN AREA: 0%

节距 Pitch	网链材质 Material	颜色 Color
25.4mm	POM	深灰/Dark Grey



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	8.50	2120
穿销材质 Pin Material	PP/NYLON/PBT	—	—	—

可选宽度 Available Width

塑料缩水率引致的正常误差: 正负差距 ± 3 (mm) The normal error caused by the shrinkage of plastic: ± 3 (mm)



单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
84.5mm	84.5mm
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S50	R01-R42	C01-C57

Har2542 Series Rubber Top
MODULAR BELT

MODULAR BELT 2542 Series
P=25.4mm, T=11.2mm
OPEN AREA:0%

节距 Pitch	网链材质 Material	颜色 Color
25.4mm	PP	深灰底绿胶/ Dark Grey Plate Green Rubber



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PP	8.7	25000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	—	—	—
可选宽度 Available Width 塑料缩水率引致的正常误差: 正负差距 ± 3(mm) The normal error caused by the shrinkage of plastic: ± 3(mm)				
单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)		
85mm	170mm	85*N		
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking		


链轮 Sprocket	护栏 Guide	其余配件 Component
S50	R01-R42	C01-C57

Har2545 Series Flush Grid MODULAR BELT



MODULAR BELT 2545 Series

P=25.4mm, T=12mm

OPEN AREA:32%



节距 Pitch	网链材质 Material	颜色 Color	转弯系数 Turn Radius
25.4mm	POM	白色/White	2.5






挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	7.0	25000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:5mm	—	—	—
可选宽度 Available Width 塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)				
单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)		
269mm		—		
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking		

链轮 Sprocket	护栏 Guide	其余配件 Component
S51	R01-R42	C01-C57

Har2547 Series Flat Top
MODULAR BELT

MODULAR BELT 2547 Series
P=25.4mm, T=10mm
OPEN AREA: 0%

节距 Pitch	网链材质 Material	颜色 Color
25.4mm	PP	白色/White



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PP	4.20	15000
穿销材质 Pin Material	PP/NYLON/PBT	—	—	—

可选宽度 Available Width
塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
150mm	150*N
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
—	R01-R42	C01-C57




Har2547 Series Perforated Top MODULAR BELT

MODULAR BELT 2547 Series

P=25.4mm, T=10mm

OPEN AREA: 13%

节距 Pitch	网链材质 Material	颜色 Color
25.4mm	PP	白色/White



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PP	3.90	14500
穿销材质 Pin Material	PP/NYLON/PBT	—	—	—

可选宽度 Available Width

塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)



单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
150mm	150*N
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
—	R01-R42	C01-C57

Har2548 Series Flush Grid
MODULAR BELT

MODULAR BELT 2548 Series
P=25.4mm, T=11.7mm
OPEN AREA: 49%

节距 Pitch	网链材质 Material	颜色 Color	转弯系数 Turn radius
25.4mm	POM	蓝色/Blue	2.4



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	12.40	37700
穿销材质 Pin Material	SUS	—	—	—

可选宽度 Available Width
塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
37/48.5mm	37+37+48.5*N
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
—	R01—R42	C01—C57




Har7100 Series Flush Grid MODULAR BELT

MODULAR BELT 7100 Series

P=25.4mm, T=12.7mm

OPEN AREA:28%

节距 Pitch	网链材质 Material	颜色 Color	转弯系数 Turn Radius
25.4mm	POM	白色/White 蓝色/Blue	2.5
25.4mm	PP	蓝色/Blue	2.5





挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	7.6	20000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	PP	5.3	14000
可选宽度 Available Width 塑料缩水率引致的正常误差: 正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)				
单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)		
76mm	152mm	76*N		
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking		

链轮 Sprocket	护栏 Guide	其余配件 Component
S57	R01-R42	C01-C57

Har7100A Series Flush Grid
MODULAR BELT

MODULAR BELT 7100A Series
P=25.4mm, T=12.7mm
OPEN AREA:50%

节距 Pitch	网链材质 Material	颜色 Color	转弯系数 Turn Radius
25.4mm	POM	蓝色/Blue	2.5
25.4mm	PP	白色/White	2.5



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	7.7	600
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	PP	6.9	500

可选宽度 Available Width
塑料缩水率引致的正常误差: 正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
76mm	76*N
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking


链轮 Sprocket	护栏 Guide	其余配件 Component
S57	R01-R42	C01-C57

Har7300 Series Flush Grid MODULAR BELT



MODULAR BELT 7300 Series

P=25.4mm, T=8.8mm

OPEN AREA:34%



节距 Pitch	网链材质 Material	颜色 Color
25.4mm	POM	蓝色/Blue
25.4mm	POM	白色/White
25.4mm	PP	白色/White
25.4mm	PP	灰色/Grey



挡板高度 Cleat Height	50mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	6.3	23500
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	PP	4.3	15000

可选宽度 Available Width

塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)




单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
304mm	304*N
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S58	R01-R42	C01-C57

Har7300 Series Rubber Top
MODULAR BELT

MODULAR BELT 7300 Series
P=25.4mm, T=12.2mm
OPEN AREA: 34%

节距 Pitch	网链材质 Material	颜色 Color
25.4mm	PP	蓝底+黑胶 Blue Plate Black Rubber



挡板高度 Cleat Height	50mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PP	5.80	15000
穿销材质 Pin Material	PP/NYLON/PBT	—	—	—

可选宽度 Available Width


塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
76.2/152.4mm	76.2*N
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking



链轮 Sprocket	护栏 Guide	其余配件 Component
S58	R01-R42	C01-C57

Har7300 Series Raised Rib MODULAR BELT

MODULAR BELT 7300 Series
P=25.4mm, T=14.3mm
OPEN AREA: 34%



节距 Pitch	网链材质 Material	颜色 Color
25.4mm	POM	蓝色/Blue






挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	8.5	23500
穿销材质 Pin Material	PP/NYLON/PBT	—	—	—
可选宽度 Available Width 塑料缩水率引致的正常误差: 正负差距 ±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)				
单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)		
76.2/152.4mm		76.2*N		
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking		

链轮 Sprocket	护栏 Guide	其余配件 Component
S58	R01-R42	C01-C57

Har7705 Series Flat Top
MODULAR BELT

MODULAR BELT 7705 Series
P=25.4mm, T=12.7mm
OPEN AREA:0%

节距 Pitch	网链材质 Material	颜色 Color
25.4mm	POM	咖啡/Brown 灰色/Grey
	PP	白色/White



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	14.85	21521
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:6mm	PP	9.03	26262


可选宽度 Available Width
塑料缩水率引致的正常误差：正负差距 ± 3(mm) The normal error caused by the shrinkage of plastic: ± 3(mm)

单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)
76mm	152mm	76*N
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking



链轮 Sprocket	护栏 Guide	其余配件 Component
S59	R01-R42	C01-C57

Har7706 Series Roller Top MODULAR BELT

MODULAR BELT 7706 Series
P=25.4mm, T=12.7mm
OPEN AREA:0%



节距 Pitch	网链材质 Material	颜色 Color
25.4mm	POM	深灰色/Dark Grey






挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	26.7	36000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:6mm	—	—	—
可选宽度 Available Width 塑料缩水率引致的正常误差: 正负差距 ± 3(mm) The normal error caused by the shrinkage of plastic: ± 3(mm)				
单片宽度 (Bulk Pieces Width)			组合宽度 (Assemble Width)	
51mm	101mm	150mm	152+150*N	
非标宽度 Nonstandard Width			非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking	

链轮 Sprocket	护栏 Guide	其余配件 Component
—	R01-R42	C01-C57

Har7910A Series Flush Grid
MODULAR BELT

MODULAR BELT 7910A
P=25.4mm, T=12mm
OPEN AREA:43%

节距 Pitch	网链材质 Material	颜色 Color	转弯系数 Turn Radius
25.4mm	POM	深蓝色/Dark Blue	2.5



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	8.0	20000
穿销材质 Pin Material	POM DIAMETER:4mm	—	—	—

可选宽度 Available Width
塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)
204mm	301mm	301mm+204*N
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S61	R01-R42	C01-C57




Har7910B Series Flush Grid MODULAR BELT

MODULAR BELT 7910B Series

P=25.4mm, T=12mm

OPEN AREA:43%

节距 Pitch	网链材质 Material	颜色 Color	转弯系数 Turn Radius
25.4mm	POM	浅湖蓝/ Blue	2.0





挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	7.8	20000
穿销材质 Pin Material	POM DIAMETER:4mm	—	—	—
可选宽度 Available Width 塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)				
单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)		
301mm	204mm	301+204*N		
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking		

链轮 Sprocket	护栏 Guide	其余配件 Component
S61	R01-R42	C01-C57

HarQNB Series Flat Top
MODULAR BELT

MODULAR BELT QNB Series
P=25.4mm, T=8.8mm
OPEN AREA:0%

节距 Pitch	网链材质 Material	颜色 Color
25.4mm	POM	蓝色/Blue 黄色/Yellow



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	9.0	35000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	PP	5.3	20000

可选宽度 Available Width
塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)




单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)
76mm	152mm	76*N
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S70	R01-R42	C01-C57

HarQNB Series Rubber Top MODULAR BELT

MODULAR BELT QNB Series
P=25.4mm, T=8.8mm
OPEN AREA:0%

节距 Pitch	网链材质 Material	颜色 Color
25.4mm	PP	深蓝底黑胶/ Dark Blue Plate Black Rubber




挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PP	7.5	21500
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	—	—	—
可选宽度 Available Width 塑料缩水率引致的正常误差: 正负差距 ±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)				
单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)		
76mm	152mm	76*N		
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking		

链轮 Sprocket	护栏 Guide	其余配件 Component
S70	R01-R42	C01-C57

HarQNB Series With Roller Top
MODULAR BELT

MODULAR BELT QNB Series
P=25.4mm, T=8.7mm
OPEN AREA: 0%

节距 Pitch	网链材质 Material	颜色 Color
25.4mm	POM	蓝色/Blue



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	9.80	22000
穿销材质 Pin Material	PP/NYLON/PBT	—	—	—

可选宽度 Available Width
塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)




单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
76.2/152.4mm	76.2*N
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S70	R01-R42	C01-C57

HarQNC Series Nub Top MODULAR BELT

MODULAR BELT QNC Series
P=25.4mm, T=8.7mm
OPEN AREA:0%

节距 Pitch	网链材质 Material	颜色 Color
25.4mm	POM	蓝色/Blue 橘色/Orange






挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	7.0	15000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER: 4.35mm	—	—	—
可选宽度 Available Width 塑料缩水率引致的正常误差: 正负差距 ± 3(mm) The normal error caused by the shrinkage of plastic: ± 3(mm)				
单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)		
76mm	152mm	76mm*N		
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking		

链轮 Sprocket	护栏 Guide	其余配件 Component
S71	R01-R42	C01-C57

Har900 Series Flat Top
MODULAR BELT

MODULAR BELT 900 Series
P=27.2mm, T=9.8mm
OPEN AREA:0%

节距 Pitch	网链材质 Material	颜色 Color
27.2mm	POM	蓝色/Blue
27.2mm	PP	灰色/Grey



挡板高度 Cleat Height	32/50/75mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	7.3	10400
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:5mm	PP	5.5	22000


可选宽度 Available Width
塑料缩水率引致的正常误差：正负差距 ± 3(mm) The normal error caused by the shrinkage of plastic: ± 3(mm)

单片宽度 (Bulk Pieces Width)			组合宽度 (Assemble Width)
50mm	152mm	143mm	143+50+152*N
非标宽度 Nonstandard Width			非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking


链轮 Sprocket	护栏 Guide	其余配件 Component
S22-S25	R01-R42	C01-C57

Har900 Series Flush Grid MODULAR BELT

MODULAR BELT 900 Series
P=27.2mm, T=8.8mm
OPEN AREA:38%



节距 Pitch	网链材质 Material	颜色 Color
27.2mm	POM	蓝色/Blue
27.2mm	PP	灰色/Grey





挡板高度 Cleat Height	32/50/75mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	6.5	22000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	PP	4.54	10400
可选宽度 Available Width 塑料缩水率引致的正常误差: 正负差距 ±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)				
单片宽度 (Bulk Pieces Width)			组合宽度 (Assemble Width)	
50mm	152mm	143mm	143+50+152*N	
非标宽度 Nonstandard Width			非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking	

链轮 Sprocket	护栏 Guide	其余配件 Component
S22-S25	R01-R42	C01-C57

Har900 Series Flush Grid With Mini Cleat
MODULAR BELT

MODULAR BELT 900 Series
P=27.2mm, T=8.8mm
OPEN AREA: 38%

节距 Pitch	网链材质 Material	颜色 Color
27.2mm	POM	白色/White



挡板高度 Cleat Height	4.5mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	6.70	22000
穿销材质 Pin Material	PP	—	—	—

可选宽度 Available Width
塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度 (Bulk Pieces Width)			组合宽度 (Assemble Width)
76.2mm	143.8mm	152.4mm	143.8+76.2*N
非标宽度 Nonstandard Width			非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S22-S25	R01-R42	C01-C57


Har900 Series Perforated Flat Top

MODULAR BELT


MODULAR BELT 900 Series

P=27.2mm, T=9.8mm

OPEN AREA:7.9%



节距 Pitch	网链材质 Material	颜色 Color
27.2mm	POM	蓝色/Blue
27.2mm	PP	蓝色/Blue



挡板高度 Cleat Height	32/50mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	7.0	22000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	PP	5.2	10400

可选宽度 Available Width

塑料缩水率引致的正常误差: 正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)




单片宽度 (Bulk Pieces Width)			组合宽度 (Assemble Width)
50mm	152mm	143mm	50+144+153+9*N
非标宽度 Nonstandard Width			非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S22-S25	R01-R42	C01-C57

Har900 Series Rubber Top
MODULAR BELT

MODULAR BELT 900 Series
P=27.2mm, T=9.8mm
OPEN AREA:0%

节距 Pitch	网链材质 Material	颜色 Color
27.2mm	PP	灰底黑胶/ Grey Plate Black Rubber



挡板高度 Cleat Height	32/50/75mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PP	5.86	14900
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	—	—	—

可选宽度 Available Width
塑料缩水率引致的正常误差: 正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度 (Bulk Pieces Width)			组合宽度 (Assemble Width)
50mm	152mm	143mm	143+50+152*N
非标宽度 Nonstandard Width			非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S22-S25	R01-R42	C01-C57

Har900 Series Flush Grid With Rubber




MODULAR BELT

MODULAR BELT 900 Series

P=27.2mm, T=14mm

OPEN AREA:0%

节距 Pitch	网链材质 Material	颜色 Color
27.2 mm	PP	灰底黑胶/ Grey Plate Black Rubber






挡板高度 Cleat Height	32/50/75mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PP	5.86	13200
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	—	—	—
可选宽度 Available Width 塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)				
单片宽度 (Bulk Pieces Width)			组合宽度 (Assemble Width)	
50mm	152mm	143mm	50+143+152*N	
非标宽度 Nonstandard Width			非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking	

链轮 Sprocket	护栏 Guide	其余配件 Component
S22-S25	R01-R42	C01-C57

Har900 Series Raised Rib
MODULAR BELT

MODULAR BELT 900 Series
P=27.2mm, T=14.3mm
OPEN AREA:38%

节距 Pitch	网链材质 Material	颜色 Color
27.2mm	POM	蓝色/Blue



挡板高度 Cleat Height	32/50/75mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	8.19	22000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	—	—	—

可选宽度 Available Width
塑料缩水率引致的正常误差: 正负差距 ± 3(mm) The normal error caused by the shrinkage of plastic: ± 3(mm)

单片宽度 (Bulk Pieces Width)			组合宽度 (Assemble Width)
50mm	152mm	143mm	143+50+152*N
非标宽度 Nonstandard Width			非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S22-S25	R01-R42	C01-C57


Har900 Series Flush Grid Dynamic Transition

MODULAR BELT



MODULAR BELT 900 Series

P=27.2mm, T=8.8mm

OPEN AREA:38%



节距 Pitch	网链材质 Material	颜色 Color
27.2mm	POM	蓝色/Blue



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/M)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	0.89	3300
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	PP	0.58	1600

可选宽度 Available Width

塑料缩水率引致的正常误差: 正负差距 ±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)


单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
152mm	152mm
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S22-S25	R01-R42	C01-C57

Har900 Series Packing Machine
Separation Chain A
MODULAR BELT

MODULAR BELT 900 Series
P=27.2mm, T=14.0mm
OPEN AREA:38%

节距 Pitch	网链材质 Material	颜色 Color
27.2mm	POM	蓝色/Blue



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/M)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	0.38	910
穿销材质 Pin Material	PP	—	—	—

可选宽度 Available Width 塑料缩水率引致的正常误差：正负差距 ± 3(mm) The normal error caused by the shrinkage of plastic: ± 3(mm)	
单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
35mm	—
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S22-S25	R01-R42	C01-C57

Har900 Series Packaging Machine Separation Chain B





MODULAR BELT

MODULAR BELT 900 Series

P=27.2mm, T=14.0mm

OPEN AREA:38%

节距 Pitch	网链材质 Material	颜色 Color
27.2mm	POM	蓝色/Blue



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/M)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	0.35	910
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	—	—	—

可选宽度 Available Width

塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)



单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
35mm	35mm
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S22-S25	R01-R42	C01-C57

Har900 Series Packaging Machine
Separation Chain C
MODULAR BELT

MODULAR BELT 900 Series
P=27.2mm, T=14mm
OPEN AREA:38%

节距 Pitch	网链材质 Material	颜色 Color
27.2mm	POM	蓝色/Blue



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/M)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	0.29	640
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	—	—	—

可选宽度 Available Width
塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
29mm	29mm
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S22-S25	R01-R42	C01-C57


Har900 Series Packaging Machine Separation Chain D

MODULAR BELT




MODULAR BELT 900 Series

P=27.2mm, T=14.0mm

OPEN AREA:38%



节距 Pitch	网链材质 Material	颜色 Color
27.2mm	POM	蓝色/Blue



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/M)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	0.35	910
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	—	—	—

可选宽度 Available Width

塑料缩水率引致的正常误差: 正负差距 ±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)




单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
37mm	37mm
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S22-S25	R01-R42	C01-C57

Har900 Series Packaging Machine
Separation Chain E
MODULAR BELT

MODULAR BELT 900 Series
P=27.2mm, T=14.0mm
OPEN AREA:38%

节距 Pitch	网链材质 Material	颜色 Color
27.2mm	POM	蓝色/Blue



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/M)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	0.43	1040
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	—	—	—

可选宽度 Available Width
塑料缩水率引致的正常误差: 正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
46mm	46mm
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S22-S25	R01-R42	C01-C57



Har900 Series Flat Top With Positrack

MODULAR BELT




MODULAR BELT 900 Series

P=27.2mm, T=9.8mm

OPEN AREA:0%



节距 Pitch	网链材质 Material	颜色 Color
27.2mm	POM	蓝色/Blue
27.2mm	PP	蓝色/Blue



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/M)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	0.77	1130
穿销材质 Pin Material	PP/NYLON/PBT	PP	0.55	590

可选宽度 Available Width

塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)




单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
85mm	85mm
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S22-S25	R01-R42	C01-C57

Har900 Series
Flat Top
MODULAR BELT（NEW TYPE）

MODULAR BELT 900 Series
P=27.2mm, T=9.8mm

节距 Pitch	网链材质 Material	颜色 Color
27.2mm	POM	蓝色/Blue
27.2mm	PP	灰色/Grey



挡板高度 Cleat Height	32/50mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	7.3	10400
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	PP	5.5	22000

可选宽度 Available Width
塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度（Bulk Pieces Width）			组合宽度（Assemble Width）
50mm	152mm	143mm	143+50+152*N
非标宽度 Nonstandard Width			非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S22-S25	R01-R42	C01-C57




Har900 Series Flush Grid MODULAR BELT

MODULAR BELT 900 Series

P=27.2mm, T=8.8mm

OPEN AREA:38%

节距 Pitch	网链材质 Material	颜色 Color
27.2mm	PP	灰色/Grey
	POM	蓝色/Blue 深蓝/Dark Blue 墨绿/Dark Green



挡板高度 Cleat Height	32/50mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PP	4.54	10400
穿销材质 Pin Material	PP/NYLON/PBT	POM	6.50	22000

可选宽度 Available Width

塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)



单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)
50.8mm	152.4mm	50.8+152.4*N
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S22-S25	R01-R42	C01-C57

Har900N Series Flush Grid
MODULAR BELT

MODULAR BELT 900N Series
P=27.2mm, T=8.7mm
OPEN AREA:43%

节距 Pitch	网链材质 Material	颜色 Color
27.2mm	POM	蓝色/Blue
27.2mm	PP	灰色/Grey



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	5.37	22000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	PP	3.71	10400

可选宽度 Available Width 塑料缩水率引致的正常误差：正负差距 ± 3(mm) The normal error caused by the shrinkage of plastic: ± 3(mm)				
单片宽度 (Bulk Pieces Width)			组合宽度 (Assemble Width)	
135mm	152mm	160mm	160+135+152*N	
非标宽度 Nonstandard Width			非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking	

链轮 Sprocket	护栏 Guide	其余配件 Component
—	R01-R42	C01-C57







Har7920 Series Flush Grid MODULAR BELT

MODULAR BELT 7920 Series

P=27.9mm, T=11mm

OPEN AREA:66%

节距 Pitch	网链材质 Material	颜色 Color
27.9mm	POM	蓝色/Blue



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	8.0	12000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4mm	—	—	—

可选宽度 Available Width

塑料缩水率引致的正常误差: 正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)




单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
306mm	306mm+35*N
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S61	R01-R42	C01-C57

Har2265 Series Flush Grid
With Positrack
MODULAR BELT

MODULAR BELT 2265 Series
P=31.75mm, T=12.7mm
OPEN AREA:39%

节距 Pitch	网链材质 Material	颜色 Color	转弯系数 Turn Radius
31.75mm	POM	墨绿色/ Dark Green	1.8
31.75mm	PP	墨绿色/ Dark Green	1.8



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	8.1	25000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:5mm	PP	8.0	25000

可选宽度 Available Width
塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度 (Bulk Pieces Width)			组合宽度 (Assemble Width)
170mm	170mm	255mm	425mm+85mm*N
非标宽度 Nonstandard Width			非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S42	R01-R42	C01-C57


Har2275 Series Turning Type With Bearing

MODULAR BELT


MODULAR BELT 2275 Series

P=31.75mm, T=12.7mm

OPEN AREA:39%



节距 Pitch	网链材质 Material	颜色 Color	转弯系数 Turn Radius
31.75mm	POM	灰色/Grey	1.8






挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	8.0	25000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER: 5mm	PP	5.2	16000
可选宽度 Available Width 塑料缩水率引致的正常误差: 正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)				
单片宽度 (Bulk Pieces Width)			组合宽度 (Assemble Width)	
170mm	170mm	255mm	425mm+85mm*N	
非标宽度 Nonstandard Width			非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking	

链轮 Sprocket	护栏 Guide	其余配件 Component
S42	R01-R42	C01-C57

Har1700T Series Flush Grid
MODULAR BELT

MODULAR BELT 1700T Series
P=38.1mm, T=19.0mm
OPEN AREA:42%

节距 Pitch	网链材质 Material	颜色 Color
38.1mm	PP	浅黄色/Light Yellow



挡板高度 Cleat Height	76mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PP	8.0	13400
穿销材质 Pin Material	PP/NYLON/PBT DIMAETER:7.5mm	—	—	—

可选宽度 Available Width 塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)		
单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)
101mm	151mm	101+151+25mm*N
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking


链轮 Sprocket	护栏 Guide	其余配件 Component
S37	R01-R42	C01-C57

Har1700T Series Nub Top MODULAR BELT



MODULAR BELT 1700T Series

P=38.1mm, T=19mm

OPEN AREA:37%



节距 Pitch	网链材质 Material	颜色 Color
38.1 mm	PP	淡黄色/Pale Yellow







挡板高度 Cleat Height	76mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PP	10.78	22100
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:7.5mm	—	—	—
可选宽度 Available Width 塑料缩水率引致的正常误差: 正负差距 ±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)				
单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)		
101mm	152mm	101+152+25*N		
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking		

链轮 Sprocket	护栏 Guide	其余配件 Component
S37	R01-R42	C01-C57

Har1700T Series
MODULAR BELT

MODULAR BELT 1700T Series
P=38.1mm, T=48mm
OPEN AREA:26%

节距 Pitch	网链材质 Material	颜色 Color
38.1mm	PP	蓝底红珠/ Blue Plate Red Roller



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PP	23.0	17000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:6mm	—	—	—


可选宽度 Available Width
塑料缩水率引致的正常误差: 正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
50.8mm/76.2mm/101.6mm/152.4mm	50.8+101.6+152.4*N
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking



链轮 Sprocket	护栏 Guide	其余配件 Component
S37	R01-R42	C01-C57

Har2300 Series Flush Grid Turning MODULAR BELT

MODULAR BELT 2300 Series
P=38.1mm, T=18.8mm
OPEN AREA:50%



节距 Pitch	网链材质 Material	颜色 Color	转弯系数 Turn Radius
38.1mm	PP	白色/White	2.5



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PP	9.1	23800
穿销材质 Pin Material	PP/NYLON/PBT DIMAETER:6mm	—	—	—

可选宽度 Available Width

塑料缩水率引致的正常误差: 正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)




单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)
120mm	207mm	120+207+25mm*N
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
—	R01-R42	C01-C57

Har2546 Series Flush Grid
MODULAR BELT

MODULAR BELT 2546 Series
P=38.1mm, T=18mm
OPEN AREA:31%

节距 Pitch	网链材质 Material	颜色 Color	转弯系数 Turn Radius
38.1mm	PP	白色/White	2.5



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PP	8.0	23000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:6.5mm	—	—	—

可选宽度 Available Width
塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)



单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
130.7mm	—
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
—	R01-R42	C01-C57

Har3811GB Series Flat Top MODULAR BELT

MODULAR BELT 3811GB Series
P=38.1mm, T=19.1mm
OPEN AREA:17%

节距 Pitch	网链材质 Material	颜色 Color
38.1mm	POM	蓝色/Blue



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	14	38600
穿销材质 Pin Material	—	—	—	—

可选宽度 Available Width

塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)



单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
609.6mm/458mm	609.6mm/458mm
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
—	R01-R42	C01-C57

Har3818 Series Raised Rib
MODULAR BELT

MODULAR BELT 3818 Series
P=38.1mm, T=30mm
OPEN AREA: 43%

节距 Pitch	网链材质 Material	颜色 Color	转弯系数 Turn radius
38.1mm	PP	灰色/Gray	2.9



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PP	10.80	23000
穿销材质 Pin Material	PP/NYLON/PBT	—	—	—


可选宽度 Available Width
塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
94.7/107.4/145.5/158.2/101.6mm	94.7+158.2+101.6*N
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking




链轮 Sprocket	护栏 Guide	其余配件 Component
—	R01-R42	C01-C57

Har4705 Series Flat Top MODULAR BELT

MODULAR BELT 4705 Series
P=38.1mm, T=12.7mm
OPEN AREA:0%



节距 Pitch	网链材质 Material	颜色 Color
38.1mm	POM	棕色/Brown






挡板高度 Cleat Height	20mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	9.2	18000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:6mm	—	—	—
可选宽度 Available Width 塑料缩水率引致的正常误差: 正负差距 ± 3(mm) The normal error caused by the shrinkage of plastic: ± 3(mm)				
单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)		
151mm		151*N		
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking		

链轮 Sprocket	护栏 Guide	其余配件 Component
—	R01-R42	C01-C57

Har4705 Series Perforated Top
MODULAR BELT

MODULAR BELT 4705 Series
P=38.1mm, T=12.7mm
OPEN AREA:9%

节距 Pitch	网链材质 Material	颜色 Color
38.1mm	POM	棕色/Brown



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	9.08	17000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:6mm	—	—	—

可选宽度 Available Width
塑料缩水率引致的正常误差: 正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
151mm	151*N
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
—	R01-R42	C01-C57




Har4707 Series Raised Rib MODULAR BELT

MODULAR BELT 4707 Series

P=38.1mm, T=19.1mm

OPEN AREA:23%

节距 Pitch	网链材质 Material	颜色 Color
38.1mm	PP	白色/White
	PP	棕色/Brown






挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PP	6.93	8754
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:6mm	—	—	—
可选宽度 Available Width 塑料缩水率引致的正常误差: 正负差距 ± 3(mm) The normal error caused by the shrinkage of plastic: ± 3(mm)				
单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)		
152mm		76*N		
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking		

链轮 Sprocket	护栏 Guide	其余配件 Component
—	R01-R42	C01-C57

Har5966 Series Flush Grid
MODULAR BELT

MODULAR BELT 5966 Series
P=38.1mm, T=12.6mm
OPEN AREA:32%

节距 Pitch	网链材质 Material	颜色 Color
38.1mm	PP	白色/White



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PP	7.0	25000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:6mm	—	—	—

可选宽度 Available Width
塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)




单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)
151mm	304mm	455+76*N
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S54	R01-R42	C01-C57

Har7800 Series Flush Grid MODULAR BELT

MODULAR BELT 7800 Series
P=38.1mm, T=10mm
OPEN AREA:28%

节距 Pitch	网链材质 Material	颜色 Color
38.1mm	PP	白色/White 蓝色/Blue





挡板高度 Cleat Height	20/30/50mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PP	5.8	7800
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	—	—	—
可选宽度 Available Width 塑料缩水率引致的正常误差: 正负差距 ± 3(mm) The normal error caused by the shrinkage of plastic: ± 3(mm)				
单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)		
152mm		152+76*N		
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking		

链轮 Sprocket	护栏 Guide	其余配件 Component
S60	R01-R42	C01-C57

Har7960 Series Flush Grid
MODULAR BELT

MODULAR BELT 7960 Series
P=38.1mm, T=15mm
OPEN AREA:58%

节距 Pitch	网链材质 Material	颜色 Color	转弯系数 Turn Radius
38.1mm	POM	绿色/Green	2.5



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	8.8	21000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	—	—	—

可选宽度 Available Width
塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
330mm	330*N
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S63	R01-R42	C01-C57

Har7960 Series Flush Grid With Rubber



MODULAR BELT

MODULAR BELT 7960 Series

P=38.1mm, T=15mm

OPEN AREA: 56%

节距 Pitch	网链材质 Material	颜色 Color	转弯系数 Turn radius
38.1mm	POM+570T胶	蓝色+白胶 Blue Plate White rubber	2.7



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM+570T胶	8.50	12000
穿销材质 Pin Material	PP/NYLON/PBT	—	—	—

可选宽度 Available Width

塑料缩水率引致的正常误差: 正负差距 ±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)



单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
329mm	329*N
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S63	R01-R42	C01-C57

Har7960 Series Pusher
MODULAR BELT

MODULAR BELT 7960 Series
P=38.1mm, T=15mm
OPEN AREA:56%

节距 Pitch	网链材质 Material	颜色 Color	转弯系数 Turn Radius
38.1mm	POM	绿色/Green	2.5



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	11.0	16200
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	—	—	—

可选宽度 Available Width
塑料缩水率引致的正常误差: 正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
330mm	330*N
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking


链轮 Sprocket	护栏 Guide	其余配件 Component
S63	R01-R42	C01-C57

Har2200 Series Flush Grid MODULAR BELT



MODULAR BELT 2200 Series

P=46mm, T=15mm

OPEN AREA:50%



节距 Pitch	网链材质 Material	颜色 Color	转弯系数 Turn Radius
46mm	POM	白色/White	2.5



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	13.8	28200
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:6mm	—	—	—

可选宽度 Available Width

塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)



单片宽度 (Bulk Pieces Width)			组合宽度 (Assemble Width)
90mm	198mm	140mm	—
非标宽度 Nonstandard Width			非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S41	R01-R42	C01-C57

Har2200 Series With TAB
MODULAR BELT

MODULAR BELT 2200 Series
P=46mm, T=15mm
OPEN AREA: 50%

节距 Pitch	网链材质 Material	颜色 Color	转弯系数 Turn radius
46mm	POK	咖啡色/Brown	2.9



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	9.00	28200
穿销材质 Pin Material	PP/NYLON/PBT	—	—	—


可选宽度 Available Width
塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
101/151/199mm	101+24.9*N
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking



链轮 Sprocket	护栏 Guide	其余配件 Component
S41	R01-R42	C01-C57

Har4600 Series Flush Grid MODULAR BELT

MODULAR BELT 4600 Series
P=46.0mm, T=14.6mm
OPEN AREA:38%



节距 Pitch	网链材质 Material	颜色 Color	转弯系数 Turn radius
46mm	POM	绿色 Green	2.5






挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	10.4	13900
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	—	—	—
可选宽度 Available Width 塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)				
单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)		
196mm/162.95mm/150.7mm		7.95+24.5*N		
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking		

链轮 Sprocket	护栏 Guide	其余配件 Component
—	R01-R42	C01-C57

Har4600 Series Pusher
MODULAR BELT

MODULAR BELT 4600 Series
P=46.0mm, T=14.6mm
OPEN AREA:38%

节距 Pitch	网链材质 Material	颜色 Color	转弯系数 Turn radius
46mm	POM	绿色 Green	2.5



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	11.0	13900
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	—	—	—

可选宽度 Available Width
塑料缩水率引致的正常误差: 正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
196mm/162.95mm/150.7mm	7.95+24.5*N
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking


链轮 Sprocket	护栏 Guide	其余配件 Component
—	R01-R42	C01-C57

Har200 Series Flush Grid MODULAR BELT


MODULAR BELT 200 Series

P=50.8mm, T=16mm

OPEN AREA:38%



节距 Pitch	网链材质 Material	颜色 Color
50.8mm	PP	白色/White
50.8mm	PP	蓝色/Blue






挡板高度 Cleat Height	150mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	130mm	PP	7.5	13400
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:6mm	—	—	—
可选宽度 Available Width 塑料缩水率引致的正常误差: 正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)				
单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)		
103mm	117mm	103+117*N		
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking		

链轮 Sprocket	护栏 Guide	其余配件 Component
S02	R01-R42	C01-C57

Har400 Series Flush Grid
MODULAR BELT

MODULAR BELT 400 Series
P=50.8mm, T=16mm
OPEN AREA:17%

节距 Pitch	网链材质 Material	颜色 Color
50.8mm	PP	白色/White 蓝色/Blue



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PP	9.0	35700
穿销材质 Pin Material	PP/NYLON/PBT	—	—	—

可选宽度 Available Width
塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度 (Bulk Pieces Width)			组合宽度 (Assemble Width)
101mm	151mm	298mm	101+151+298mm*N
非标宽度 Nonstandard Width			非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S03-S04	R01-R42	C01-C57


Har400 Series Flush Grid (New Type)

MODULAR BELT



MODULAR BELT 400 Series

P=50.8mm, T=16mm

OPEN AREA:17%



节距 Pitch	网链材质 Material	颜色 Color
50.8mm	PP	白色/White 蓝色/Blue






挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PP	8.9	36000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:6mm	—	—	—
可选宽度 Available Width 塑料缩水率引致的正常误差: 正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)				
单片宽度 (Bulk Pieces Width)			组合宽度 (Assemble Width)	
51mm	301mm	100mm	51+100+50*N	
非标宽度 Nonstandard Width			非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking	

链轮 Sprocket	护栏 Guide	其余配件 Component
S04	R01-R42	C01-C57

Har400 Series Raised Rib
MODULAR BELT

MODULAR BELT 400 Series
P=50.8mm, T=22mm
OPEN AREA:17%

节距 Pitch	网链材质 Material	颜色 Color
50.8mm	PP	灰色/Grey



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PP	9.5	36000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:6mm	—	—	—

可选宽度 Available Width
塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度 (Bulk Pieces Width)			组合宽度 (Assemble Width)
101mm	151mm	298mm	101+151+50*N
非标宽度 Nonstandard Width			非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S03-S06	R01-R42	C01-C57


Har400 Series Lateral Pulley Type MODULAR BELT

MODULAR BELT 400 Series



P=50.8mm, T=16mm

OPEN AREA:18%

Roller Direction: 90 degrees Horizontal /
90 degrees Vertical



节距 Pitch	网链材质 Material	颜色 Color
50.8mm	PP	灰底白珠/ Grey Plate White Roller





挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PP	11.94	36000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:6mm	—	—	—
可选宽度 Available Width 塑料缩水率引致的正常误差: 正负差距 ± 3(mm) The normal error caused by the shrinkage of plastic: ± 3(mm)				
单片宽度 (Bulk Pieces Width)			组合宽度 (Assemble Width)	
102mm	152mm	153mm	102+153+51*N	
非标宽度 Nonstandard Width			非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking	

链轮 Sprocket	护栏 Guide	其余配件 Component
S03-S06	R01-R42	C01-C57

Har400 Series laterally
Pulley Type (Big Roller)
MODULAR BELT

MODULAR BELT 400 Series
P=50.8mm, T=16mm
OPEN AREA: 18%

节距 Pitch	网链材质 Material	颜色 Color
50.8mm	PP	灰底+白珠 Gray Plate White Roller



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PP	10.80	32700
穿销材质 Pin Material	PP/NYLON/PBT	—	—	—

可选宽度 Available Width
塑料缩水率引致的正常误差: 正负差距 ± 3(mm) The normal error caused by the shrinkage of plastic: ± 3(mm)


单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
102.7/153.5/152.4mm	102.7+153.5+152.4*N
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S03-S06	R01-R42	C01-C57


Har400 Series Ball Belt

MODULAR BELT

MODULAR BELT 400 Series
 P=50.8mm, T=15.9mm
 OPEN AREA:18%



节距 Pitch	网链材质 Material	颜色 Color
50.8mm	PP	灰色/Grey




挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PP	12.0	32700
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:6mm	—	—	—
可选宽度 Available Width 塑料缩水率引致的正常误差: 正负差距 ± 3(mm) The normal error caused by the shrinkage of plastic: ± 3(mm)				
单片宽度 (Bulk Pieces Width)			组合宽度 (Assembly Width)	
104mm	151mm	155mm	104+155+50*N	
非标宽度 Nonstandard Width			非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking	


链轮 Sprocket	护栏 Guide	其余配件 Component
S04-S06	R01-R42	C01-C57

HAR508DR Series Lateral Double Pulley Type MODULAR BELT

MODULAR BELT 508DR Series
P=50.8mm, T=15.8mm
OPEN AREA: 3%



节距 Pitch	网链材质 Material	颜色 Color
50.8mm	POM	蓝底白珠/ Blue Plate White Roller



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	12.62	33200
穿销材质 Pin Material	PP/NYLON/PBT	—	—	—

可选宽度 Available Width
塑料缩水率引致的正常误差: 正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)




单片宽度 (Bulk Pieces Width)			组合宽度 (Assemble Width)
101.6mm	152.4mm	203.2mm	101.6+152.4+203.2*N
非标宽度 Nonstandard Width			非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
—	R01—R42	C01—C57

Har600 Series Fastening MODULAR BELT

MODULAR BELT 600 Series
P=50.8mm, T=16mm
OPEN AREA:0%

节距 Pitch	网链材质 Material	颜色 Color
50.8mm	POM	蓝底灰珠/ Blue Plate Grey Roller




挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	14.5	27500
穿销材质 Pin Material	—	—	—	—
可选宽度 Available Width 塑料缩水率引致的正常误差: 正负差距 ± 3(mm) The normal error caused by the shrinkage of plastic: ± 3(mm)				
单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)		
153mm		153+51*N		
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking		


链轮 Sprocket	护栏 Guide	其余配件 Component
S09	R01-R42	C01-C57

HAR700RR Series Lateral
Pulley Type
MODULAR BELT

MODULAR BELT 700RR Series
P=50.8mm, T=16.1mm
OPEN AREA: 13%



节距 Pitch	网链材质 Material	颜色 Color
50.8mm	PP	蓝底灰珠/ Blue Plate Grey Roller



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PP	11.6	24300
穿销材质 Pin Material	PP/NYLON/PBT	—	—	—


可选宽度 Available Width
塑料缩水率引致的正常误差: 正负差距 ±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)
101.6mm	152.4mm	101.6+152.4*N
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking



链轮 Sprocket	护栏 Guide	其余配件 Component
—	R01-R42	C01-C57

Har800 Series Flat Top MODULAR BELT

MODULAR BELT 800 Series
P=50.8mm, T=16mm
OPEN AREA:0%



节距 Pitch	网链材质 Material	颜色 Color
50.8mm	PP	蓝色/Blue 白色/White
50.8mm	POM	蓝色/Blue 白色/White



挡板高度 Cleat Height	50/76/100/102/ 152mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	50/76/100mm	PP	7.96	13400
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER: 7.6mm	POM	14.0	13400

可选宽度 Available Width

塑料缩水率引致的正常误差: 正负差距 ± 3(mm) The normal error caused by the shrinkage of plastic: ± 3(mm)




单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
150mm	150mm+17*N
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S10	R01-R42	C01-C57

Har800 Series Perforated
Flat Top
MODULAR BELT

MODULAR BELT 800 Series
P=50.8mm, T=16mm
OPEN AREA:20%

节距 Pitch	网链材质 Material	颜色 Color
50.8mm	PP	蓝色/Blue 白色/White
50.8mm	POM	蓝色/Blue 白色/White



挡板高度 Cleat Height	50/76/100/102/ 152mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	50/76/102mm	PP	7.52	13400
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER: 7.6mm	POM	11.15	14900

可选宽度 Available Width

塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度 (Bulk Pieces Width)	组合宽度 (Assembly Width)
150mm	150mm+17*N
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S10	R01-R42	C01-C57



Har800 Series Flush Grid MODULAR BELT

MODULAR BELT 800 Series

P=50.8mm, T=16mm

OPEN AREA:18%

节距 Pitch	网链材质 Material	颜色 Color
50.8mm	PP	白色/White 蓝色/Blue
50.8mm	POM	白色/White





挡板高度 Cleat Height	50/76/100/102/ 152mm	材质 Material	PP	重量 Weight(KG/SQ)	8.5	工作负荷 Working Capacity(N/M)	13400
裙边高度 Side Apron Height	50/76/102mm	PP					
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:7.6mm	POM		13.2		20000	
可选宽度 Available Width 塑料缩水率引致的正常误差: 正负差距 ± 3(mm) The normal error caused by the shrinkage of plastic: ± 3(mm)							
单片宽度 (Bulk Pieces Width)				组合宽度 (Assemble Width)			
150mm				150+17*N			
非标宽度 Nonstandard Width				非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking			

链轮 Sprocket	护栏 Guide	其余配件 Component
S10	R01-R42	C01-C57

Har800 Series Flush Grid
With Stripes
MODULAR BELT

MODULAR BELT 800 Series
P=50.8mm, T=16mm
OPEN AREA: 18%

节距 Pitch	网链材质 Material	颜色 Color
50.8mm	PP	蓝色/Blue



挡板高度 Cleat Height	1mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PP	7.20	13400
穿销材质 Pin Material	PP/NYLON/PBT	—	—	—

可选宽度 Available Width
塑料缩水率引致的正常误差：正负差距 ± 3(mm) The normal error caused by the shrinkage of plastic: ± 3(mm)


单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
152.4mm	152.4*N
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S10	R01-R42	C01-C57


Har800 Series Flat Top With Nub

MODULAR BELT

MODULAR BELT 800 Series
 P=50.8mm, T=18.06mm
 OPEN AREA: 0%



节距 Pitch	网链材质 Material	颜色 Color
50.8mm	POM	白色/White



挡板高度 Cleat Height	50/75/100/152mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	50/76/100mm	POM	19.25	24000
穿销材质 Pin Material	PP/NYLON/PBT	PP	10.5	14900

可选宽度 Available Width

塑料缩水率引致的正常误差: 正负差距 ±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)



单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
152.4mm	152.4*N
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S10	R01-R42	C01-C57

Har801 Series Flat Top
MODULAR BELT

MODULAR BELT 801 Series
P=50.8mm, T=15.3mm
OPEN AREA: 0%

节距 Pitch	网链材质 Material	颜色 Color
50.8mm	PP	灰色/Gray



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PP	7.00	20000
穿销材质 Pin Material	PP/NYLON/PBT	—	—	—


可选宽度 Available Width
塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
200mm	200+20*N
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking



链轮 Sprocket	护栏 Guide	其余配件 Component
—	R01-R42	C01-C57

Har801 Series Perforated Top MODULAR BELT

MODULAR BELT 801 Series
P=50.8mm, T=15.3mm
OPEN AREA: 4%



节距 Pitch	网链材质 Material	颜色 Color
50.8mm	PP	灰色/Gray





挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PP	5.80	18000
穿销材质 Pin Material	PP/NYLON/PBT	—	—	—
可选宽度 Available Width 塑料缩水率引致的正常误差: 正负差距 ±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)				
单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)		
200mm		200+20*N		
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking		

链轮 Sprocket	护栏 Guide	其余配件 Component
—	R01-R42	C01-C57

Har2100 Series Raised Rib
MODULAR BELT

MODULAR BELT 2100 Series
P=50.8mm, T=24mm
OPEN AREA:30%

节距 Pitch	网链材质 Material	颜色 Color
50.8mm	PP	灰色/Gray



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PP	10.6	29000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:7.2mm	—	—	—


可选宽度 Available Width
塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)
76.2mm	152.4mm	76.2*N
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking



链轮 Sprocket	护栏 Guide	其余配件 Component
S39	R01-R42	C01-C57

Har3110 Series Raised Rib MODULAR BELT

MODULAR BELT 3110 Series
P=50.8mm, T=23.9mm
OPEN AREA:26%



节距 Pitch	网链材质 Material	颜色 Color
50.8mm	PP	棕色/Brown




挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PP	11.7	28000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:7.2mm	—	—	—
可选宽度 Available Width 塑料缩水率引致的正常误差: 正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)				
单片宽度 (Bulk Pieces Width)			组合宽度 (Assemble Width)	
114.7mm	303.5mm	190.3mm	305*76.2*N	
非标宽度 Nonstandard Width			非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking	



链轮 Sprocket	护栏 Guide	其余配件 Component
S52	R01-R42	C01-C57

HAR5080DRR Series Lateral
Pulley Type
MODULAR BELT

MODULAR BELT 5080DRR Series
P=50.8mm, T=33mm
OPEN AREA: 8%



节距 Pitch	网链材质 Material	颜色 Color
50.8mm	PP	蓝底黑珠/ Blue Plate Black Roller



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PP	23.3	35000
穿销材质 Pin Material	PP/NYLON/PBT	—	—	—

可选宽度 Available Width
塑料缩水率引致的正常误差: 正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)







单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
254mm	254+50*N
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
—	R01-R42	C01-C57

Har6100 Series Flat Top MODULAR BELT

MODULAR BELT 6100 Series
P=50.8mm, T=16mm
OPEN AREA:0%

节距 Pitch	网链材质 Material	颜色 Color
50.8mm	PP	白色/White 蓝色/Blue



挡板高度 Cleat Height	32/50/75/ 100/150 mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	50/76/102 mm	PP	14.0	28700
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:7.6mm	—	—	—

可选宽度 Available Width

塑料缩水率引起的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)




单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
133mm	152mm
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S55	R01-R42	C01-C57

Har6100 Series Flush Grid
MODULAR BELT

MODULAR BELT 6100
P=50.8mm, T=16mm
OPEN AREA:23%

节距 Pitch	网链材质 Material	颜色 Color
50.8mm	PP	白色/White 蓝色/Blue



挡板高度 Cleat Height	32/50/75/ 100/150 mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	50/76/102 mm	PP	7.0	11000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:7.6mm	—	—	—


可选宽度 Available Width
塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)
133mm	152mm	—
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking



链轮 Sprocket	护栏 Guide	其余配件 Component
S55	R01—R42	C01—C57

Har6100 Series Raised Rib MODULAR BELT

MODULAR BELT 6100 Series
P=50.8mm, T=26.0mm
OPEN AREA:23%



节距 Pitch	网链材质 Material	颜色 Color
50.8mm	PP	棕色/Brown



挡板高度 Cleat Height	32/50/75/ 100/150mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	50/76/102 mm	PP	9.7	19900
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:7.6mm	—	—	—

可选宽度 Available Width

塑料缩水率引致的正常误差: 正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)




单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
133mm	152mm
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S55	R01-R42	C01-C57

Har6100 Series Perforated Flat Top MODULAR BELT

MODULAR BELT 6100 Series
P=50.8mm, T=16mm
OPEN AREA:18%

节距 Pitch	网链材质 Material	颜色 Color
50.8mm	PP	白色/White 蓝色/Blue



挡板高度 Cleat Height	32/50/75/ 100/150 mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	50/76/102 mm	PP	7.2	11000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:7.6mm	—	—	—

可选宽度 Available Width
塑料缩水率引致的正常误差: 正负差距 ± 3(mm) The normal error caused by the shrinkage of plastic: ± 3(mm)



单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)
152mm	133mm	—
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S55	R01-R42	C01-C57

Har7200 Series Flush Grid MODULAR BELT

MODULAR BELT 7200 Series
P=50.8mm, T=17.3mm
OPEN AREA:38%

节距 Pitch	网链材质 Material	颜色 Color
50.8mm	PP	白色/White
50.8mm	PP	灰色/Grey





挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PP	10.4	26000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:4.6mm	—	—	—
可选宽度 Available Width 塑料缩水率引致的正常误差: 正负差距 ± 3(mm) The normal error caused by the shrinkage of plastic: ± 3(mm)				
单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)		
150mm		150*N		
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking		

链轮 Sprocket	护栏 Guide	其余配件 Component
—	R01-R42	C01-C57

Har7500 Series Flush Grid
MODULAR BELT

MODULAR BELT 7500 Series
P=50.8mm, T=16mm
OPEN AREA:37%

节距 Pitch	网链材质 Material	颜色 Color
50.8mm	POM	白色/White
	PP	白色/White



挡板高度 Cleat Height	50mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	10.5	35000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:6mm	PP	7.0	26000

可选宽度 Available Width
塑料缩水率引致的正常误差：正负差距 ± 3(mm) The normal error caused by the shrinkage of plastic: ± 3(mm)

单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
149mm	75*N
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking


链轮 Sprocket	护栏 Guide	其余配件 Component
S59	R01-R42	C01-C57

Har7501 Series Flush Grid MODULAR BELT



MODULAR BELT 7501 Series

P=50.8mm, T=16mm

OPEN AREA:34%



节距 Pitch	网链材质 Material	颜色 Color
50.8mm	PP	白色/White



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PP	8.0	36000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:6mm	—	—	—

可选宽度 Available Width

塑料缩水率引致的正常误差: 正负差距 ± 3 (mm) The normal error caused by the shrinkage of plastic: ± 3 (mm)




单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
304mm	304*N
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
—	R01-R42	C01-C57

Har8200 Series Curve
MODULAR BELT

MODULAR BELT 8200 Series
P=50.8mm, T=14.5mm
OPEN AREA:62%

节距 Pitch	网链材质 Material	颜色 Color	转弯系数 Turn Radius
50.8mm	POM	白色/White	2.5
50.8mm	POM	蓝色/Blue	2.5



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	11.0	6800
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:6mm	—	—	—


可选宽度 Available Width
塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度 (Bulk Pieces Width)			组合宽度 (Assemble Width)
80mm	201mm	170mm	250+201*N
非标宽度 Nonstandard Width			非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking



链轮 Sprocket	护栏 Guide	其余配件 Component
S64	R01-R42	C01-C57

Har7950 Series Flat Top MODULAR BELT

MODULAR BELT 7950 Series
P=50.8mm, T=10mm
OPEN AREA: 0%



节距 Pitch	网链材质 Material	颜色 Color
50.8mm	POM	蓝色/Blue



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	10.0	31000
穿销材质 Pin Material	SUS	—	—	—

可选宽度 Available Width

塑料缩水率引致的正常误差: 正负差距 ± 3 (mm) The normal error caused by the shrinkage of plastic: ± 3 (mm)



单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)
150mm	150mm	150+50*N
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S63	R01-R42	C01-C57

Har7950 Series Flush Grid
MODULAR BELT

MODULAR BELT 7950 Series
P=50.8mm, T=9.6mm
OPEN AREA:45%

节距 Pitch	网链材质 Material	颜色 Color
50.8mm	POM	蓝色/Blue



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	10.0	29700
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:6mm	—	—	—

可选宽度 Available Width
塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
700mm	700+51*N
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S63	R01-R42	C01-C57




Har7951 Series Flush Grid MODULAR BELT

MODULAR BELT 7950 Series

P=50.8mm, T=10mm

OPEN AREA: 45%

节距 Pitch	网链材质 Material	颜色 Color
50.8mm	POM	蓝色/Blue



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	10.0	29700
穿销材质 Pin Material	SUS	—	—	—

可选宽度 Available Width

塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)



单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
325mm	325+50*N
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
S63	R01-R42	C01-C57

Har4809 Series Raised Rib
MODULAR BELT

MODULAR BELT 4809 Series
P=57.15mm, T=23.8mm
OPEN AREA:34%

节距 Pitch	网链材质 Material	颜色 Color
57.15mm	PP	咖啡色/Brown



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PP	10.0	29200
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:6mm	—	—	—

可选宽度 Available Width

塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
152.4mm	152.4*N
非标宽度 Nonstandard Width	非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking


链轮 Sprocket	护栏 Guide	其余配件 Component
S53	R01-R42	C01-C57

Har5715LRR Series Lateral Pulley Type MODULAR BELT


MODULAR BELT 5715LRR Series

P=57.15mm, T=13mm

OPEN AREA:0%



节距 Pitch	网链材质 Material	颜色 Color
57.15mm	POM	蓝底灰珠/ Blue Plate Grey Roller





挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	17.0	30900
穿销材质 Pin Material	PP/NYLON/PBT	—	—	—
可选宽度 Available Width 塑料缩水率引致的正常误差: 正负差距 ±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)				
单片宽度 (Bulk Pieces Width)			组合宽度 (Assemble Width)	
110.6mm	162.5mm	208mm	110.6+162.5+208*N	
非标宽度 Nonstandard Width			非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking	

链轮 Sprocket	护栏 Guide	其余配件 Component
—	R01-R42	C01-C57

Har5996 Series Flush Grid
MODULAR BELT

MODULAR BELT 5996 Series
P=57.15mm, T=18.26mm
OPEN AREA: 24%

节距 Pitch	网链材质 Material	颜色 Color
57.15mm	PP	白色/white



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PP	8.50	34500
穿销材质 Pin Material	PP/NYLON/PBT	—	—	—

可选宽度 Available Width
塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)

单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)
152.4mm	304.8mm	152.4*N
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
—	R01-R42	C01-C57



Har5997 Series Raised Rib MODULAR BELT

MODULAR BELT 5997 Series

P=57.2mm, T=24.6mm

OPEN AREA:21%

节距 Pitch	网链材质 Material	颜色 Color
57.2mm	PP	棕色/Brown



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PP	11.3	29000
穿销材质 Pin Material	PP/NYLON/PBT DIAMETER:6mm	—	—	—

可选宽度 Available Width

塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)



单片宽度 (Bulk Pieces Width)	组合宽度 (Assemble Width)
152.4mm	304.8mm
非标宽度 Nonstandard Width	304.8+76*N
非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking	

链轮 Sprocket	护栏 Guide	其余配件 Component
S54	R01-R42	C01-C57

Har7620 Series Flat Top
MODULAR BELT

MODULAR BELT 7620 Series
P=76.2mm, T=32mm
OPEN AREA:0%

节距 Pitch	网链材质 Material	颜色 Color
76.2mm	POM	黑色/Black



挡板高度 Cleat Height	54mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	52	100000
穿销材质 Pin Material	SS DIAMETER:11mm	—	—	—

可选宽度 Available Width
塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)



单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)
100mm	200mm	200+100*N
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking

链轮 Sprocket	护栏 Guide	其余配件 Component
—	R01-R42	C01-C57

Har7620 Series Cleat MODULAR BELT

MODULAR BELT 7620 Series
P=76.2mm, T=86mm
OPEN AREA:0%

节距 Pitch	网链材质 Material	颜色 Color
76.2mm	POM	黄色/Yellow




挡板高度 Cleat Height	54mm	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	70.0	100000
穿销材质 Pin Material	SS DIAMETER:11mm	—	—	—
可选宽度 Available Width 塑料缩水率引致的正常误差: 正负差距 ± 3(mm) The normal error caused by the shrinkage of plastic: ± 3(mm)				
单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)		
100mm		100*N		
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking		

链轮 Sprocket	护栏 Guide	其余配件 Component
—	R01-R42	C01-C57

Har8000RR Series Lateral
Pulley Type
MODULAR BELT

MODULAR BELT 8000RR Series
P=80mm, T=13mm
OPEN AREA:3%

节距 Pitch	网链材质 Material	颜色 Color
80mm	PA	蓝底白珠/ Blue Plate White Roller



挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	PA	19.85	32300
穿销材质 Pin Material	PP/NYLON/PBT	—	—	—



可选宽度 Available Width 塑料缩水率引致的正常误差: 正负差距 ± 3(mm) The normal error caused by the shrinkage of plastic: ± 3(mm)				
单片宽度 (Bulk Pieces Width)			组合宽度 (Assemble Width)	
110.62mm	162.42mm	207.2mm	110.62+162.42+207.2*N	
非标宽度 Nonstandard Width			非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking	

链轮 Sprocket	护栏 Guide	其余配件 Component
—	R01-R42	C01-C57

Har8602 Series Curve MODULAR BELT

MODULAR BELT 8602 Series
T=10mm OPEN AREA:0%
Curve Degree: 90/180

节距 Pitch	网链材质 Material	颜色 Color
—	POM	灰色/Grey




挡板高度 Cleat Height	—	材质 Material	重量 Weight(KG/SQ)	工作负荷 Working Capacity(N/M)
裙边高度 Side Apron Height	—	POM	26.0	31000
穿销材质 Pin Material	PP/NYLON/PBT	—	—	—
可选宽度 Available Width 塑料缩水率引致的正常误差：正负差距±3(mm) The normal error caused by the shrinkage of plastic: ±3(mm)				
单片宽度 (Bulk Pieces Width)		组合宽度 (Assemble Width)		
—		600mm	800mm	1000mm 1200mm
非标宽度 Nonstandard Width		非标定制前请和本公司联系 PLS Contact Hairise Confirm Width Before Booking		

链轮 Sprocket	护栏 Guide	其余配件 Component
S65-S67	R01-R42	C01-C57

Hairise 机加工链轮键槽标准：圆孔Round Bore 20-6mm，25-8mm，30/35-8/10mm，40-12mm

Sprocket For Har100
Modular Belt



Har100型网链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har100-19T	19	162.5	30/40	30/40

Sprocket For Har100
Modular Belt


Har100型注塑链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har100-19T	19	158.5	40	30

Sprocket For Har200 Modular Belt



Har200型网链注塑链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har200-10T	10	158.5	40	30

Sprocket For Har200 Modular Belt



Har200型网链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har200-10T	10	162	25/30/40	25/30/40

Sprocket For Har400 Modular Belt

Har400型平格网链机加工链轮





型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har400-6T	6	98	40	25/30
Har400-8T	8	130	40	25/30
Har400-10T	10	162.5	40	30
Har400-12T	12	198	40/50/60	30/35/40
Har400-16T	16	259	80/90	50/60

备注：适用于400平格网链（细齿），400滚珠网链。

Sprocket For Har400 Flush Grid Modular Belt



Har400型平格网链注塑链轮 6齿



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har400-6T	6	102	40	25/30

Sprocket For Har400 Modular Belt



Har400型平格网链注塑链轮 16齿



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har400-16T	16	259	90	—

Sprocket For Har400 FG New Type Modular Belt

Har400型新款网链机加工链轮





型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har400-8T	8	130	30-50	30-50
Har400-10T	10	162.5	40-70	40-70
Har400-12T	12	198	40-70	40-70
Har400-16T	16	259	40-90	40-90

备注：适用于400平格网链（粗齿），400万向滚珠网链。

Sprocket For Har400RB
Modular Belt



Har400RB型注塑链轮 8齿



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har400RB-8T	8	129	40	—

Sprocket for Har400
Modular Belt



Har400轮子双排-12T型网链注塑链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har400-12T	12	198.5	60	—

Sprocket for Har400 Modular Belt



Har400-10T型网链注塑链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har400-10T	10	162.7	40/50	—


Sprocket for Har400 Modular Belt

Har400-12T型网链注塑链轮




型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har400-12T	12	196	50/60	—

Sprocket For Har500 Flush
Grid Modular Belt
Har500型网链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har500-28T	28	113.4	40	30/40
Har500-38T	38	153.8	40	30/40



Sprocket For Har50SG
Modular Belt
Har50SG型网链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har50SG-44T	44	72	—	25/30/35

Sprocket For Har515 Top Chains


Har515型链板机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har515-11T	11	90	25	10
Har515-13T	13	107	25	25
Har515-14T	14	115	20/30/40	20/30/40
Har515-15T	15	123	20/30/40	20/30/40
Har515-16T	16	131	30	30
Har515-19T	19	155	40	40

Sprocket For Har600 Multiflex Chains


Har600型柔性链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har600-8T	8	172	20/30/40	20/30/40
Har600-10T	10	214	20/30/40	20/30/40
Har600-11T	11	230	20/30/40	20/30/40
Har600-12T	12	255	20/30/40	20/30/40
Har600-14T	14	296.5	20/30/40	20/30/40

Sprocket For Har600 Roller Modular Belt



Har600型网链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har600-6T	6	101.6	30/40	30/40
Har600-8T	8	132.8	30/40	30/40
Har600-10T	10	164.4	30/40	30/40
Har600-12T	12	195.0	30/40/50	30/40/50
Har600-16T	16	260.4	30/40/50/60	30/40/50/60

Sprocket For Har800 Modular Belt


Har800型网链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har800-8T	8	127	30/40	30/40
Har800-9T	9	141.5	30/40	30/40
Har800-10T	10	157	30/40	30/40

Sprocket For Har800 Modular Belt

Har800型注塑链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har800-10T	10	164	40	40

Sprocket for Har801 Modular Belt


Har801-16T型网链注塑链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har801-16T	16	254.5	30/40	—

Sprocket For Har 1775 Flexible Chains



Har1775型柔性链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har1775-13T	13	108	—	20/30/40
Har1775-17T	17	141	—	20/30/40
Har1775-21T	21	173	—	20/30/40
Har1775-25T	25	206	—	20/30/40

Idler Sprocket For Har812 Top Chains



Har812型被动机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har812-19T	19	117	25/30/35	25/30/35
Har812-21T	21	129	25/30/35/40	25/30/35/40
Har812-23T	23	143	25/30/35/40	25/30/35/40
Har812-25T	25	155	25/30/35/40	25/30/35/40

Sprocket For Har812 Top Chains



Har812型链板注塑链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har812-19T	19	117	—	25/30/35
Har812-21T	21	129	—	25/30/35/40

Sprocket For Har812 Top Chains



Har812型链板注塑链轮 23齿



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har812-23T	23	143	—	25/30/35/40

Sprocket For Har812 Top Chains


Har812型链板注塑链轮 25齿



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har812-25T	25	155	—	25/30/35/40

Drive Sprocket For Har812 Top Chains


Har812型主动机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har812-19T	19	117	25/30/35	25/30/35
Har812-21T	21	129	25/30/35/40	25/30/35/40
Har812-23T	23	143	25/30/35/40	25/30/35/40
Har812-25T	25	155	25/30/35/40	25/30/35/40

Drive Sprocket For Har820 Top Chains


Har820型主动注塑分半链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har820ZSF-19T	19	118	—	25/30
Har820ZSF-21T	21	129	—	25/30
Har820ZSF-23T	23	143	—	25/30
Har820ZSF-25T	25	155	—	25/30

Idler Sprocket For Har820 Top Chains


Har820型被动注塑链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har820BZS-19T	19	118	—	25/30
Har820BZS-21T	21	129	—	25/30
Har820BZS-23T	23	143	—	25/30
Har820BZS-25T	25	155	—	25/30

Drive Sprocket For Har820 Top Chains


Har820型主动机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har820ZJJ-15T	15	93	—	25/30
Har820ZJJ-17T	17	107	—	25/30
Har820ZJJ-19T	19	118	—	25/30/35/40
Har820ZJJ-21T	21	129	—	25/30/35/40
Har820ZJJ-23T	23	143	—	25/30/35/40
Har820ZJJ-25T	25	155	—	25/30/35/40

Idler Sprocket For Har820 Top Chains


Har820型被动机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har820BJJ-15T	15	93	—	25/30
Har820BJJ-17T	17	107	—	25/30
Har820BJJ-19T	19	118	—	25/30/35/40
Har820BJJ-21T	21	129	—	25/30/35/40
Har820BJJ-23T	23	143	—	25/30/35/40
Har820BJJ-25T	25	155	—	25/30/35/40

Drive Sprocket For Har821/802 Top Chains


Har821/802型主动注塑链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har821/802ZS-19T	19	117	—	25/30/35/40
Har821/802ZS-21T	21	129	—	25/30/35/40
Har821/802ZS-23T	23	142	—	25/30/35/40
Har821/802ZS-25T	25	154	—	25/30/35/40

Idler Sprocket For Har821/802 Top Chains


Har821/802型被动注塑链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har821/802BZS-19T	19	117	—	25/30/35/40
Har821/802BZS-21T	21	129	—	25/30/35/40
Har821/802BZS-23T	23	142	—	25/30/35/40
Har821/802BZS-25T	25	154	—	25/30/35/40

Drive Sprocket For Har821/802 Top Chains


Har821/802型主动机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har821/802ZJJ-19T	19	117	—	25/30/35/40
Har821/802ZJJ-21T	21	129	—	25/30/35/40
Har821/802ZJJ-23T	23	142	—	25/30/35/40
Har821/802ZJJ-25T	25	154	—	25/30/35/40

Idler Sprocket For Har821/802 Top Chains


Har821/802型被动机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har821/802ZS-15T	15	93	—	25/30
Har821/802ZS-17T	17	107	—	25/30
Har821/802ZS-19T	19	117	—	25/30/35/40
Har821/802ZS-21T	21	129	—	25/30/35/40
Har821/802ZS-23T	23	142	—	25/30/35/40
Har821/802ZS-25T	25	154	—	25/30/35/40

Idler Sprocket For Har821/802 Top Chains




Har821/802型被动机加工链轮 无齿



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har821/802BJJC-19T	19	117	—	25/30/35/40
Har821/802BJJC-21T	21	129	—	25/30/35/40
Har821/802BJJC-23T	23	142	—	25/30/35/40
Har821/802BJJC-25T	25	154	—	25/30/35/40

Sprocket For Har830T Flexible Chains



Har830T型柔性链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har830T-13T	13	134.5	25/30/35/40/50	25/30/35/40/50
Har830T-15T	15	152.7	25/30/35/40/50	25/30/35/40/50
Har830T-17T	17	194.8	25/30/35/40/50	25/30/35/40/50

Sprocket For Har843 Top Chains


Har843型链板机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har843-19T	19	81.7	—	25/30
Har843-21T	21	89.7	—	25/30
Har843-25T	25	105.8	—	25/30/40

Drive Sprocket For Har880 Top Chains


Har880型主被动机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har880-9T	9	110	—	25/30
Har880-10T	10	122	—	25/30
Har880-11T	11	135	—	25/30
Har880-12T	12	147	—	25/30
Har880-15T	15	178	—	25/30

Drive&Driven Sprocket For Har880 Top Chains


Har880型链板注塑链轮 10齿



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har880-10T	10	122	—	25/30/35/40

Drive&Driven Sprocket for Har880 Top Chains


Har880型链板注塑链轮 11齿



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har880-11T	11	135	—	25/30/35/40
Har880-12T	12	147	—	25/30/35/40

Drive Sprocket For Har882TAB Top Chains


Har882TAB型主动注塑链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har882TABZS-9T	9	110	—	25/30
Har882TABZS-10T	10	122	—	25/30
Har882TABZS-11T	11	135	—	25/30
Har882TABZS-12T	12	147	—	25/30

Driven Sprocket For Har882TAB Top Chains


Har882TAB型被动注塑链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har882TABBS-9T	9	110	—	25/30
Har882TABBS-10T	10	122	—	25/30
Har882TABBS-11T	11	135	—	25/30
Har882TABBS-12T	12	147	—	25/30

Drive Sprocket For Har882 Top Chains


Har882TAB型主被动机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har882-9T	9	110	—	25/30
Har882-10T	10	122	—	25/30
Har882-11T	11	135	—	25/30
Har882-12T	12	147	—	25/30
Har882-15T	15	178	—	25/30

Sprocket For Har900 Modular Belt


Har900型机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har900-12T	12	107	30/40	25/30/40

Sprocket For Har900 Modular Belt


Har900型注塑链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har900-6T	6	53	25	—
Har900-9T	9	79	40	25/30
Har900-10T	10	89	40	25/30

Sprocket For Har900 Modular Belt


Har900型注塑链轮 12齿



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har900-12T	12	104	40	25/30

Sprocket For Har900 Modular Belt



Har900型注塑链轮 15齿



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har900-15T	15	130	40	25/30

Sprocket For Har900 Modular Belt



Har900型网链注塑链轮 18齿



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har900-18T	18	155	40/60	25/30

Sprocket For Har900 Modular Belt


Har900型网链注塑链轮 20齿



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har900-20T	20	173	40/60	25/30

Sprocket For Har981TAB Top Chains


Har981TAB型链板机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har981TAB-19T	19	115	—	25/30/35
Har981TAB-21T	21	129	—	25/30/35/40
Har981TAB-23T	23	143	—	25/30/35/40
Har981TAB-25T	25	152.5	—	25/30/35/40

Sprocket For Har1000 Modular Belt


Har1000型网链注塑链轮 整体



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har1000-12T	12	98	30	25/30
Har1000-16T	16	132	30	25/30/40
Har1000-18T	18	146	30/40	30/35/40
Har1000-20T	20	162	30/40	30/40/50

Sprocket For Har1000 Modular Belt


Har1000型注塑链轮 分半 16齿



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har1000-16T	16	132	—	40

Sprocket For Har1000 Modular Belt



Har1000型注塑链轮 分半 18齿



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har1000-18T	18	146	—	40

Sprocket For Har1005 Modular Belt


Har1005型机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har1005-14T	14	114	20-40	20-40
Har1005-16T	16	129	20-50	20-50
Har1005-18T	18	149.6	25-60	25-60
Har1005-20T	20	162.5	30-60	30-60

Sprocket For Har1005 Modular Belt


Har1005型注塑链轮 18齿



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har1005-18T	18	146	—	40

Sprocket For Har1050 Top Chains


Har1050型链板主动机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har1050-16T	16	130	20/25/30/40	20/25/30/40
Har1050-18T	18	146	20/25/30/40	20/25/30/40
Har1050-19T	19	154.5	20/25/30/40	20/25/30/40
Har1050-21T	21	170	20/25/30/40	20/25/30/40

Sprocket For Har1050 Modular Belt


Har1050型注塑链轮 16齿



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har1050-16T	16	130	—	40

Sprocket For Har1100 Modular Belt


Har1100型机加工链轮 18齿



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har1100-18T	18	90	40	20/30/32

Sprocket For Har1100 Modular Belt


Har1100型网链注塑链轮 分半



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Split type Injection Sprocket				
Har1100-32T	32	157	40	25/30/35

Sprocket For Har1100 Modular Belt


Har1100型网链板注塑链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har1100-16T	16	78	40	20/25/30/40
Har1100-18T	18	87	40	20/25/30/40
Har1100-24T	24	117	40	20/25/30/40
Har1100-32T	32	157	40	20/25/30/40

Sprocket For Har1270 Modular Belt



Har1270型网链机注塑链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har1270-28T	28	116.6	—	30

Sprocket For Har1400 /1400TAB Flexible Chains


Har1400/1400TAB型柔性链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har1400-6T	6	176	25-50	25-50
Har1400-8T	8	226	25-60	25-60
Har1400-10T	10	278	25-60	25-60

Sprocket For Har1400 Modular Belt


Har1400型网链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har1400-16T	16	134	20-40	25-40
Har1400-18T	18	151	20-40	25-40
Har1400-21T	21	176	30-60	30-60
Har1400-31T	31	251	30-60	30-60

Sprocket For Har1400 Modular Belt



Har1400型网链注塑链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har1400-16T	16	129.5	40	25/30/35
Har1400-21T	21	171	—	50

Sprocket For Har1500 Modular Belt



Har1500型网链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har1500-19T	19	79	20-40	20-40
Har1500-20T	20	82	20-40	20-40
Har1500-28T	28	114.2	25-60	25-60
Har1500-38T	38	157.4	30-70	30-70

Sprocket For Har1505 Modular Belt


Har1505型网链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har1505-16T	16	77.7	20-35	20-35
Har1505-24T	24	115.5	20-60	20-60
Har1505-32T	32	154.8	30-60	30-60
Har1505-36T	36	157	30-60	30-60

Sprocket For Har1506 Modular Belt



Har1506型网链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har1506-14T	14	58	—	15-25
Har1506-19T	19	79	20-40	20-40
Har1506-20T	20	82	20-40	20-40
Har1506-28T	28	114.2	25-60	25-60
Har1506-32T	32	154.8	30-60	30-60
Har1506-36T	36	157	30-60	30-60

Sprocket For Har1507 Modular Belt



Har1507型网链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har1507-16T	16	81.6	25/30	25/30
Har1507-24T	24	121	30	25-60
Har1507-32T	32	162	30/40	25-60

Sprocket For Har1600 Modular Belt



Har1600型网链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har1600-8T	8	64.51	—	20-30
Har1600-10T	10	81.3	—	25-35
Har1600-18T	18	147.2	40	30-60
Har1600-21T	21	171.6	40	30-60

Sprocket For Har1600T Modular Belt



Har1600T型网链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har1600T-10T	10	80.8	30	25/30/40
Har1600T-12T	12	97	30/40	25/30/40
Har1600T-15T	15	120	30/40	25/30/40

Sprocket For Har1610 Flexible Chains


Har1610型柔性链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har1610-10T	10	203	—	40/50

Sprocket For Har1700 Flexible Chains



Har1700型柔性链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har1700-8T	8	133	20/25/30	20/25/30
Har1700-10T	10	166	25/30/40	25/30/40
Har1700-12T	12	196	25/30/40	25/30/40

Sprocket For Har1700T Modular Belt



Har1700T型网链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har1700T-12T	12	147	30 /35 /40	30/35/40
Har1700T-14T	14	174	40/ 45/ 50	40/45/50
Har1700T-16T	16	201.5	40 /50 /60	40/50/60

Sprocket For Har1873 Roller Chains


Har1873型滚子链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har1873-21T	21	136	20	20
Har1873-23T	23	148	20	20
Har1873-25T	25	160	20	20
Har1873-27T	27	172	20	20
Har1873-29T	29	184	20	20
Har1873-31T	31	196	25	25
Har1873-33T	33	209	25	25
Har1873-35T	35	221	25	25
Har1873-37T	37	233	25	25

Sprocket For Har1900A Flexible Chains


Har1900A型柔性链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har1900A-15T	15	62.8	—	25/30

Sprocket For Har1900B Flexible Chains


Har1900B型柔性链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har1900B-19T	19	118.5	—	25/30/35/40

Sprocket For Har2000
Flexible Chains



Har2000型柔性链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har2000-10T	10	122	20/25/30	20/25/30
Har2000-11T	11	134	20/25/30	20/25/30
Har2000-12T	12	146	20/25/30	20/25/30

Sprocket For Har2100
Modular Belt


Har2100型网链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har2100-10T	10	164.4	40/50	40/50

Sprocket For Har2120 Modular Belt


Har2120型网链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har2120-24T	24	99.3	30/40	30/40
Har2120-28T	28	115	30/40	30/40
Har2120-32T	32	129	30/40	30/40/50
Har2120-36T	36	148	30/40/50	30/40/50

Sprocket For Har2120 Modular Belt



Har2120型注塑链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har2120-28T	28	115.4	—	30/40
Har2120-36T	36	147.7	—	30/40

Sprocket For Har2200 Modular Belt


Har2200型网链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har2200-8T	8	120	25/30/40	25/30/40
Har2200-10T	10	151	25/30/40	25/30/40

Sprocket For Har1800 Flexible Chains


Har1800型柔性链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har1800-8T	8	170	25/30/40	25/30/40

Sprocket For Har2265/Har2275 Modular Belt



Har2265/Har2275型机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har2265/Har2275-10T	10	106.6	30/40	30/40
Har2265/Har2275-13T	13	132	30/40	30/40
Har2265/Har2275-15T	15	155	30/40	30/40
Har2265/Har2275-16T	16	163	30/40	30/40

Sprocket For Har1100 Roller Top Modular Belt



Har1100型滚珠网链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har1100R-16T	16	82	25/30	25/30
Har1100R-20T	20	100	30/40	30/40
Har1100R-32T	32	160	30/40/50	30/40/50

Sprocket For Har2350PW
Flexible Chains

Har2350PW型主动机加工链轮





型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har2350PW-12T	12	146.3	—	25/30/40

备注：适用于Har2350PW-k406柔性链。

Sprocket For Har2350PW
Flexible Chains

Har2350PW型被动机加工链轮




型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har2350PW-12T	12	124	—	25/30/40

备注：适用于Har2350PW-k406，2350PW-103柔性链。

Sprocket For Har2350PW Flexible Chains

Har2350PW型机加工链轮




型号 Item Code	齿数 Teeth No.	外径 D_a (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har2350PW-12T	12	139	—	25/30/40

备注：适用于Har2350PW-103柔性链。

Idler Sprocket For Har2350PW Flexible Chains

Har2350PW型主被动机加工链轮






型号 Item Code	齿数 Teeth No.	外径 D_a (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har2350PW-12T	12	136.8	—	25/30/40

备注：适用于Har2350PW-k327, 2350PW-83柔性链。

Sprocket For Har2350PW
Flexible Chains

Har2350PW型柔性链注塑链轮






型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har2350PW-12T	12	138	—	25

备注：适用于Har2350PW-k327柔性链。

Sprocket For Har2350PW
Flexible Chains

Har2350PW型柔性链被动注塑链轮





型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har2350PW-12T	12	117	—	25

备注：适用于Har2350PW-k327柔性链。

Sprocket For Har2350PW-83 Modular Belt



Har2350PW-83型柔性链链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har2350PW-83-12T	12	117	25/30	25/30

Sprocket For Har2400 Modular Belt


Har2400型注塑链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har2400-16T	16	129.5	40	—
Har2400-20T	20	163	30/40/50	30/40/50

Sprocket For Har2400/2401 Modular Belt

Har2400/2401型网链机加工链轮




型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har2400/2401-9T	9	74	20/30	20/30
Har2400/2401-12T	12	100	20/30/40	20/30/40
Har2400/2401-16T	16	130	20/30/40	20/30/40
Har2400/2401-20T	20	163	20/30/40	20/30/40

备注：同时适用于Har2400平格网链、2401平格网链。

Sprocket For Har2480PMO Flexible Chains



Har2480PMO型柔性链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har2480PMO-9T	9	116.5	20-35	20-35
Har2480PMO-10T	10	128.5	25-40	25-40
Har2480PMO-11T	11	140.5	25-40	25-40
Har2480PMO-12T	12	152.5	25-40	25-40
Har2480PMO-13T	13	164.5	25-40	25-40

Sprocket For Har2501 Modular Belt


Har2501型机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har2501-9T	9	74	20/30	20/30
Har2501-12T	12	99	20/30/40	20/30/40
Har2501-16T	16	127	20/30/40	20/30/40
Har2501-18T	18	143	20/30/40	20/30/40
Har2501-20T	20	163	20/30/40	20/30/40

Sprocket For Har2520 Modular Belt



Har2520型机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har2520-9T	9	73.2	20/30	20/30
Har2520-12T	12	99	20/30/40	20/30/40
Har2520-15T	15	125	20/30/40	20/30/40
Har2520-16T	16	133.5	20/30/40	20/30/40
Har2520-20T	20	163	20/30/40	20/30/40

Sprocket For Har2520 Modular Belt



Har2520型注塑链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har2520-10T	10	85	40	30
Har2520-12T	12	99	40	30
Har2520-15T	15	124	40/50	30/40

Sprocket For Har2540 Modular Belt



Har2540型机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har2540-9T	9	74	20/30	20/30
Har2540-10T	10	83	20/30	20/30
Har2540-12T	12	99	20/30/40	20/30/40
Har2540-16T	16	130	20/30/40	20/30/40
Har2540-20T	20	163	20/30/40	20/30/40

Sprocket For Har2541 Modular Belt



Har2541型机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har2541-8T	8	70	25	20/25
Har2541-10T	10	82.5	25/30	25/30
Har2541-12T	12	99	25/40	20/25/30/40
Har2541-20T	20	169	25/40/60	25/30/40

Sprocket For Har2542 Modular Belt



Har2542型机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har2542-12T	12	98	30/40	25/30/35/40
Har2542-14T	14	114	30/40	25/30/35/40
Har2542-16T	16	130	30/40/60	25/30/35/40
Har2542-18T	18	148	30/40/60	25/30/35/40
Har2542-20T	20	162	30/40/60	25/30/35/40

Sprocket For Har2545 Modular Belt



Har2545型机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har2545-8T	8	78	25	20/25
Har2545-10T	10	108	25/40	20/25/30/40
Har2545-20T	20	173	25/40/60	20/30/40/50/60

Sprocket For Har2580 Flexible Chains


Har2580型柔性链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har2580-9T	9	103	20	20
Har2580-10T	10	135	20	20

Sprocket For Har2840 Flexible Chains



Har2840型柔性链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har2840-10T	10	88.6	—	25/35

Sprocket For Har3110 Modular Belt


Har3110型网链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har3110-10T	10	164.4	30/40/60/90	30/40/60/90
Har3110-12T	12	196	30/40/60/90	30/40/60/90

Sprocket For Har4809 Modular Belt



Har4809型网链注塑链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har4809-7T	7	126	30/40/50	30/40/50
Har4809-9T	9	164	30/40/50/60	30/40/50/60
Har4809-12T	12	221	30/40/50/60	30/40/50/60
Har4809-14T	14	257	30/40/50/60	30/40/50/60
Har4809-17T	17	314	30/40/50/60/90	30/40/50/60/90

Sprocket For Har5935 Modular Belt


Har5935型机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har5935-10T	10	62	20/25	20/25
Har5935-13T	13	79.6	20/25/30	20/25/30
Har5935-18T	18	109.7	25/30/35/40/50	25/30/35/40/50
Har5935-20T	20	121.8	25/30/40/50/60	25/30/40/50/60
Har5935-24T	24	147	30/40/50/60/65	30/40/50/60/65
Har5935-31T	31	188.3	30/40/50/60/70	30/40/50/60/70

Sprocket For Har5966 Modular Belt


Har5966型网链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har5966-9T	9	115	20/30	20/30
Har5966-12T	12	145.6	30/40/50	30/40/50
Har5966-16T	16	194.1	30/40/50	30/40/50
Har5966-20T	20	242.6	30/40/50/60	30/40/50/60

Sprocket For Har5997 Modular Belt


Har5997型网链注塑链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har5997-7T	7	126	40/50	40/50
Har5997-9T	9	164	40/50/60	40/50/60
Har5997-12T	12	221	40/50/60	40/50/60
Har5997-14T	14	257	40/50/60/90	40/50/60/90
Har5997-17T	17	314	40/50/60/90	40/50/60/90

Sprocket For Har6100 Modular Belt



Har6100型网链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har6100-8T	8	131.5	25/30/40	25/30/40
Har6100-10T	10	162	25/30/40/50	25/30/40/50
Har6100-12T	12	195	25/30/40/50	25/30/40/50
Har6100-14T	14	228	25/30/40/50	25/30/40/50
Har6100-16T	16	259	25/30/40/50	25/30/40/50

Sprocket For Har6100 Modular Belt


Har6100型注塑链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har6100-12T	12	195	50	—

Sprocket For Har6200NP Modular Belt


Har6200NP型机加工链轮 中间



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har6200NP-8T	8	112.1	25/35	25/35/45
Har6200NP-10T	10	140.1	35/45/50	35/45/50
Har6200NP-12T	12	168.1	35/45/50	35/45/50
Har6200NP-16T	16	224	35/45/50	35/45/50

Sprocket For Har6200NP Modular Belt


Har6200NP型机加工链轮 两边



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har6200NP-8T	8	112.1	25/35	25/35/45
Har6200NP-10T	10	140.1	35/45/50	35/45/50
Har6200NP-12T	12	168.1	35/45/50	35/45/50
Har6200NP-16T	16	224	35/45/50	35/45/50

Sprocket For Har7100 Modular Belt



Har7100型网链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har7100-12T	12	97	20/30	20/30/35/40
Har7100-13T	13	105	20/30/35/40	20/30/35/40
Har7100-15T	15	126	20/30/35/40	20/30/35/40
Har7100-18T	18	144.5	20/30/35/40	20/30/35/40
Har7100-28T	28	229.4	20/30/35/40	20/30/35/40

Sprocket For Har7120 Modular Belt



Har7120型网链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har7120-15T	15	61.6	—	20/30
Har7120-17T	17	70.2	25	20/25
Har7120-24T	24	98.8	25/30/35	25/30/35
Har7120-36T	36	147	30/40	30/40
Har7120-38T	38	153.7	30/40	30/40

Sprocket For Har7300 Modular Belt


Har7300型网链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har7300-8T	8	68	—	20/25
Har7300-12T	12	104.5	25/30/40/50	25/30/40/50
Har7300-15T	15	130	25/30/40/50	25/30/40/50
Har7300-18T	18	154	25/30/40/50	25/30/40/50
Har7300-20T	20	167	25/30/40/50	25/30/40/50

Sprocket For Har7400 Modular Belt



Har7400型网链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har7400-12T	12	53.5	—	25
Har7400-18T	18	77.6	30/40	30/40
Har7400-19T	19	81.6	30/40	30/40
Har7400-20T	20	85.6	30/40	30/40

Sprocket For Har7500
Modular Belt



Har7500型网链注塑链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har7500-8T	8	122.7	40	30

Sprocket For Har7705
Modular Belt



Har7705型网链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har7705-16T	16	130.6	25/30/35/40	25/30/35/40
Har7705-18T	18	146	25/30/35/40	25/30/35/40

Sprocket For Har7800 Modular Belt



Har7800型网链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har7800-10T	10	124	20/30/40	20/30/40
Har7800-13T	13	136	20/30/40	20/30/40

Sprocket For Har7900 Modular Belt

Har7900型网链机加工链轮





型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har7900-18T	18	47	—	20/25
Har7900-20T	20	52.2	—	20/25
Har7900-24T	24	62	20/25/30/40	20/25/30/40
Har7900-36T	36	92	20/25/30/40	20/25/30/40

备注：材料普通尼龙。

Sprocket For Har7910 Modular Belt


Har7910型网链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har7910-12T	12	100	30/40	30/40
Har7910-14T	14	114.5	30/40	30/40
Har7910-16T	16	132.5	30/40	30/40

Sprocket For Har7920 Modular Belt


Har7920型网链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har7920-11T	11	99	30/40	30/40
Har7920-15T	15	134.5	30/40	30/40
Har7920-17T	17	153	30/40	30/40

Sprocket For Har7930 Modular Belt


Har7930型网链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har7930-16T	16	53	—	20/25
Har7930-18T	18	59	—	20/25
Har7930-20T	20	65	—	20/25

Sprocket For Har7940 Modular Belt



Har7940型网链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har7940-12T	12	49.8	—	20/25
Har7940-17T	17	70.2	25	25/30/40
Har7940-24T	24	98.8	25/40	30/40/50
Har7940-28T	28	113.2	25/40	40/50/60
Har7940-36T	36	148	25/40	40/50/60

Sprocket For Har7950 Modular Belt



Har7950型网链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har7950-12T	12	198.5	40/50/60	40/50/60

Sprocket For Har7960 Modular Belt



Har7960型网链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har7960-8T	8	102	20/25/30/40	20/25/30/40
Har7960-9T	9	115	25/30/40	25/30/40
Har7960-10T	10	128	25/30/40/50	25/30/40/50
Har7960-12T	12	152	30/40/50/60	30/40/50/60

Sprocket For Har8200 Modular Belt




Har8200型网链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har8200-10T	10	170.66	40/50/60	40/50/60

Sprocket For Har8505 Modular Belt


Har8505型网链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har8505-17T	17	105	25-35	25-35

Sprocket For Har8505 Modular Belt


Har8505型注塑链轮 25齿



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
Har8505-25T	25	152	40	—

Sprocket For Har8600 Modular Belt



Har8600型网链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har8600-12T	12	67	—	30

Sprocket For Har8600 Modular Belt



Har8600型网链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har8600-12T	12	77	—	30

Sprocket For Har8600 Modular Belt



Har8600型网链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har8600-12T	12	87	—	30

Sprocket For Har8600
Modular Belt



Har8600型网链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har8600-12T	12	97	—	30

Sprocket For Har8600
Modular Belt


Har8600型网链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har8600-12T	12	117	—	30

Sprocket For Har8825 Modular Belt



Har8825型链板机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har8825-10T	10	135.27	40	25-50
Har8825-11T	11	143.27	40	25-50
Har8825-12T	12	152.27	40	25-50

Sprocket For Har042680 Flexible Chains


Har042680型柔性链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har042680-16T	16	163	30	30

Sprocket For Har216628 Flexible Chains



Har216628型柔性链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
Har216628-8T	8	72.2	20-30	20-30
Har216628-9T	9	80.5	20-30	20-30
Har216628-10T	10	88.5	20-30	20-30
Har216628-11T	11	97.0	20-40	20-40
Har216628-13T	13	112.5	20-40	20-40
Har216628-14T	14	117.2	20-40	20-40
Har216628-15T	15	128.5	20-40	20-40

Sprocket For HarPT280 Flexible Chains


HarPT280型柔性链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
HarPT280-10T	10	165.1	30/40	30/40
HarPT280-12T	12	197.1	30/40	30/40

Sprocket For HarQNB Modular Belt



HarQNB型机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
HarQNB-10T	10	81	40/50	40/50
HarQNB-12T	12	97	40/50	40/50
HarQNB-15T	15	121	50/60	50/60
HarQNB-18T	18	146.3	50/60	50/60

Sprocket For HarQNB Modular Belt



HarQNB型注塑链轮 分半



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
注塑链轮 Injection Sprocket				
HarQNB-15T	15	121	65	—

Sprocket For HarQNC Modular Belt



HarQNC型网链机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
HarQNC-11T	11	90	25/30/40	25/30/40
HarQNC-16T	16	130	25/30/40	25/30/40

Sprocket For HarRT114 Top Chains


HarRT114型链板机加工链轮



型号 Item Code	齿数 Teeth No.	外径 Da (mm)	方孔 Square Bore (mm)	圆孔 Round Bore (mm)
机加工链轮 Machined Sprocket				
HarRT114-9T	9	111	25/30/40	25/30/40
HarRT114-10T	10	123	25/30/40	25/30/40
HarRT114-11T	11	135.2	25/30/40	25/30/40
HarRT114-12T	12	146	25/30/40	25/30/40


链轮对准

- 在相同位置对准链轮齿。沿轴进行检查。
- 确保在轴的同侧对准齿数为奇数的所有链轮上的定位孔。




所有定位孔已对准

- 在方轴上安装齿数除以4后商为奇数的链轮时，确保在轴的同侧对准链轮对准槽。




链轮在轴上的位置








- 将一个链轮分别固定在驱动轴和从动轴上，以保持正确的侧向导向定位。








A-固定链轮

- 将固定链轮置于每个轴上的相同位置。
- 确保轴上的非固定链轮可以随着传送带的伸长和缩短自由移动。
- 如果每个轴上只有两个链轮，则只固定驱动轴颈侧的链轮。
- 有关中心链轮偏移量和最大链轮间距的信息，请参见以下图表。










PLASTIC FLEXIBLE CHAIN CONVEYOR 柔性链输送机

Normally, flexible chain conveyor is made of Aluminium profile and flexible plastic chains. Thanks to the small radius and standard components, it doesn't need too much room. It's also easy to assemble and install. Available width for single rail: 65mm/85mm/105mm/140mm/175mm. For larger width, more rails is a good choice. It's usually used for food & beverage industry and production line.






Conveyor frame:
SS304 / SS316 / Carbon steel / Aluminium
Belt material: POM/PP, food grade
Belt width: 85mm–3500mm
Dimension: Customized
Application: Food & beverage industry, Logistics industry, tyre industry, Battery, Packaging & Cans, Daily chemicals industry, Tobacco, Corrugated industry and etc.






Rubber top modular belt with friction
It's popular to used for conveying heavy
duty products,
such as cartons, bottles and sacks.





Conveyor frame:SS304 / SS316 /
Carbon steel
Belt material:SS304 / Carbon steel
Belt width:150-2000mm
Dimension:Customized
Application:Food & beverage industry, Logistics
industry, Packaging & Cans, and etc.



Food Industry-Meat
(Beef&Pork/Poultry/Seafood...)
肉类 (牛肉和猪肉/家禽/海鲜...)



Food Industry-Meat (Beef&Pork/Poultry/Seafood...) 肉类 (牛肉和猪肉/家禽/海鲜...)





Conveyor frame:SS304 / Carbon steel
Belt material:PP / POM
Belt width:400-2600mm
Belt code:Har400 roller top
Har600 roller top
Har900 flat top / flush grid







Plastic Chain Type 链条式

Conveyor frame: SS304 / Carbon steel
 Belt: SS304 / carbon steel base chain +
 Plastic chain
 Belt width: 304.8mm/406mm/457.2mm
 Height: Customized
 Application: Food & beverage industry,
 Logistics industry,
 Packaging & Cans and etc.



Modular Belt Type 网链式

Conveyor frame:SS304
Belt material:Plastic
Belt width:350-800mm
Dimension:Customized
Application:Food industry



Roller Type 滚筒式

Conveyor frame:SS304

Belt:Roller

Belt width:300-800mm

Dimension:Customized

Application:Food & beverage industry,

Logistics industry,

Packaging & Cans and etc

